

# Package: distributions3 (via r-universe)

October 17, 2024

**Title** Probability Distributions as S3 Objects

**Version** 0.2.2.9000

**Description** Tools to create and manipulate probability distributions using S3. Generics pdf(), cdf(), quantile(), and random() provide replacements for base R's d/p/q/r style functions. Functions and arguments have been named carefully to minimize confusion for students in intro stats courses. The documentation for each distribution contains detailed mathematical notes.

**License** MIT + file LICENSE

**URL** <https://github.com/alexpg Hayes/distributions3>,  
<https://alexpg Hayes.github.io/distributions3/>

**BugReports** <https://github.com/alexpg Hayes/distributions3/issues>

**Imports** ggplot2, glue, rlang

**Suggests** cowplot, knitr, PoissonBinomial, revdbayes (>= 1.3.5),  
rmarkdown, testthat (>= 3.0.0), tibble, vctrs

**VignetteBuilder** knitr

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.2

**Config/testthat/edition** 3

**Config/testthat/parallel** true

**Repository** <https://alexpg Hayes.r-universe.dev>

**RemoteUrl** <https://github.com/alexpg Hayes/distributions3>

**RemoteRef** HEAD

**RemoteSha** d110fe610d5eee16883f396dbe3a46b872e6daeb

## Contents

apply_dpqr	7
Bernoulli	9
Beta	11
Binomial	12
Categorical	14
Cauchy	15
cdf	17
cdf.Bernoulli	17
cdf.Beta	18
cdf.Binomial	20
cdf.Categorical	21
cdf.Cauchy	22
cdf.ChiSquare	23
cdf.Erlang	24
cdf.Exponential	25
cdf.FisherF	26
cdf.Frechet	28
cdf.Gamma	29
cdf.Geometric	30
cdf.GEV	31
cdf.GP	32
cdf.Gumbel	33
cdf.HurdleNegativeBinomial	34
cdf.HurdlePoisson	35
cdf.HyperGeometric	36
cdf.Logistic	37
cdf.LogNormal	39
cdf.NegativeBinomial	40
cdf.Normal	41
cdf.Poisson	43
cdf.PoissonBinomial	45
cdf.RevWeibull	46
cdf.StudentsT	47
cdf.Tukey	49
cdf.Uniform	50
cdf.Weibull	51
cdf.ZINegativeBinomial	52
cdf.ZIPoisson	54
cdf.ZTNegativeBinomial	55
cdf.ZTPoisson	56
ChiSquare	57
dhnbinom	59
dhpois	60
dzinbinom	61
dzipois	63
dztinbinom	64

dztpois . . . . .	65
Erlang . . . . .	66
Exponential . . . . .	67
FIFA2018 . . . . .	69
FisherF . . . . .	71
fit_mle . . . . .	72
fit_mle.Bernoulli . . . . .	73
fit_mle.Binomial . . . . .	73
fit_mle.Exponential . . . . .	74
fit_mle.Gamma . . . . .	74
fit_mle.Geometric . . . . .	75
fit_mle.LogNormal . . . . .	75
fit_mle.Normal . . . . .	76
fit_mle.Poisson . . . . .	76
Frechet . . . . .	77
Gamma . . . . .	78
Geometric . . . . .	80
GEV . . . . .	81
GP . . . . .	83
Gumbel . . . . .	85
HurdleNegativeBinomial . . . . .	86
HurdlePoisson . . . . .	88
HyperGeometric . . . . .	89
is_discrete . . . . .	91
is_distribution . . . . .	92
Logistic . . . . .	92
LogNormal . . . . .	94
log_likelihood . . . . .	95
Multinomial . . . . .	96
NegativeBinomial . . . . .	97
Normal . . . . .	99
pdf . . . . .	102
pdf.Bernoulli . . . . .	103
pdf.Beta . . . . .	104
pdf.Binomial . . . . .	105
pdf.Categorical . . . . .	106
pdf.Cauchy . . . . .	108
pdf.ChiSquare . . . . .	109
pdf.Erlang . . . . .	110
pdf.Exponential . . . . .	111
pdf.FisherF . . . . .	112
pdf.Frechet . . . . .	114
pdf.Gamma . . . . .	115
pdf.Geometric . . . . .	116
pdf.GEV . . . . .	117
pdf.GP . . . . .	118
pdf.Gumbel . . . . .	119
pdf.HurdleNegativeBinomial . . . . .	121

pdf.HurdlePoisson . . . . .	122
pdf.HyperGeometric . . . . .	123
pdf.Logistic . . . . .	124
pdf.LogNormal . . . . .	125
pdf.Multinomial . . . . .	127
pdf.NegativeBinomial . . . . .	128
pdf.Normal . . . . .	129
pdf.Poisson . . . . .	131
pdf.PoissonBinomial . . . . .	133
pdf.RevWeibull . . . . .	134
pdf.StudentsT . . . . .	135
pdf.Uniform . . . . .	137
pdf.Weibull . . . . .	138
pdf.ZINegativeBinomial . . . . .	139
pdf.ZIPoisson . . . . .	141
pdf.ZTNegativeBinomial . . . . .	142
pdf.ZTPoisson . . . . .	143
plot.distribution . . . . .	144
plot_cdf . . . . .	146
plot_pdf . . . . .	147
Poisson . . . . .	148
PoissonBinomial . . . . .	149
prodist . . . . .	151
quantile.Bernoulli . . . . .	154
quantile.Beta . . . . .	155
quantile.Binomial . . . . .	156
quantile.Categorical . . . . .	157
quantile.Cauchy . . . . .	158
quantile.ChiSquare . . . . .	159
quantile.Erlang . . . . .	161
quantile.Exponential . . . . .	162
quantile.FisherF . . . . .	163
quantile.Frechet . . . . .	164
quantile.Gamma . . . . .	165
quantile.Geometric . . . . .	166
quantile.GEV . . . . .	167
quantile.GP . . . . .	168
quantile.Gumbel . . . . .	169
quantile.HurdleNegativeBinomial . . . . .	170
quantile.HurdlePoisson . . . . .	171
quantile.HyperGeometric . . . . .	172
quantile.Logistic . . . . .	173
quantile.LogNormal . . . . .	174
quantile.NegativeBinomial . . . . .	175
quantile.Normal . . . . .	177
quantile.Poisson . . . . .	179
quantile.PoissonBinomial . . . . .	180
quantile.RevWeibull . . . . .	182

quantile.StudentsT . . . . .	183
quantile.Tukey . . . . .	185
quantile.Uniform . . . . .	186
quantile.Weibull . . . . .	187
quantile.ZINegativeBinomial . . . . .	188
quantile.ZIPoisson . . . . .	189
quantile.ZTNegativeBinomial . . . . .	190
quantile.ZTPoisson . . . . .	191
random . . . . .	192
random.Bernoulli . . . . .	194
random.Beta . . . . .	195
random.Binomial . . . . .	196
random.Categorical . . . . .	197
random.Cauchy . . . . .	198
random.ChiSquare . . . . .	199
random.Erlang . . . . .	200
random.Exponential . . . . .	201
random.FisherF . . . . .	202
random.Frechet . . . . .	203
random.Gamma . . . . .	204
random.Geometric . . . . .	205
random.GEV . . . . .	206
random.GP . . . . .	207
random.Gumbel . . . . .	208
random.HurdleNegativeBinomial . . . . .	209
random.HurdlePoisson . . . . .	210
random.HyperGeometric . . . . .	211
random.Logistic . . . . .	212
random.LogNormal . . . . .	213
random.Multinomial . . . . .	214
random.NegativeBinomial . . . . .	215
random.Normal . . . . .	216
random.Poisson . . . . .	218
random.PoissonBinomial . . . . .	219
random.RevWeibull . . . . .	220
random.StudentsT . . . . .	221
random.Tukey . . . . .	223
random.Uniform . . . . .	224
random.Weibull . . . . .	225
random.ZINegativeBinomial . . . . .	226
random.ZIPoisson . . . . .	227
random.ZTNegativeBinomial . . . . .	228
random.ZTPoisson . . . . .	229
RevWeibull . . . . .	230
simulate.default . . . . .	231
stat_auc . . . . .	232
StudentsT . . . . .	235
suff_stat . . . . .	237

suff_stat.Bernoulli . . . . .	238
suff_stat.Binomial . . . . .	238
suff_stat.Exponential . . . . .	239
suff_stat.Gamma . . . . .	240
suff_stat.Geometric . . . . .	240
suff_stat.LogNormal . . . . .	241
suff_stat.Normal . . . . .	242
suff_stat.Poisson . . . . .	242
support . . . . .	243
support.Bernoulli . . . . .	244
support.Beta . . . . .	244
support.Binomial . . . . .	245
support.Cauchy . . . . .	245
support.ChiSquare . . . . .	246
support.Erlang . . . . .	246
support.Exponential . . . . .	247
support.FisherF . . . . .	247
support.Frechet . . . . .	248
support.Gamma . . . . .	248
support.Geometric . . . . .	249
support.GEV . . . . .	249
support.GP . . . . .	250
support.Gumbel . . . . .	250
support.HurdleNegativeBinomial . . . . .	251
support.HurdlePoisson . . . . .	251
support.HyperGeometric . . . . .	252
support.Logistic . . . . .	252
support.LogNormal . . . . .	253
support.NegativeBinomial . . . . .	253
support.Normal . . . . .	254
support.Poisson . . . . .	254
support.PoissonBinomial . . . . .	255
support.RevWeibull . . . . .	255
support.StudentsT . . . . .	256
support.Tukey . . . . .	256
support.Uniform . . . . .	257
support.Weibull . . . . .	257
support.ZINegativeBinomial . . . . .	258
support.ZIPoisson . . . . .	258
support.ZTNegativeBinomial . . . . .	259
support.ZTPoisson . . . . .	259
Tukey . . . . .	260
Uniform . . . . .	261
variance . . . . .	262
Weibull . . . . .	263
ZINegativeBinomial . . . . .	264
ZIPoisson . . . . .	266
ZTNegativeBinomial . . . . .	267

ZTPoisson . . . . . 269

**Index** **271**

apply\_dpqr *Utilities for distributions3 objects*

**Description**

Various utility functions to implement methods for distributions with a unified workflow, in particular to facilitate working with vectorized distributions3 objects. These are particularly useful in the computation of densities, probabilities, quantiles, and random samples when classical d/p/q/r functions are readily available for the distribution of interest.

**Usage**

```
apply_dpqr(d, FUN, at, elementwise = NULL, drop = TRUE, type = NULL, ...)
make_support(min, max, d, drop = TRUE)
make_positive_integer(n)
```

**Arguments**

d	A distributions3 object.
FUN	Function to be computed. Function should be of type FUN(at, d), where at is the argument at which the function should be evaluated (e.g., a quantile, probability, or sample size) and d is a distributions3 object.
at	Specification of values at which FUN should be evaluated, typically a numeric vector (e.g., of quantiles, probabilities, etc.) but possibly also a matrix or data frame.
elementwise	logical. Should each element of d only be evaluated at the corresponding element of at (elementwise = TRUE) or at all elements in at (elementwise = FALSE). Elementwise evaluation is only possible if the length of d and at is the same and in that case a vector of the same length is returned. Otherwise a matrix is returned. The default is to use elementwise = TRUE if possible, and otherwise elementwise = FALSE.
drop	logical. Should the result be simplified to a vector if possible (by dropping the dimension attribute)? If FALSE a matrix is always returned.
type	Character string used for naming, typically one of "density", "logLik", "probability", "quantile", and "random". Note that the "random" case is processed differently internally in order to vectorize the random number generation more efficiently.
...	Arguments to be passed to FUN.
min, max	Numeric vectors. Minima and maxima of the supports of a distributions3 object.

`n` numeric. Number of observations for computing random draws. If `length(n) > 1`, the length is taken to be the number required (consistent with base R as, e.g., for `rnorm()`).

## Examples

```
## Implementing a new distribution based on the provided utility functions
## Illustration: Gaussian distribution
## Note: Gaussian() is really just a copy of Normal() with a different class/distribution name
```

```
## Generator function for the distribution object.
Gaussian <- function(mu = 0, sigma = 1) {
  stopifnot(
    "parameter lengths do not match (only scalars are allowed to be recycled)" =
      length(mu) == length(sigma) | length(mu) == 1 | length(sigma) == 1
  )
  d <- data.frame(mu = mu, sigma = sigma)
  class(d) <- c("Gaussian", "distribution")
  d
}
```

```
## Set up a vector Y containing four Gaussian distributions:
Y <- Gaussian(mu = 1:4, sigma = c(1, 1, 2, 2))
Y
```

```
## Extract the underlying parameters:
as.matrix(Y)
```

```
## Extractor functions for moments of the distribution include
## mean(), variance(), skewness(), kurtosis().
## These can be typically be defined as functions of the list of parameters.
mean.Gaussian <- function(x, ...) {
  rlang::check_dots_used()
  setNames(x$mu, names(x))
}
## Analogously for other moments, see distributions3::variance.Normal etc.
```

```
mean(Y)
```

```
## The support() method should return a matrix of "min" and "max" for the
## distribution. The make_support() function helps to set the right names and
## dimension.
support.Gaussian <- function(d, drop = TRUE, ...) {
  min <- rep(-Inf, length(d))
  max <- rep(Inf, length(d))
  make_support(min, max, d, drop = drop)
}
```

```
support(Y)
```

```

## Evaluating certain functions associated with the distribution, e.g.,
## pdf(), log_pdf(), cdf() quantile(), random(), etc. The apply_dpqr()
## function helps to call the typical d/p/q/r functions (like dnorm,
## pnorm, etc.) and set suitable names and dimension.
pdf.Gaussian <- function(d, x, elementwise = NULL, drop = TRUE, ...) {
  FUN <- function(at, d) dnorm(x = at, mean = d$mu, sd = d$sigma, ...)
  apply_dpqr(d = d, FUN = FUN, at = x, type = "density", elementwise = elementwise, drop = drop)
}

## Evaluate all densities at the same argument (returns vector):
pdf(Y, 0)

## Evaluate all densities at several arguments (returns matrix):
pdf(Y, c(0, 5))

## Evaluate each density at a different argument (returns vector):
pdf(Y, 4:1)

## Force evaluation of each density at a different argument (returns vector)
## or at all arguments (returns matrix):
pdf(Y, 4:1, elementwise = TRUE)
pdf(Y, 4:1, elementwise = FALSE)

## Drawing random() samples also uses apply_dpqr() with the argument
## n assured to be a positive integer.
random.Gaussian <- function(x, n = 1L, drop = TRUE, ...) {
  n <- make_positive_integer(n)
  if (n == 0L) {
    return(numeric(0L))
  }
  FUN <- function(at, d) rnorm(n = at, mean = d$mu, sd = d$sigma)
  apply_dpqr(d = x, FUN = FUN, at = n, type = "random", drop = drop)
}

## One random sample for each distribution (returns vector):
random(Y, 1)

## Several random samples for each distribution (returns matrix):
random(Y, 3)

## For further analogous methods see the "Normal" distribution provided
## in distributions3.
methods(class = "Normal")

```

**Description**

Bernoulli distributions are used to represent events like coin flips when there is single trial that is either successful or unsuccessful. The Bernoulli distribution is a special case of the [Binomial\(\)](#) distribution with  $n = 1$ .

**Usage**

```
Bernoulli(p = 0.5)
```

**Arguments**

`p` The success probability for the distribution. `p` can be any value in  $[\theta, 1]$ , and defaults to  $\theta . 5$ .

**Details**

We recommend reading this documentation on <https://alexpg Hayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a Bernoulli random variable with parameter  $p = p$ . Some textbooks also define  $q = 1 - p$ , or use  $\pi$  instead of  $p$ .

The Bernoulli probability distribution is widely used to model binary variables, such as 'failure' and 'success'. The most typical example is the flip of a coin, when  $p$  is thought as the probability of flipping a head, and  $q = 1 - p$  is the probability of flipping a tail.

**Support:**  $\{0, 1\}$

**Mean:**  $p$

**Variance:**  $p \cdot (1 - p) = p \cdot q$

**Probability mass function (p.m.f):**

$$P(X = x) = p^x(1 - p)^{1-x} = p^x q^{1-x}$$

**Cumulative distribution function (c.d.f):**

$$P(X \leq x) = \begin{cases} 0 & x < 0 \\ 1 - p & 0 \leq x < 1 \\ 1 & x \geq 1 \end{cases}$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = (1 - p) + pe^t$$

**Value**

A Bernoulli object.

**See Also**

Other discrete distributions: [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
set.seed(27)

X <- Bernoulli(0.7)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)
pdf(X, 1)
log_pdf(X, 1)
cdf(X, 0)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

Beta

*Create a Beta distribution*

---

**Description**

Create a Beta distribution

**Usage**

```
Beta(alpha = 1, beta = 1)
```

**Arguments**

alpha	The alpha parameter. alpha can be any value strictly greater than zero. Defaults to 1.
beta	The beta parameter. beta can be any value strictly greater than zero. Defaults to 1.

**Value**

A beta object.

**See Also**

Other continuous distributions: [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Beta(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

mean(X)
variance(X)
skewness(X)
kurtosis(X)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

**Binomial***Create a Binomial distribution*

---

**Description**

Binomial distributions are used to represent situations that can be thought of as the result of  $n$  Bernoulli experiments (here the  $n$  is defined as the size of the experiment). The classical example is  $n$  independent coin flips, where each coin flip has probability  $p$  of success. In this case, the individual probability of flipping heads or tails is given by the Bernoulli( $p$ ) distribution, and the probability of having  $x$  equal results ( $x$  heads, for example), in  $n$  trials is given by the Binomial( $n$ ,  $p$ ) distribution. The equation of the Binomial distribution is directly derived from the equation of the Bernoulli distribution.

**Usage**

```
Binomial(size, p = 0.5)
```

**Arguments**

size	The number of trials. Must be an integer greater than or equal to one. When size = 1L, the Binomial distribution reduces to the bernoulli distribution. Often called n in textbooks.
p	The success probability for a given trial. p can be any value in [0, 1], and defaults to 0.5.

**Details**

The Binomial distribution comes up when you are interested in the portion of people who do a thing. The Binomial distribution also comes up in the sign test, sometimes called the Binomial test (see `stats::binom.test()`), where you may need the Binomial C.D.F. to compute p-values.

We recommend reading this documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a Binomial random variable with parameter size =  $n$  and  $p = p$ . Some textbooks define  $q = 1 - p$ , or called  $\pi$  instead of  $p$ .

**Support:**  $\{0, 1, 2, \dots, n\}$

**Mean:**  $np$

**Variance:**  $np \cdot (1 - p) = np \cdot q$

**Probability mass function (p.m.f):**

$$P(X = k) = \binom{n}{k} p^k (1 - p)^{n-k}$$

**Cumulative distribution function (c.d.f):**

$$P(X \leq k) = \sum_{i=0}^{\lfloor k \rfloor} \binom{n}{i} p^i (1 - p)^{n-i}$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = (1 - p + pe^t)^n$$

**Value**

A Binomial object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

### Examples

```
set.seed(27)

X <- Binomial(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2L)
log_pdf(X, 2L)

cdf(X, 4L)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

Categorical

*Create a Categorical distribution*

---

### Description

Create a Categorical distribution

### Usage

```
Categorical(outcomes, p = NULL)
```

### Arguments

outcomes	A vector specifying the elements in the sample space. Can be numeric, factor, character, or logical.
p	A vector of success probabilities for each outcome. Each element of p can be any positive value – the vector gets normalized internally. Defaults to NULL, in which case the distribution is assumed to be uniform.

### Value

A Categorical object.

### See Also

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```

set.seed(27)

X <- Categorical(1:3, p = c(0.4, 0.1, 0.5))
X

Y <- Categorical(LETTERS[1:4])
Y

random(X, 10)
random(Y, 10)

pdf(X, 1)
log_pdf(X, 1)

cdf(X, 1)
quantile(X, 0.5)

# cdfs are only defined for numeric sample spaces. this errors!
# cdf(Y, "a")

# same for quantiles. this also errors!
# quantile(Y, 0.7)

```

---

Cauchy

*Create a Cauchy distribution*


---

**Description**

Note that the Cauchy distribution is the student's t distribution with one degree of freedom. The Cauchy distribution does not have a well defined mean or variance. Cauchy distributions often appear as priors in Bayesian contexts due to their heavy tails.

**Usage**

```
Cauchy(location = 0, scale = 1)
```

**Arguments**

location	The location parameter. Can be any real number. Defaults to 0.
scale	The scale parameter. Must be greater than zero (?). Defaults to 1.

**Details**

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Cauchy variable with mean location =  $x_0$  and scale =  $\gamma$ .

**Support:**  $R$ , the set of all real numbers

**Mean:** Undefined.

**Variance:** Undefined.

**Probability density function (p.d.f):**

$$f(x) = \frac{1}{\pi\gamma \left[ 1 + \left( \frac{x-x_0}{\gamma} \right)^2 \right]}$$

**Cumulative distribution function (c.d.f):**

$$F(t) = \frac{1}{\pi} \arctan \left( \frac{t - x_0}{\gamma} \right) + \frac{1}{2}$$

**Moment generating function (m.g.f):**

Does not exist.

### Value

A Cauchy object.

### See Also

Other continuous distributions: [Beta\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

### Examples

```
set.seed(27)

X <- Cauchy(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

cdf	<i>Evaluate the cumulative distribution function of a probability distribution</i>
-----	--

---

**Description**

Generic function for computing probabilities from distribution objects based on the cumulative distribution function (CDF).

**Usage**

```
cdf(d, x, drop = TRUE, ...)
```

**Arguments**

d	An object. The package provides methods for distribution objects such as those from <code>Normal()</code> or <code>Binomial()</code> etc.
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

Probabilities corresponding to the vector x.

**Examples**

```
## distribution object
X <- Normal()
## probabilities from CDF
cdf(X, c(1, 2, 3, 4, 5))
```

---

<code>cdf.Bernoulli</code>	<i>Evaluate the cumulative distribution function of a Bernoulli distribution</i>
----------------------------	--

---

**Description**

Evaluate the cumulative distribution function of a Bernoulli distribution

**Usage**

```
## S3 method for class 'Bernoulli'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Bernoulli object created by a call to <code>Bernoulli()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Bernoulli(0.7)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)
pdf(X, 1)
log_pdf(X, 1)
cdf(X, 0)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

cdf.Beta

---

*Evaluate the cumulative distribution function of a Beta distribution*


---

**Description**

Evaluate the cumulative distribution function of a Beta distribution

## Usage

```
## S3 method for class 'Beta'  
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

d	A Beta object created by a call to <code>Beta()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pbeta</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

## Examples

```
set.seed(27)  
  
X <- Beta(1, 2)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

cdf.Binomial	<i>Evaluate the cumulative distribution function of a Binomial distribution</i>
--------------	---

---

### Description

Evaluate the cumulative distribution function of a Binomial distribution

### Usage

```
## S3 method for class 'Binomial'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

d	A Binomial object created by a call to <code>Binomial()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Binomial(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)
```

```
pdf(X, 2L)
log_pdf(X, 2L)

cdf(X, 4L)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

cdf.Categorical	<i>Evaluate the cumulative distribution function of a Categorical distribution</i>
-----------------	--

---

## Description

Evaluate the cumulative distribution function of a Categorical distribution

## Usage

```
## S3 method for class 'Categorical'
cdf(d, x, ...)
```

## Arguments

d	A Categorical object created by a call to <a href="#">Categorical()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

A vector of probabilities, one for each element of x.

## Examples

```
set.seed(27)

X <- Categorical(1:3, p = c(0.4, 0.1, 0.5))
X

Y <- Categorical(LETTERS[1:4])
Y

random(X, 10)
random(Y, 10)

pdf(X, 1)
log_pdf(X, 1)
```

```

cdf(X, 1)
quantile(X, 0.5)

# cdfs are only defined for numeric sample spaces. this errors!
# cdf(Y, "a")

# same for quantiles. this also errors!
# quantile(Y, 0.7)

```

---

cdf.Cauchy

---

*Evaluate the cumulative distribution function of a Cauchy distribution*


---

## Description

Evaluate the cumulative distribution function of a Cauchy distribution

## Usage

```

## S3 method for class 'Cauchy'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

d	A Cauchy object created by a call to <a href="#">Cauchy()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pcauchy</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Cauchy(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

cdf.ChiSquare

*Evaluate the cumulative distribution function of a chi square distribution*


---

**Description**

Evaluate the cumulative distribution function of a chi square distribution

**Usage**

```

## S3 method for class 'ChiSquare'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A ChiSquare object created by a call to <a href="#">ChiSquare()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pchisq</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- ChiSquare(5)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

cdf.Erlang

*Evaluate the cumulative distribution function of an Erlang distribution*

---

**Description**

Evaluate the cumulative distribution function of an Erlang distribution

**Usage**

```
## S3 method for class 'Erlang'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	An Erlang object created by a call to <code>Erlang()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?

`elementwise` logical. Should each distribution in `d` be evaluated at all elements of `x` (`elementwise = FALSE`, yielding a matrix)? Or, if `d` and `x` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

... Arguments to be passed to `pgamma`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Erlang(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

<code>cdf.Exponential</code>	<i>Evaluate the cumulative distribution function of an Exponential distribution</i>
------------------------------	---

---

### Description

Evaluate the cumulative distribution function of an Exponential distribution

### Usage

```
## S3 method for class 'Exponential'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	An <code>Exponential</code> object created by a call to <code>Exponential()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pexp</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Exponential(5)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

cdf.FisherF

---

*Evaluate the cumulative distribution function of an F distribution*


---

**Description**

Evaluate the cumulative distribution function of an F distribution

**Usage**

```
## S3 method for class 'FisherF'  
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A FisherF object created by a call to <code>FisherF()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of NULL means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>pf</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
set.seed(27)  
  
X <- FisherF(5, 10, 0.2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

cdf.Frechet

*Evaluate the cumulative distribution function of a Frechet distribution***Description**

Evaluate the cumulative distribution function of a Frechet distribution

**Usage**

```
## S3 method for class 'Frechet'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Frechet object created by a call to <a href="#">Frechet()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pgev</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Frechet(0, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)
```

```

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

cdf.Gamma

*Evaluate the cumulative distribution function of a Gamma distribution***Description**

Evaluate the cumulative distribution function of a Gamma distribution

**Usage**

```

## S3 method for class 'Gamma'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A Gamma object created by a call to <a href="#">Gamma()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pgamma</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Gamma(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

```

```

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

cdf.Geometric	<i>Evaluate the cumulative distribution function of a Geometric distribution</i>
---------------	--

---

## Description

Evaluate the cumulative distribution function of a Geometric distribution

## Usage

```

## S3 method for class 'Geometric'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

d	A Geometric object created by a call to <a href="#">Geometric()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pgeom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

## See Also

Other Geometric distribution: [pdf.Geometric\(\)](#), [quantile.Geometric\(\)](#), [random.Geometric\(\)](#)

**Examples**

```

set.seed(27)

X <- Geometric(0.3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

```

cdf.GEV

*Evaluate the cumulative distribution function of a GEV distribution***Description**

Evaluate the cumulative distribution function of a GEV distribution

**Usage**

```

## S3 method for class 'GEV'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A GEV object created by a call to <a href="#">GEV()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pgev</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- GEV(1, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

cdf.GP

*Evaluate the cumulative distribution function of a GP distribution***Description**

Evaluate the cumulative distribution function of a GP distribution

**Usage**

```

## S3 method for class 'GP'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A GP object created by a call to <code>GP()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pgp</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- GP(0, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

cdf.Gumbel

*Evaluate the cumulative distribution function of a Gumbel distribution***Description**

Evaluate the cumulative distribution function of a Gumbel distribution

**Usage**

```

## S3 method for class 'Gumbel'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A Gumbel object created by a call to <code>Gumbel()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pgev</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Gumbel(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

```

cdf.HurdleNegativeBinomial

```

*Evaluate the cumulative distribution function of a hurdle negative binomial distribution*

---

**Description**

Evaluate the cumulative distribution function of a hurdle negative binomial distribution

**Usage**

```

## S3 method for class 'HurdleNegativeBinomial'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A <code>HurdleNegativeBinomial</code> object created by a call to <code>HurdleNegativeBinomial()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>phnbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a hurdle negative binomial distribution
X <- HurdleNegativeBinomial(mu = 2.5, theta = 1, pi = 0.75)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

cdf.HurdlePoisson	<i>Evaluate the cumulative distribution function of a hurdle Poisson distribution</i>
-------------------	---

---

**Description**

Evaluate the cumulative distribution function of a hurdle Poisson distribution

**Usage**

```
## S3 method for class 'HurdlePoisson'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A HurdlePoisson object created by a call to <a href="#">HurdlePoisson()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?

`elementwise` logical. Should each distribution in `d` be evaluated at all elements of `x` (`elementwise = FALSE`, yielding a matrix)? Or, if `d` and `x` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

... Arguments to be passed to `phpois`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
## set up a hurdle Poisson distribution
X <- HurdlePoisson(lambda = 2.5, pi = 0.75)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

cdf.HyperGeometric	<i>Evaluate the cumulative distribution function of a HyperGeometric distribution</i>
--------------------	---

---

### Description

Evaluate the cumulative distribution function of a HyperGeometric distribution

### Usage

```
## S3 method for class 'HyperGeometric'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A HyperGeometric object created by a call to <a href="#">HyperGeometric()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">phyper</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other HyperGeometric distribution: [pdf.HyperGeometric\(\)](#), [quantile.HyperGeometric\(\)](#), [random.HyperGeometric\(\)](#)

**Examples**

```
set.seed(27)

X <- HyperGeometric(4, 5, 8)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

`cdf.Logistic`

*Evaluate the cumulative distribution function of a Logistic distribution*

---

**Description**

Evaluate the cumulative distribution function of a Logistic distribution

**Usage**

```
## S3 method for class 'Logistic'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Logistic object created by a call to <a href="#">Logistic()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">plogis</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other Logistic distribution: [pdf.Logistic\(\)](#), [quantile.Logistic\(\)](#), [random.Logistic\(\)](#)

**Examples**

```
set.seed(27)

X <- Logistic(2, 4)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

cdf.LogNormal	<i>Evaluate the cumulative distribution function of a LogNormal distribution</i>
---------------	--

---

**Description**

Evaluate the cumulative distribution function of a LogNormal distribution

**Usage**

```
## S3 method for class 'LogNormal'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A LogNormal object created by a call to <a href="#">LogNormal()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">plnorm</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other LogNormal distribution: [fit\\_mle.LogNormal\(\)](#), [pdf.LogNormal\(\)](#), [quantile.LogNormal\(\)](#), [random.LogNormal\(\)](#)

**Examples**

```
set.seed(27)

X <- LogNormal(0.3, 2)
X

random(X, 10)
```

```
pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

`cdf.NegativeBinomial` *Evaluate the cumulative distribution function of a negative binomial distribution*

---

### Description

Evaluate the cumulative distribution function of a negative binomial distribution

### Usage

```
## S3 method for class 'NegativeBinomial'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

<code>d</code>	A <code>NegativeBinomial</code> object created by a call to <code>NegativeBinomial()</code> .
<code>x</code>	A vector of elements whose cumulative probabilities you would like to determine given the distribution <code>d</code> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>pnbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### See Also

Other `NegativeBinomial` distribution: `pdf.NegativeBinomial()`, `quantile.NegativeBinomial()`, `random.NegativeBinomial()`

**Examples**

```

set.seed(27)

X <- NegativeBinomial(size = 5, p = 0.1)
X

random(X, 10)

pdf(X, 50)
log_pdf(X, 50)

cdf(X, 50)
quantile(X, 0.7)

## alternative parameterization of X
Y <- NegativeBinomial(mu = 45, size = 5)
Y
cdf(Y, 50)
quantile(Y, 0.7)

```

cdf.Normal

*Evaluate the cumulative distribution function of a Normal distribution***Description**

Evaluate the cumulative distribution function of a Normal distribution

**Usage**

```

## S3 method for class 'Normal'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A Normal object created by a call to <code>Normal()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pnorm</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**See Also**

Other Normal distribution: `fit_mle.Normal()`, `pdf.Normal()`, `quantile.Normal()`

**Examples**

```
set.seed(27)

X <- Normal(5, 2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided Z-test

# here the null hypothesis is H_0: mu = 3
# and we assume sigma = 2

# exactly the same as: Z <- Normal(0, 1)
Z <- Normal()

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the z-statistic
z_stat <- (mean(x) - 3) / (2 / sqrt(nx))
z_stat

# calculate the two-sided p-value
1 - cdf(Z, abs(z_stat)) + cdf(Z, -abs(z_stat))

# exactly equivalent to the above
2 * cdf(Z, -abs(z_stat))

# p-value for one-sided test
```

```

# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(Z, z_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(Z, z_stat)

### example: calculating a 88 percent Z CI for a mean

# same `x` as before, still assume `sigma = 2`

# lower-bound
mean(x) - quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# upper-bound
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# also equivalent to
mean(x) + quantile(Z, 0.12 / 2) * 2 / sqrt(nx)
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

### generating random samples and plugging in ks.test()

set.seed(27)

# generate a random sample
ns <- random(Normal(3, 7), 26)

# test if sample is Normal(3, 7)
ks.test(ns, pnorm, mean = 3, sd = 7)

# test if sample is gamma(8, 3) using base R pgamma()
ks.test(ns, pgamma, shape = 8, rate = 3)

### MISC

# note that the cdf() and quantile() functions are inverses
cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

cdf.Poisson

---

*Evaluate the cumulative distribution function of a Poisson distribution*


---

### Description

Evaluate the cumulative distribution function of a Poisson distribution

## Usage

```
## S3 method for class 'Poisson'  
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

d	A Poisson object created by a call to <code>Poisson()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of NULL means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>ppois</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

## Examples

```
set.seed(27)  
  
X <- Poisson(2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

`cdf.PoissonBinomial`    *Evaluate the cumulative distribution function of a PoissonBinomial distribution*

---

## Description

Evaluate the cumulative distribution function of a PoissonBinomial distribution

## Usage

```
## S3 method for class 'PoissonBinomial'
cdf(
  d,
  x,
  drop = TRUE,
  elementwise = NULL,
  lower.tail = TRUE,
  log.p = FALSE,
  verbose = TRUE,
  ...
)
```

## Arguments

<code>d</code>	A PoissonBinomial object created by a call to <code>PoissonBinomial()</code> .
<code>x</code>	A vector of elements whose cumulative probabilities you would like to determine given the distribution <code>d</code> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>lower.tail</code> , <code>log.p</code> , ...	Arguments to be passed to <code>ppbinom</code> or <code>pnorm</code> , respectively.
<code>verbose</code>	logical. Should a warning be issued if the normal approximation is applied because the <b>PoissonBinomial</b> package is not installed?

## Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- PoissonBinomial(0.5, 0.3, 0.8)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.8)

cdf(X, quantile(X, 0.8))
quantile(X, cdf(X, 2))

## equivalent definitions of four Poisson binomial distributions
## each summing up three Bernoulli probabilities
p <- cbind(
  p1 = c(0.1, 0.2, 0.1, 0.2),
  p2 = c(0.5, 0.5, 0.5, 0.5),
  p3 = c(0.8, 0.7, 0.9, 0.8))
PoissonBinomial(p)
PoissonBinomial(p[, 1], p[, 2], p[, 3])
PoissonBinomial(p[, 1:2], p[, 3])

```

---

cdf.RevWeibull	<i>Evaluate the cumulative distribution function of an RevWeibull distribution</i>
----------------	--

---

**Description**

Evaluate the cumulative distribution function of an RevWeibull distribution

**Usage**

```

## S3 method for class 'RevWeibull'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d                    A RevWeibull object created by a call to [RevWeibull\(\)](#).

x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pgev</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- RevWeibull(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

cdf.StudentsT	<i>Evaluate the cumulative distribution function of a StudentsT distribution</i>
---------------	--

---

### Description

Evaluate the cumulative distribution function of a StudentsT distribution

### Usage

```
## S3 method for class 'StudentsT'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A StudentsT object created by a call to <a href="#">StudentsT()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pt</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other StudentsT distribution: [pdf.StudentsT\(\)](#), [quantile.StudentsT\(\)](#), [random.StudentsT\(\)](#)

**Examples**

```
set.seed(27)

X <- StudentsT(3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided T-test

# here the null hypothesis is H_0: mu = 3

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the T-statistic
t_stat <- (mean(x) - 3) / (sd(x) / sqrt(nx))
t_stat
```

```

# null distribution of statistic depends on sample size!
T <- StudentsT(df = nx - 1)

# calculate the two-sided p-value
1 - cdf(T, abs(t_stat)) + cdf(T, -abs(t_stat))

# exactly equivalent to the above
2 * cdf(T, -abs(t_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(T, t_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(T, t_stat)

### example: calculating a 88 percent T CI for a mean

# lower-bound
mean(x) - quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# upper-bound
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# also equivalent to
mean(x) + quantile(T, 0.12 / 2) * sd(x) / sqrt(nx)
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

```

---

cdf.Tukey

---

*Evaluate the cumulative distribution function of a Tukey distribution*


---

## Description

Evaluate the cumulative distribution function of a Tukey distribution

## Usage

```

## S3 method for class 'Tukey'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

**d** A Tukey distribution created by a call to `Tukey()`.

**x** A vector of elements whose cumulative probabilities you would like to determine given the distribution `d`.

drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>ptukey</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**See Also**

Other Tukey distribution: `quantile.Tukey()`

**Examples**

```
set.seed(27)

X <- Tukey(4L, 16L, 2L)
X

cdf(X, 4)
quantile(X, 0.7)
```

---

`cdf.Uniform`

*Evaluate the cumulative distribution function of a continuous Uniform distribution*

---

**Description**

Evaluate the cumulative distribution function of a continuous Uniform distribution

**Usage**

```
## S3 method for class 'Uniform'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Uniform object created by a call to <code>Uniform()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>punif</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Uniform(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

cdf.Weibull

---

*Evaluate the cumulative distribution function of a Weibull distribution*


---

**Description**

Evaluate the cumulative distribution function of a Weibull distribution

**Usage**

```
## S3 method for class 'Weibull'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Weibull object created by a call to <code>Weibull()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pweibull</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other Weibull distribution: `pdf.Weibull()`, `quantile.Weibull()`, `random.Weibull()`

**Examples**

```
set.seed(27)

X <- Weibull(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

`cdf.ZINegativeBinomial`

*Evaluate the cumulative distribution function of a zero-inflated negative binomial distribution*

---

**Description**

Evaluate the cumulative distribution function of a zero-inflated negative binomial distribution

**Usage**

```
## S3 method for class 'ZINegativeBinomial'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A ZINegativeBinomial object created by a call to <code>ZINegativeBinomial()</code> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>pzinbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
## set up a zero-inflated negative binomial distribution
X <- ZINegativeBinomial(mu = 2.5, theta = 1, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

cdf.ZIPoisson	<i>Evaluate the cumulative distribution function of a zero-inflated Poisson distribution</i>
---------------	--

---

### Description

Evaluate the cumulative distribution function of a zero-inflated Poisson distribution

### Usage

```
## S3 method for class 'ZIPoisson'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

d	A ZIPoisson object created by a call to <a href="#">ZIPoisson()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pzipois</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

### Examples

```
## set up a zero-inflated Poisson distribution
X <- ZIPoisson(lambda = 2.5, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))
```

```
## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

cdf.ZTNegativeBinomial

*Evaluate the cumulative distribution function of a zero-truncated negative binomial distribution*

---

## Description

Evaluate the cumulative distribution function of a zero-truncated negative binomial distribution

## Usage

```
## S3 method for class 'ZTNegativeBinomial'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

d	A ZTNegativeBinomial object created by a call to <a href="#">ZTNegativeBinomial()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pztnbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a zero-truncated negative binomial distribution
X <- ZTNegativeBinomial(mu = 2.5, theta = 1)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

cdf.ZTPoisson

---

*Evaluate the cumulative distribution function of a zero-truncated Poisson distribution*

---

**Description**

Evaluate the cumulative distribution function of a zero-truncated Poisson distribution

**Usage**

```
## S3 method for class 'ZTPoisson'
cdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A ZTPoisson object created by a call to <a href="#">ZTPoisson()</a> .
x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">pztpois</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a zero-truncated Poisson distribution
X <- ZTPoisson(lambda = 2.5)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

 ChiSquare

*Create a Chi-Square distribution*


---

**Description**

Chi-square distributions show up often in frequentist settings as the sampling distribution of test statistics, especially in maximum likelihood estimation settings.

**Usage**

```
ChiSquare(df)
```

**Arguments**

df                    Degrees of freedom. Must be positive.

**Details**

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a  $\chi^2$  random variable with  $df = k$ .

**Support:**  $R^+$ , the set of positive real numbers

**Mean:**  $k$

**Variance:**  $2k$

**Probability density function (p.d.f):**

$$f(x) = \frac{1}{\sqrt{2\pi\sigma^2}} e^{-(x-\mu)^2/2\sigma^2}$$

**Cumulative distribution function (c.d.f):**

The cumulative distribution function has the form

$$F(t) = \int_{-\infty}^t \frac{1}{\sqrt{2\pi\sigma^2}} e^{-(x-\mu)^2/2\sigma^2} dx$$

but this integral does not have a closed form solution and must be approximated numerically. The c.d.f. of a standard normal is sometimes called the "error function". The notation  $\Phi(t)$  also stands for the c.d.f. of a standard normal evaluated at  $t$ . Z-tables list the value of  $\Phi(t)$  for various  $t$ .

**Moment generating function (m.g.f):**

$$E(e^{tX}) = e^{\mu t + \sigma^2 t^2 / 2}$$

## Value

A ChiSquare object.

## Transformations

A squared standard `Normal()` distribution is equivalent to a  $\chi_1^2$  distribution with one degree of freedom. The  $\chi^2$  distribution is a special case of the `Gamma()` distribution with shape (TODO: check this) parameter equal to a half. Sums of  $\chi^2$  distributions are also distributed as  $\chi^2$  distributions, where the degrees of freedom of the contributing distributions get summed. The ratio of two  $\chi^2$  distributions is a `FisherF()` distribution. The ratio of a `Normal()` and the square root of a scaled `ChiSquare()` is a `StudentsT()` distribution.

## See Also

Other continuous distributions: `Beta()`, `Cauchy()`, `Erlang()`, `Exponential()`, `FisherF()`, `Frechet()`, `GEV()`, `GP()`, `Gamma()`, `Gumbel()`, `LogNormal()`, `Logistic()`, `Normal()`, `RevWeibull()`, `StudentsT()`, `Tukey()`, `Uniform()`, `Weibull()`

## Examples

```
set.seed(27)
```

```
X <- ChiSquare(5)
X
```

```
mean(X)
```

```

variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

dhnbinom	<i>The hurdle negative binomial distribution</i>
----------	--

---

### Description

Density, distribution function, quantile function, and random generation for the zero-hurdle negative binomial distribution with parameters  $\mu$ ,  $\theta$  (or  $\text{size}$ ), and  $\pi$ .

### Usage

```

dhnbinom(x, mu, theta, size, pi, log = FALSE)

phnbinom(q, mu, theta, size, pi, lower.tail = TRUE, log.p = FALSE)

qhnbinom(p, mu, theta, size, pi, lower.tail = TRUE, log.p = FALSE)

rhnbino(n, mu, theta, size, pi)

```

### Arguments

<code>x</code>	vector of (non-negative integer) quantiles.
<code>mu</code>	vector of (non-negative) negative binomial location parameters.
<code>theta, size</code>	vector of (non-negative) negative binomial overdispersion parameters. Only <code>theta</code> or, equivalently, <code>size</code> may be specified.
<code>pi</code>	vector of zero-hurdle probabilities in the unit interval.
<code>log, log.p</code>	logical indicating whether probabilities $p$ are given as $\log(p)$ .
<code>q</code>	vector of quantiles.
<code>lower.tail</code>	logical indicating whether probabilities are $P[X \leq x]$ (lower tail) or $P[X > x]$ (upper tail).
<code>p</code>	vector of probabilities.
<code>n</code>	number of random values to return.

**Details**

All functions follow the usual conventions of d/p/q/r functions in base R. In particular, all four hnbinom functions for the hurdle negative binomial distribution call the corresponding nbinom functions for the negative binomial distribution from base R internally.

Note, however, that the precision of qhnbinom for very large probabilities (close to 1) is limited because the probabilities are internally handled in levels and not in logs (even if log.p = TRUE).

**See Also**

[HurdleNegativeBinomial](#), [dnbinom](#)

**Examples**

```
## theoretical probabilities for a hurdle negative binomial distribution
x <- 0:8
p <- dhnbinom(x, mu = 2.5, theta = 1, pi = 0.75)
plot(x, p, type = "h", lwd = 2)

## corresponding empirical frequencies from a simulated sample
set.seed(0)
y <- rhnbinom(500, mu = 2.5, theta = 1, pi = 0.75)
hist(y, breaks = -1:max(y) + 0.5)
```

---

dhpois

*The hurdle Poisson distribution*


---

**Description**

Density, distribution function, quantile function, and random generation for the zero-hurdle Poisson distribution with parameters lambda and pi.

**Usage**

```
dhpois(x, lambda, pi, log = FALSE)

phpois(q, lambda, pi, lower.tail = TRUE, log.p = FALSE)

qhpois(p, lambda, pi, lower.tail = TRUE, log.p = FALSE)

rhpois(n, lambda, pi)
```

**Arguments**

x	vector of (non-negative integer) quantiles.
lambda	vector of (non-negative) Poisson parameters.
pi	vector of zero-hurdle probabilities in the unit interval.

log, log.p	logical indicating whether probabilities p are given as log(p).
q	vector of quantiles.
lower.tail	logical indicating whether probabilities are $P[X \leq x]$ (lower tail) or $P[X > x]$ (upper tail).
p	vector of probabilities.
n	number of random values to return.

### Details

All functions follow the usual conventions of d/p/q/r functions in base R. In particular, all four hpois functions for the hurdle Poisson distribution call the corresponding pois functions for the Poisson distribution from base R internally.

Note, however, that the precision of qhpois for very large probabilities (close to 1) is limited because the probabilities are internally handled in levels and not in logs (even if log.p = TRUE).

### See Also

[HurdlePoisson](#), [dpois](#)

### Examples

```
## theoretical probabilities for a hurdle Poisson distribution
x <- 0:8
p <- dhpois(x, lambda = 2.5, pi = 0.75)
plot(x, p, type = "h", lwd = 2)

## corresponding empirical frequencies from a simulated sample
set.seed(0)
y <- rhpois(500, lambda = 2.5, pi = 0.75)
hist(y, breaks = -1:max(y) + 0.5)
```

---

dzinbinom

*The zero-inflated negative binomial distribution*

---

### Description

Density, distribution function, quantile function, and random generation for the zero-inflated negative binomial distribution with parameters mu, theta (or size), and pi.

### Usage

```
dzinbinom(x, mu, theta, size, pi, log = FALSE)

pzinbinom(q, mu, theta, size, pi, lower.tail = TRUE, log.p = FALSE)

qzinbinom(p, mu, theta, size, pi, lower.tail = TRUE, log.p = FALSE)

rzinbinom(n, mu, theta, size, pi)
```

**Arguments**

x	vector of (non-negative integer) quantiles.
mu	vector of (non-negative) negative binomial location parameters.
theta, size	vector of (non-negative) negative binomial overdispersion parameters. Only theta or, equivalently, size may be specified.
pi	vector of zero-inflation probabilities in the unit interval.
log, log.p	logical indicating whether probabilities p are given as log(p).
q	vector of quantiles.
lower.tail	logical indicating whether probabilities are $P[X \leq x]$ (lower tail) or $P[X > x]$ (upper tail).
p	vector of probabilities.
n	number of random values to return.

**Details**

All functions follow the usual conventions of d/p/q/r functions in base R. In particular, all four zinbinom functions for the zero-inflated negative binomial distribution call the corresponding nbinom functions for the negative binomial distribution from base R internally.

Note, however, that the precision of qzinbinom for very large probabilities (close to 1) is limited because the probabilities are internally handled in levels and not in logs (even if log.p = TRUE).

**See Also**

[ZINegativeBinomial](#), [dnbinom](#)

**Examples**

```
## theoretical probabilities for a zero-inflated negative binomial distribution
x <- 0:8
p <- dzinbinom(x, mu = 2.5, theta = 1, pi = 0.25)
plot(x, p, type = "h", lwd = 2)

## corresponding empirical frequencies from a simulated sample
set.seed(0)
y <- rzinbinom(500, mu = 2.5, theta = 1, pi = 0.25)
hist(y, breaks = -1:max(y) + 0.5)
```

---

dzipois

*The zero-inflated Poisson distribution*


---

### Description

Density, distribution function, quantile function, and random generation for the zero-inflated Poisson distribution with parameters `lambda` and `pi`.

### Usage

```
dzipois(x, lambda, pi, log = FALSE)
```

```
pzipois(q, lambda, pi, lower.tail = TRUE, log.p = FALSE)
```

```
qzipois(p, lambda, pi, lower.tail = TRUE, log.p = FALSE)
```

```
rzipois(n, lambda, pi)
```

### Arguments

<code>x</code>	vector of (non-negative integer) quantiles.
<code>lambda</code>	vector of (non-negative) Poisson parameters.
<code>pi</code>	vector of zero-inflation probabilities in the unit interval.
<code>log, log.p</code>	logical indicating whether probabilities <code>p</code> are given as $\log(p)$ .
<code>q</code>	vector of quantiles.
<code>lower.tail</code>	logical indicating whether probabilities are $P[X \leq x]$ (lower tail) or $P[X > x]$ (upper tail).
<code>p</code>	vector of probabilities.
<code>n</code>	number of random values to return.

### Details

All functions follow the usual conventions of d/p/q/r functions in base R. In particular, all four `zipois` functions for the zero-inflated Poisson distribution call the corresponding `pois` functions for the Poisson distribution from base R internally.

Note, however, that the precision of `qzipois` for very large probabilities (close to 1) is limited because the probabilities are internally handled in levels and not in logs (even if `log.p = TRUE`).

### See Also

[ZIPoisson](#), [dpois](#)

**Examples**

```
## theoretical probabilities for a zero-inflated Poisson distribution
x <- 0:8
p <- dzipois(x, lambda = 2.5, pi = 0.25)
plot(x, p, type = "h", lwd = 2)

## corresponding empirical frequencies from a simulated sample
set.seed(0)
y <- rzipois(500, lambda = 2.5, pi = 0.25)
hist(y, breaks = -1:max(y) + 0.5)
```

dztnbinom

*The zero-truncated negative binomial distribution***Description**

Density, distribution function, quantile function, and random generation for the zero-truncated negative binomial distribution with parameters  $\mu$  and  $\theta$  (or size).

**Usage**

```
dztnbinom(x, mu, theta, size, log = FALSE)

pztnbinom(q, mu, theta, size, lower.tail = TRUE, log.p = FALSE)

qztnbinom(p, mu, theta, size, lower.tail = TRUE, log.p = FALSE)

rztnbinom(n, mu, theta, size)
```

**Arguments**

x	vector of (non-negative integer) quantiles.
mu	vector of (non-negative) negative binomial location parameters.
theta, size	vector of (non-negative) negative binomial overdispersion parameters. Only theta or, equivalently, size may be specified.
log, log.p	logical indicating whether probabilities p are given as log(p).
q	vector of quantiles.
lower.tail	logical indicating whether probabilities are $P[X \leq x]$ (lower tail) or $P[X > x]$ (upper tail).
p	vector of probabilities.
n	number of random values to return.

## Details

The negative binomial distribution left-truncated at zero (or zero-truncated negative binomial for short) is the distribution obtained, when considering a negative binomial variable  $Y$  conditional on  $Y$  being greater than zero.

All functions follow the usual conventions of  $d/p/q/r$  functions in base R. In particular, all four `ztnbinom` functions for the zero-truncated negative binomial distribution call the corresponding `nbinom` functions for the negative binomial distribution from base R internally.

## See Also

[ZTNegativeBinomial](#), [dnbinom](#)

## Examples

```
## theoretical probabilities for a zero-truncated negative binomial distribution
x <- 0:8
p <- dztnbinom(x, mu = 2.5, theta = 1)
plot(x, p, type = "h", lwd = 2)

## corresponding empirical frequencies from a simulated sample
set.seed(0)
y <- rztnbinom(500, mu = 2.5, theta = 1)
hist(y, breaks = -1:max(y) + 0.5)
```

---

dztpois

*The zero-truncated Poisson distribution*

---

## Description

Density, distribution function, quantile function, and random generation for the zero-truncated Poisson distribution with parameter  $\lambda$ .

## Usage

```
dztpois(x, lambda, log = FALSE)

pztpois(q, lambda, lower.tail = TRUE, log.p = FALSE)

qztpois(p, lambda, lower.tail = TRUE, log.p = FALSE)

rztpois(n, lambda)
```

**Arguments**

<code>x</code>	vector of (non-negative integer) quantiles.
<code>lambda</code>	vector of (non-negative) Poisson parameters.
<code>log, log.p</code>	logical indicating whether probabilities <code>p</code> are given as $\log(p)$ .
<code>q</code>	vector of quantiles.
<code>lower.tail</code>	logical indicating whether probabilities are $P[X \leq x]$ (lower tail) or $P[X > x]$ (upper tail).
<code>p</code>	vector of probabilities.
<code>n</code>	number of random values to return.

**Details**

The Poisson distribution left-truncated at zero (or zero-truncated Poisson for short) is the distribution obtained, when considering a Poisson variable  $Y$  conditional on  $Y$  being greater than zero.

All functions follow the usual conventions of `d/p/q/r` functions in base R. In particular, all four `ztpois` functions for the zero-truncated Poisson distribution call the corresponding `pois` functions for the Poisson distribution from base R internally.

**See Also**

[ZTPoisson](#), [dpois](#)

**Examples**

```
## theoretical probabilities for a zero-truncated Poisson distribution
x <- 0:8
p <- dztpois(x, lambda = 2.5)
plot(x, p, type = "h", lwd = 2)

## corresponding empirical frequencies from a simulated sample
set.seed(0)
y <- rztpois(500, lambda = 2.5)
hist(y, breaks = -1:max(y) + 0.5)
```

---

Erlang

---

*Create an Erlang distribution*


---

**Description**

The Erlang distribution is a two-parameter family of continuous probability distributions with support  $x \in [0, \infty)$ . The two parameters are a positive integer shape parameter  $k$  and a positive real rate parameter  $\lambda$ . The Erlang distribution with shape parameter  $k = 1$  simplifies to the exponential distribution, and it is a special case of the gamma distribution. It corresponds to a sum of  $k$  independent exponential variables with mean  $1/\lambda$  each.

**Usage**

```
Erlang(k, lambda)
```

**Arguments**

k                    The shape parameter. Can be any positive integer number.  
lambda              The rate parameter. Can be any positive number.

**Value**

An Erlang object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Erlang(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

Exponential

*Create an Exponential distribution*

---

**Description**

Exponential distributions are frequently used for modeling the amount of time that passes until a specific event occurs. For example, exponential distributions could be used to model the time between two earthquakes, the amount of delay between internet packets, or the amount of time a piece of machinery can run before needing repair.

**Usage**

```
Exponential(rate = 1)
```

**Arguments**

rate                    The rate parameter, written  $\lambda$  in textbooks. Can be any positive number. Defaults to 1.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be an Exponential random variable with rate parameter  $\text{rate} = \lambda$ .

**Support:**  $x \in (0, \infty)$

**Mean:**  $\frac{1}{\lambda}$

**Variance:**  $\frac{1}{\lambda^2}$

**Probability density function (p.d.f):**

$$f(x) = \lambda e^{-\lambda x}$$

**Cumulative distribution function (c.d.f):**

$$F(x) = 1 - e^{-\lambda x}$$

**Moment generating function (m.g.f):**

$$\frac{\lambda}{\lambda - t}, \text{ for } t < \lambda$$

**Value**

An Exponential object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)
```

```
X <- Exponential(5)
X
```

```
mean(X)
variance(X)
skewness(X)
kurtosis(X)
```

```
random(X, 10)
```

```
pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

FIFA2018

*Goals scored in all 2018 FIFA World Cup matches*


---

### Description

Data from all 64 matches in the 2018 FIFA World Cup along with predicted ability differences based on bookmakers odds.

### Usage

```
data("FIFA2018", package = "distributions3")
```

### Format

A data frame with 128 rows and 7 columns.

**goals** integer. Number of goals scored in normal time (90 minutes), \ i.e., excluding potential extra time or penalties in knockout matches.

**team** character. 3-letter FIFA code for the team.

**match** integer. Match ID ranging from 1 (opening match) to 64 (final).

**type** factor. Type of match for groups A to H, round of 16 (R16), quarter final, semi-final, match for 3rd place, and final.

**stage** factor. Group vs. knockout tournament stage.

**logability** numeric. Estimated log-ability for each team based on bookmaker consensus model.

**difference** numeric. Difference in estimated log-abilities between a team and its opponent in each match.

### Details

To investigate the number of goals scored per match in the 2018 FIFA World Cup, FIFA2018 provides two rows, one for each team, for each of the matches during the tournament. In addition some basic meta-information for the matches (an ID, team name abbreviations, type of match, group vs. knockout stage), information on the estimated log-ability for each team is provided. These have been estimated by Zeileis et al. (2018) prior to the start of the tournament (2018-05-20) based on quoted odds from 26 online bookmakers using the bookmaker consensus model of Leitner et al. (2010). The difference in log-ability between a team and its opponent is a useful predictor for the number of goals scored.

To model the data a basic Poisson regression model provides a good fit. This treats the number of goals by the two teams as independent given the ability difference which is a reasonable assumption in this data set.

### Source

The goals for each match have been obtained from Wikipedia ([https://en.wikipedia.org/wiki/2018\\_FIFA\\_World\\_Cup](https://en.wikipedia.org/wiki/2018_FIFA_World_Cup)) and the log-abilities from Zeileis et al. (2018) based on quoted odds from Oddschecker.com and Bwin.com.

### References

Leitner C, Zeileis A, Hornik K (2010). Forecasting Sports Tournaments by Ratings of (Prob)abilities: A Comparison for the EURO 2008. *International Journal of Forecasting*, **26**(3), 471-481. doi:10.1016/j.ijforecast.2009.10.001

Zeileis A, Leitner C, Hornik K (2018). Probabilistic Forecasts for the 2018 FIFA World Cup Based on the Bookmaker Consensus Model. Working Paper 2018-09, Working Papers in Economics and Statistics, Research Platform Empirical and Experimental Economics, University of Innsbruck. <https://EconPapers.RePEc.org/RePEc:inn:wpaper:2018-09>

### Examples

```
## load data
data("FIFA2018", package = "distributions3")

## observed relative frequencies of goals in all matches
obsrvd <- prop.table(table(FIFA2018$goals))

## expected probabilities assuming a simple Poisson model,
## using the average number of goals across all teams/matches
## as the point estimate for the mean (lambda) of the distribution
p_const <- Poisson(lambda = mean(FIFA2018$goals))
p_const
expctd <- pdf(p_const, 0:6)

## comparison: observed vs. expected frequencies
## frequencies for 3 and 4 goals are slightly overfitted
## while 5 and 6 goals are slightly underfitted
cbind("observed" = obsrvd, "expected" = expctd)

## instead of fitting the same average Poisson model to all
## teams/matches, take ability differences into account
m <- glm(goals ~ difference, data = FIFA2018, family = poisson)
summary(m)
## when the ratio of abilities increases by 1 percent, the
## expected number of goals increases by around 0.4 percent

## this yields a different predicted Poisson distribution for
## each team/match
p_reg <- Poisson(lambda = fitted(m))
head(p_reg)
```

```

## as an illustration, the following goal distributions
## were expected for the final (that France won 4-2 against Croatia)
p_final <- tail(p_reg, 2)
p_final
pdf(p_final, 0:6)
## clearly France was expected to score more goals than Croatia
## but both teams scored more goals than expected, albeit not unlikely many

## assuming independence of the number of goals scored, obtain
## table of possible match results (after normal time), along with
## overall probabilities of win/draw/lose
res <- outer(pdf(p_final[1], 0:6), pdf(p_final[2], 0:6))
sum(res[lower.tri(res)]) ## France wins
sum(diag(res))          ## draw
sum(res[upper.tri(res)]) ## France loses

## update expected frequencies table based on regression model
expctd <- pdf(p_reg, 0:6)
head(expctd)
expctd <- colMeans(expctd)
cbind("observed" = obsrvd, "expected" = expctd)

```

---

FisherF

*Create an F distribution*


---

## Description

Create an F distribution

## Usage

```
FisherF(df1, df2, lambda = 0)
```

## Arguments

df1	Numerator degrees of freedom. Can be any positive number.
df2	Denominator degrees of freedom. Can be any positive number.
lambda	Non-centrality parameter. Can be any positive number. Defaults to 0.

## Details

We recommend reading this documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail.

TODO

## Value

A FisherF object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- FisherF(5, 10, 0.2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

fit\_mle

*Fit a distribution to data*

---

**Description**

Generic function for fitting maximum-likelihood estimates (MLEs) of a distribution based on empirical data.

**Usage**

```
fit_mle(d, x, ...)
```

**Arguments**

d	An object. The package provides methods for distribution objects such as those from <a href="#">Normal()</a> or <a href="#">Binomial()</a> etc.
x	A vector of data to compute the likelihood.
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

A distribution (the same kind as d) where the parameters are the MLE estimates based on x.

**Examples**

```
X <- Normal()
fit_mle(X, c(-1, 0, 0, 0, 3))
```

---

fit\_mle.Bernoulli      *Fit a Bernoulli distribution to data*

---

**Description**

Fit a Bernoulli distribution to data

**Usage**

```
## S3 method for class 'Bernoulli'
fit_mle(d, x, ...)
```

**Arguments**

d	A Bernoulli object.
x	A vector of zeroes and ones.
...	Unused.

**Value**

a Bernoulli object

---

fit\_mle.Binomial      *Fit a Binomial distribution to data*

---

**Description**

The fit distribution will inherit the same size parameter as the Binomial object passed.

**Usage**

```
## S3 method for class 'Binomial'
fit_mle(d, x, ...)
```

**Arguments**

d	A Binomial object.
x	A vector of zeroes and ones.
...	Unused.

**Value**

a Binomial object

---

fit\_mle.Exponential     *Fit an Exponential distribution to data*

---

**Description**

Fit an Exponential distribution to data

**Usage**

```
## S3 method for class 'Exponential'  
fit_mle(d, x, ...)
```

**Arguments**

d	An Exponential object created by a call to <a href="#">Exponential()</a> .
x	A vector of data.
...	Unused.

**Value**

An Exponential object.

---

fit\_mle.Gamma     *Fit a Gamma distribution to data*

---

**Description**

Fit a Gamma distribution to data

**Usage**

```
## S3 method for class 'Gamma'  
fit_mle(d, x, ...)
```

**Arguments**

d	A Gamma object created by a call to <a href="#">Gamma()</a> .
x	A vector to fit the Gamma distribution to.
...	Unused.

**Value**

a Gamma object

---

fit\_mle.Geometric      *Fit a Geometric distribution to data*

---

**Description**

Fit a Geometric distribution to data

**Usage**

```
## S3 method for class 'Geometric'  
fit_mle(d, x, ...)
```

**Arguments**

d	A Geometric object.
x	A vector of zeroes and ones.
...	Unused.

**Value**

a Geometric object

---

fit\_mle.LogNormal      *Fit a Log Normal distribution to data*

---

**Description**

Fit a Log Normal distribution to data

**Usage**

```
## S3 method for class 'LogNormal'  
fit_mle(d, x, ...)
```

**Arguments**

d	A LogNormal object created by a call to <a href="#">LogNormal()</a> .
x	A vector of data.
...	Unused.

**Value**

A LogNormal object.

**See Also**

Other LogNormal distribution: [cdf.LogNormal\(\)](#), [pdf.LogNormal\(\)](#), [quantile.LogNormal\(\)](#), [random.LogNormal\(\)](#)

---

fit_mle.Normal	<i>Fit a Normal distribution to data</i>
----------------	--

---

**Description**

Fit a Normal distribution to data

**Usage**

```
## S3 method for class 'Normal'  
fit_mle(d, x, ...)
```

**Arguments**

d	A Normal object created by a call to <a href="#">Normal()</a> .
x	A vector of data.
...	Unused.

**Value**

A Normal object.

**See Also**

Other Normal distribution: [cdf.Normal\(\)](#), [pdf.Normal\(\)](#), [quantile.Normal\(\)](#)

---

fit_mle.Poisson	<i>Fit an Poisson distribution to data</i>
-----------------	--

---

**Description**

Fit an Poisson distribution to data

**Usage**

```
## S3 method for class 'Poisson'  
fit_mle(d, x, ...)
```

**Arguments**

d	An Poisson object created by a call to <code>Poisson()</code> .
x	A vector of data.
...	Unused.

**Value**

An Poisson object.

---

Frechet	<i>Create a Frechet distribution</i>
---------	--------------------------------------

---

**Description**

The Frechet distribution is a special case of the `\link{GEV}` distribution, obtained when the GEV shape parameter  $\xi$  is positive. It may be referred to as a type II extreme value distribution.

**Usage**

```
Frechet(location = 0, scale = 1, shape = 1)
```

**Arguments**

location	The location (minimum) parameter $m$ . location can be any real number. Defaults to 0.
scale	The scale parameter $s$ . scale can be any positive number. Defaults to 1.
shape	The shape parameter $\alpha$ . shape can be any positive number. Defaults to 1.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Frechet random variable with location parameter  $\text{location} = m$ , scale parameter  $\text{scale} = s$ , and shape parameter  $\text{shape} = \alpha$ . A `Frechet( $m, s, \alpha$ )` distribution is equivalent to a `\link{GEV}( $m + s, s/\alpha, 1/\alpha$ )` distribution.

**Support:**  $(m, \infty)$ .

**Mean:**  $m + s\Gamma(1 - 1/\alpha)$ , for  $\alpha > 1$ ; undefined otherwise.

**Median:**  $m + s(\ln 2)^{-1/\alpha}$ .

**Variance:**  $s^2[\Gamma(1 - 2/\alpha) - \Gamma(1 - 1/\alpha)^2]$  for  $\alpha > 2$ ; undefined otherwise.

**Probability density function (p.d.f):**

$$f(x) = \alpha s^{-1} [(x - m)/s]^{-(1+\alpha)} \exp\{-[(x - m)/s]^{-\alpha}\}$$

for  $x > m$ . The p.d.f. is 0 for  $x \leq m$ .

**Cumulative distribution function (c.d.f):**

$$F(x) = \exp\{ -[(x - m)/s]^{-\alpha} \}$$

for  $x > m$ . The c.d.f. is 0 for  $x \leq m$ .

**Value**

A Frechet object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Frechet(0, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

Gamma

*Create a Gamma distribution*

---

**Description**

Several important distributions are special cases of the Gamma distribution. When the shape parameter is 1, the Gamma is an exponential distribution with parameter  $1/\beta$ . When the *shape* =  $n/2$  and *rate* =  $1/2$ , the Gamma is equivalent to a chi squared distribution with  $n$  degrees of freedom. Moreover, if we have  $X_1$  is  $Gamma(\alpha_1, \beta)$  and  $X_2$  is  $Gamma(\alpha_2, \beta)$ , a function of these two variables of the form  $\frac{X_1}{X_1+X_2}$   $Beta(\alpha_1, \alpha_2)$ . This last property frequently appears in another distributions, and it has extensively been used in multivariate methods. More about the Gamma distribution will be added soon.

**Usage**

```
Gamma(shape, rate = 1)
```

**Arguments**

shape	The shape parameter. Can be any positive number.
rate	The rate parameter. Can be any positive number. Defaults to 1.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a Gamma random variable with parameters shape =  $\alpha$  and rate =  $\beta$ .

**Support:**  $x \in (0, \infty)$

**Mean:**  $\frac{\alpha}{\beta}$

**Variance:**  $\frac{\alpha}{\beta^2}$

**Probability density function (p.m.f):**

$$f(x) = \frac{\beta^\alpha}{\Gamma(\alpha)} x^{\alpha-1} e^{-\beta x}$$

**Cumulative distribution function (c.d.f):**

$$f(x) = \frac{\Gamma(\alpha, \beta x)}{\Gamma \alpha}$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = \left( \frac{\beta}{\beta - t} \right)^\alpha, t < \beta$$

**Value**

A Gamma object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Gamma(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)
```

```

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

Geometric

*Create a Geometric distribution*


---

### Description

The Geometric distribution can be thought of as a generalization of the [Bernoulli\(\)](#) distribution where we ask: "if I keep flipping a coin with probability  $p$  of heads, what is the probability I need  $k$  flips before I get my first heads?" The Geometric distribution is a special case of Negative Binomial distribution.

### Usage

```
Geometric(p = 0.5)
```

### Arguments

$p$  The success probability for the distribution.  $p$  can be any value in  $[0, 1]$ , and defaults to  $0.5$ .

### Details

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Geometric random variable with success probability  $p = p$ . Note that there are multiple parameterizations of the Geometric distribution.

**Support:**  $0 < p < 1, x = 0, 1, \dots$

**Mean:**  $\frac{1-p}{p}$

**Variance:**  $\frac{1-p}{p^2}$

**Probability mass function (p.m.f):**

$$P(X = x) = p(1 - p)^x,$$

**Cumulative distribution function (c.d.f):**

$$P(X \leq x) = 1 - (1 - p)^{x+1}$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = \frac{pe^t}{1 - (1 - p)e^t}$$

**Value**

A Geometric object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
set.seed(27)

X <- Geometric(0.3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

 GEV

---

*Create a Generalised Extreme Value (GEV) distribution*


---

**Description**

The GEV distribution arises from the Extremal Types Theorem, which is rather like the Central Limit Theorem (see [\link{Normal}](#)) but it relates to the *maximum* of  $n$  i.i.d. random variables rather than to the sum. If, after a suitable linear rescaling, the distribution of this maximum tends to a non-degenerate limit as  $n$  tends to infinity then this limit must be a GEV distribution. The requirement that the variables are independent can be relaxed substantially. Therefore, the GEV distribution is often used to model the maximum of a large number of random variables.

**Usage**

```
GEV(mu = 0, sigma = 1, xi = 0)
```

**Arguments**

mu	The location parameter, written $\mu$ in textbooks. mu can be any real number. Defaults to 0.
sigma	The scale parameter, written $\sigma$ in textbooks. sigma can be any positive number. Defaults to 1.
xi	The shape parameter, written $\xi$ in textbooks. xi can be any real number. Defaults to 0, which corresponds to a Gumbel distribution.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a GEV random variable with location parameter  $\mu = \mu$ , scale parameter  $\sigma = \sigma$  and shape parameter  $\xi = \xi$ .

**Support:**  $(-\infty, \mu - \sigma/\xi)$  for  $\xi < 0$ ;  $(\mu - \sigma/\xi, \infty)$  for  $\xi > 0$ ; and  $R$ , the set of all real numbers, for  $\xi = 0$ .

**Mean:**  $\mu + \sigma[\Gamma(1 - \xi) - 1]/\xi$  for  $\xi < 1, \xi \neq 0$ ;  $\mu + \sigma\gamma$  for  $\xi = 0$ , where  $\gamma$  is Euler's constant, approximately equal to 0.57722; undefined otherwise.

**Median:**  $\mu + \sigma[(\ln 2)^{-\xi} - 1]/\xi$  for  $\xi \neq 0$ ;  $\mu - \sigma \ln(\ln 2)$  for  $\xi = 0$ .

**Variance:**  $\sigma^2[\Gamma(1 - 2\xi) - \Gamma(1 - \xi)^2]/\xi^2$  for  $\xi < 1/2, \xi \neq 0$ ;  $\sigma^2\pi^2/6$  for  $\xi = 0$ ; undefined otherwise.

**Probability density function (p.d.f):**

If  $\xi \neq 0$  then

$$f(x) = \sigma^{-1}[1 + \xi(x - \mu)/\sigma]^{-(1+1/\xi)} \exp\{-[1 + \xi(x - \mu)/\sigma]^{-1/\xi}\}$$

for  $1 + \xi(x - \mu)/\sigma > 0$ . The p.d.f. is 0 outside the support.

In the  $\xi = 0$  (Gumbel) special case

$$f(x) = \sigma^{-1} \exp[-(x - \mu)/\sigma] \exp\{-\exp[-(x - \mu)/\sigma]\}$$

for  $x$  in  $R$ , the set of all real numbers.

**Cumulative distribution function (c.d.f):**

If  $\xi \neq 0$  then

$$F(x) = \exp\{-[1 + \xi(x - \mu)/\sigma]^{-1/\xi}\}$$

for  $1 + \xi(x - \mu)/\sigma > 0$ . The c.d.f. is 0 below the support and 1 above the support.

In the  $\xi = 0$  (Gumbel) special case

$$F(x) = \exp\{-\exp[-(x - \mu)/\sigma]\}$$

for  $x$  in  $R$ , the set of all real numbers.

**Value**

A GEV object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```

set.seed(27)

X <- GEV(1, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

GP

*Create a Generalised Pareto (GP) distribution***Description**

The GP distribution has a link to the [\link{GEV}](#) distribution. Suppose that the maximum of  $n$  i.i.d. random variables has approximately a GEV distribution. For a sufficiently large threshold  $u$ , the conditional distribution of the amount (the threshold excess) by which a variable exceeds  $u$  given that it exceeds  $u$  has approximately a GP distribution. Therefore, the GP distribution is often used to model the threshold excesses of a high threshold  $u$ . The requirement that the variables are independent can be relaxed substantially, but then exceedances of  $u$  may cluster.

**Usage**

```
GP(mu = 0, sigma = 1, xi = 0)
```

**Arguments**

mu	The location parameter, written $\mu$ in textbooks. mu can be any real number. Defaults to 0.
sigma	The scale parameter, written $\sigma$ in textbooks. sigma can be any positive number. Defaults to 1.
xi	The shape parameter, written $\xi$ in textbooks. xi can be any real number. Defaults to 0, which corresponds to a Gumbel distribution.

**Details**

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a GP random variable with location parameter  $\mu = \mu$ , scale parameter  $\sigma = \sigma$  and shape parameter  $\xi = \xi$ .

**Support:**  $[\mu, \mu - \sigma/\xi]$  for  $\xi < 0$ ;  $[\mu, \infty)$  for  $\xi \geq 0$ .

**Mean:**  $\mu + \sigma/(1 - \xi)$  for  $\xi < 1$ ; undefined otherwise.

**Median:**  $\mu + \sigma[2^\xi - 1]/\xi$  for  $\xi \neq 0$ ;  $\mu + \sigma \ln 2$  for  $\xi = 0$ .

**Variance:**  $\sigma^2/(1 - \xi)^2(1 - 2\xi)$  for  $\xi < 1/2$ ; undefined otherwise.

**Probability density function (p.d.f):**

If  $\xi \neq 0$  then

$$f(x) = \sigma^{-1}[1 + \xi(x - \mu)/\sigma]^{-(1+1/\xi)}$$

for  $1 + \xi(x - \mu)/\sigma > 0$ . The p.d.f. is 0 outside the support.

In the  $\xi = 0$  special case

$$f(x) = \sigma^{-1} \exp[-(x - \mu)/\sigma]$$

for  $x$  in  $[\mu, \infty)$ . The p.d.f. is 0 outside the support.

**Cumulative distribution function (c.d.f):**

If  $\xi \neq 0$  then

$$F(x) = 1 - \exp\{-[1 + \xi(x - \mu)/\sigma]^{-1/\xi}\}$$

for  $1 + \xi(x - \mu)/\sigma > 0$ . The c.d.f. is 0 below the support and 1 above the support.

In the  $\xi = 0$  special case

$$F(x) = 1 - \exp[-(x - \mu)/\sigma]$$

for  $x$  in  $R$ , the set of all real numbers.

## Value

A GP object.

## See Also

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

## Examples

```
set.seed(27)

X <- GP(0, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)
```

```
cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

Gumbel

*Create a Gumbel distribution*


---

### Description

The Gumbel distribution is a special case of the [\link{GEV}](#) distribution, obtained when the GEV shape parameter  $\xi$  is equal to 0. It may be referred to as a type I extreme value distribution.

### Usage

```
Gumbel(mu = 0, sigma = 1)
```

### Arguments

mu	The location parameter, written $\mu$ in textbooks. mu can be any real number. Defaults to 0.
sigma	The scale parameter, written $\sigma$ in textbooks. sigma can be any positive number. Defaults to 1.

### Details

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Gumbel random variable with location parameter  $\mu = \mu$ , scale parameter  $\sigma = \sigma$ .

**Support:**  $R$ , the set of all real numbers.

**Mean:**  $\mu + \sigma\gamma$ , where  $\gamma$  is Euler's constant, approximately equal to 0.57722.

**Median:**  $\mu - \sigma \ln(\ln 2)$ .

**Variance:**  $\sigma^2\pi^2/6$ .

**Probability density function (p.d.f):**

$$f(x) = \sigma^{-1} \exp[-(x - \mu)/\sigma] \exp\{-\exp[-(x - \mu)/\sigma]\}$$

for  $x$  in  $R$ , the set of all real numbers.

**Cumulative distribution function (c.d.f):**

In the  $\xi = 0$  (Gumbel) special case

$$F(x) = \exp\{-\exp[-(x - \mu)/\sigma]\}$$

for  $x$  in  $R$ , the set of all real numbers.

**Value**

A Gumbel object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Gumbel(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

HurdleNegativeBinomial

*Create a hurdle negative binomial distribution*

---

**Description**

Hurdle negative binomial distributions are frequently used to model counts with overdispersion and many zero observations.

**Usage**

```
HurdleNegativeBinomial(mu, theta, pi)
```

**Arguments**

mu	Location parameter of the negative binomial component of the distribution. Can be any positive number.
theta	Overdispersion parameter of the negative binomial component of the distribution. Can be any positive number.
pi	Zero-hurdle probability, can be any value in $[0, 1]$ .

**Details**

We recommend reading this documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a hurdle negative binomial random variable with parameters  $\mu = \mu$  and  $\theta = \theta$ .

**Support:**  $\{0, 1, 2, 3, \dots\}$

**Mean:**

$$\mu \cdot \frac{\pi}{1 - F(0; \mu, \theta)}$$

where  $F(k; \mu)$  is the c.d.f. of the [NegativeBinomial](#) distribution.

**Variance:**

$$m \cdot \left(1 + \frac{\mu}{\theta} + \mu - m\right)$$

where  $m$  is the mean above.

**Probability mass function (p.m.f.):**  $P(X = 0) = 1 - \pi$  and for  $k > 0$

$$P(X = k) = \pi \cdot \frac{f(k; \mu, \theta)}{1 - F(0; \mu, \theta)}$$

where  $f(k; \mu, \theta)$  is the p.m.f. of the [NegativeBinomial](#) distribution.

**Cumulative distribution function (c.d.f.):**  $P(X \leq 0) = 1 - \pi$  and for  $k > 0$

$$P(X \leq k) = 1 - \pi + \pi \cdot \frac{F(k; \mu, \theta) - F(0; \mu, \theta)}{1 - F(0; \mu, \theta)}$$

**Moment generating function (m.g.f.):**

Omitted for now.

**Value**

A HurdleNegativeBinomial object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
## set up a hurdle negative binomial distribution
X <- HurdleNegativeBinomial(mu = 2.5, theta = 1, pi = 0.75)
X
```

```
## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
```

```

quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)

```

---

HurdlePoisson

*Create a hurdle Poisson distribution*


---

### Description

Hurdle Poisson distributions are frequently used to model counts with many zero observations.

### Usage

```
HurdlePoisson(lambda, pi)
```

### Arguments

lambda	Parameter of the Poisson component of the distribution. Can be any positive number.
pi	Zero-hurdle probability, can be any value in $[\theta, 1]$ .

### Details

We recommend reading this documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a hurdle Poisson random variable with parameter  $\lambda = \lambda$ .

**Support:**  $\{0, 1, 2, 3, \dots\}$

**Mean:**

$$\lambda \cdot \frac{\pi}{1 - e^{-\lambda}}$$

**Variance:**  $m \cdot (\lambda + 1 - m)$ , where  $m$  is the mean above.

**Probability mass function (p.m.f.):**  $P(X = 0) = 1 - \pi$  and for  $k > 0$

$$P(X = k) = \pi \cdot \frac{f(k; \lambda)}{1 - f(0; \lambda)}$$

where  $f(k; \lambda)$  is the p.m.f. of the [Poisson](#) distribution.

**Cumulative distribution function (c.d.f.):**  $P(X \leq 0) = 1 - \pi$  and for  $k > 0$

$$P(X \leq k) = 1 - \pi + \pi \cdot \frac{F(k; \lambda) - F(0; \lambda)}{1 - F(0; \lambda)}$$

where  $F(k; \lambda)$  is the c.d.f. of the [Poisson](#) distribution.

**Moment generating function (m.g.f.):**

Omitted for now.

**Value**

A HurdlePoisson object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
## set up a hurdle Poisson distribution
X <- HurdlePoisson(lambda = 2.5, pi = 0.75)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

HyperGeometric

*Create a HyperGeometric distribution*

---

**Description**

To understand the HyperGeometric distribution, consider a set of  $r$  objects, of which  $m$  are of the type I and  $n$  are of the type II. A sample with size  $k$  ( $k < r$ ) with no replacement is randomly chosen. The number of observed type I elements observed in this sample is set to be our random variable  $X$ . For example, consider that in a set of 20 car parts, there are 4 that are defective (type I). If we take a sample of size 5 from those car parts, the probability of finding 2 that are defective will be given by the HyperGeometric distribution (needs double checking).

**Usage**

HyperGeometric(m, n, k)

**Arguments**

m                    The number of type I elements available.  
 n                    The number of type II elements available.  
 k                    The size of the sample taken.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a HyperGeometric random variable with success probability  $p = p = m/(m + n)$ .

**Support:**  $x \in \{\max(0, k - n), \dots, \min(k, m)\}$

**Mean:**  $\frac{km}{n+m} = kp$

**Variance:**  $\frac{km(n)(n+m-k)}{(n+m)^2(n+m-1)} = kp(1-p)(1 - \frac{k-1}{m+n-1})$

**Probability mass function (p.m.f):**

$$P(X = x) = \frac{\binom{m}{x} \binom{n}{k-x}}{\binom{m+n}{k}}$$

**Cumulative distribution function (c.d.f):**

$$P(X \leq k) \approx \Phi\left(\frac{x - kp}{\sqrt{kp(1-p)}}\right)$$

**Moment generating function (m.g.f):**

Not useful.

**Value**

A HyperGeometric object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
set.seed(27)

X <- HyperGeometric(4, 5, 8)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

is\_discrete

*Determine whether a distribution is discrete or continuous*

---

**Description**

Generic functions for determining whether a certain probability distribution is discrete or continuous, respectively.

**Usage**

```
is_discrete(d, ...)
```

```
is_continuous(d, ...)
```

**Arguments**

**d** An object. The package provides methods for distribution objects such as those from `Normal()` or `Binomial()` etc.

**...** Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Details**

The generic function `is_discrete` is intended to return `TRUE` for every distribution whose entire support is discrete and `FALSE` otherwise. Analogously, `is_continuous` is intended to return `TRUE` for every distribution whose entire support is continuous and `FALSE` otherwise. For mixed discrete-continuous distributions both methods should return `FALSE`.

Methods for both generics are provided for all distribution classes set up in this package.

**Value**

A logical vector indicating whether the distribution(s) in `d` is/are discrete or continuous, respectively.

**Examples**

```
X <- Normal()
is_discrete(X)
is_continuous(X)
Y <- Binomial(size = 10, p = c(0.2, 0.5, 0.8))
is_discrete(Y)
is_continuous(Y)
```

---

is_distribution	<i>Is an object a distribution?</i>
-----------------	-------------------------------------

---

**Description**

is\_distribution tests if x inherits from "distribution".

**Usage**

```
is_distribution(x)
```

**Arguments**

x                    An object to test.

**Examples**

```
Z <- Normal()

is_distribution(Z)
is_distribution(1L)
```

---

Logistic	<i>Create a Logistic distribution</i>
----------	---------------------------------------

---

**Description**

A continuous distribution on the real line. For binary outcomes the model given by  $P(Y = 1|X) = F(X\beta)$  where  $F$  is the Logistic [cdf\(\)](#) is called *logistic regression*.

**Usage**

```
Logistic(location = 0, scale = 1)
```

**Arguments**

location            The location parameter for the distribution. For Logistic distributions, the location parameter is the mean, median and also mode. Defaults to zero.

scale                The scale parameter for the distribution. Defaults to one.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Logistic random variable with location =  $\mu$  and scale =  $s$ .

**Support:**  $R$ , the set of all real numbers

**Mean:**  $\mu$

**Variance:**  $s^2\pi^2/3$

**Probability density function (p.d.f):**

$$f(x) = \frac{e^{-\left(\frac{x-\mu}{s}\right)}}{s[1 + \exp\left(-\left(\frac{x-\mu}{s}\right)\right)]^2}$$

**Cumulative distribution function (c.d.f):**

$$F(t) = \frac{1}{1 + e^{-\left(\frac{t-\mu}{s}\right)}}$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = e^{\mu t} \beta(1 - st, 1 + st)$$

where  $\beta(x, y)$  is the Beta function.

**Value**

A Logistic object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Logistic(2, 4)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

LogNormal

*Create a LogNormal distribution***Description**

A random variable created by exponentiating a `Normal()` distribution. Taking the log of LogNormal data returns in `Normal()` data.

**Usage**

```
LogNormal(log_mu = 0, log_sigma = 1)
```

**Arguments**

<code>log_mu</code>	The location parameter, written $\mu$ in textbooks. Can be any real number. Defaults to 0.
<code>log_sigma</code>	The scale parameter, written $\sigma$ in textbooks. Can be any positive real number. Defaults to 1.

**Details**

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a LogNormal random variable with success probability  $p = p$ .

**Support:**  $R^+$

**Mean:**  $\exp(\mu + \sigma^2/2)$

**Variance:**  $[\exp(\sigma^2) - 1] \exp(2\mu + \sigma^2)$

**Probability density function (p.d.f):**

$$f(x) = \frac{1}{x\sigma\sqrt{2\pi}} \exp\left(-\frac{(\log x - \mu)^2}{2\sigma^2}\right)$$

**Cumulative distribution function (c.d.f):**

$$F(x) = \frac{1}{2} + \frac{1}{2\sqrt{pi}} \int_{-x}^x e^{-t^2} dt$$

**Moment generating function (m.g.f):** Undefined.

**Value**

A LogNormal object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- LogNormal(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

log\_likelihood

*Compute the (log-)likelihood of a probability distribution given data*

---

**Description**

Functions for computing the (log-)likelihood based on a distribution object and observed data. The log-likelihood is computed as the sum of log-density contributions and the likelihood by taking the exponential thereof.

**Usage**

```
log_likelihood(d, x, ...)
```

```
likelihood(d, x, ...)
```

**Arguments**

d	An object. The package provides methods for distribution objects such as those from <a href="#">Normal()</a> or <a href="#">Binomial()</a> etc.
x	A vector of data to compute the likelihood.
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

Numeric value of the (log-)likelihood.

**Examples**

```
## distribution object
X <- Normal()
## sum of log_pdf() contributions
log_likelihood(X, c(-1, 0, 0, 0, 3))
## exp of log_likelihood()
likelihood(X, c(-1, 0, 0, 0, 3))
```

---

Multinomial

*Create a Multinomial distribution*


---

**Description**

The multinomial distribution is a generalization of the binomial distribution to multiple categories. It is perhaps easiest to think that we first extend a `Bernoulli()` distribution to include more than two categories, resulting in a `Categorical()` distribution. We then extend repeat the Categorical experiment several ( $n$ ) times.

**Usage**

```
Multinomial(size, p)
```

**Arguments**

size	The number of trials. Must be an integer greater than or equal to one. When size = 1L, the Multinomial distribution reduces to the categorical distribution (also called the discrete uniform). Often called n in textbooks.
p	A vector of success probabilities for each trial. p can take on any positive value, and the vector is normalized internally.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X = (X_1, \dots, X_k)$  be a Multinomial random variable with success probability  $p = p$ . Note that  $p$  is vector with  $k$  elements that sum to one. Assume that we repeat the Categorical experiment size =  $n$  times.

**Support:** Each  $X_i$  is in  $0, 1, 2, \dots, n$ .

**Mean:** The mean of  $X_i$  is  $np_i$ .

**Variance:** The variance of  $X_i$  is  $np_i(1 - p_i)$ . For  $i \neq j$ , the covariance of  $X_i$  and  $X_j$  is  $-np_i p_j$ .

**Probability mass function (p.m.f):**

$$P(X_1 = x_1, \dots, X_k = x_k) = \frac{n!}{x_1! x_2! \dots x_k!} p_1^{x_1} \cdot p_2^{x_2} \cdot \dots \cdot p_k^{x_k}$$

**Cumulative distribution function (c.d.f):**

Omitted for multivariate random variables for the time being.

**Moment generating function (m.g.f):**

$$E(e^{tX}) = \left( \sum_{i=1}^k p_i e^{t_i} \right)^n$$

### Value

A Multinomial object.

### See Also

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

### Examples

```
set.seed(27)

X <- Multinomial(size = 5, p = c(0.3, 0.4, 0.2, 0.1))
X

random(X, 10)

# pdf(X, 2)
# log_pdf(X, 2)
```

---

NegativeBinomial	<i>Create a negative binomial distribution</i>
------------------	--

---

### Description

A generalization of the geometric distribution. It is the number of failures in a sequence of i.i.d. Bernoulli trials before a specified target number ( $r$ ) of successes occurs.

### Usage

```
NegativeBinomial(size, p = 0.5, mu = size)
```

### Arguments

size	The target number of successes (greater than 0) until the experiment is stopped. Denoted $r$ below.
p	The success probability for a given trial. $p$ can be any value in $[0, 1]$ , and defaults to 0.5.
mu	Alternative parameterization via the non-negative mean of the distribution (instead of the probability $p$ ), defaults to size.

**Details**

We recommend reading this documentation on <https://alexpg Hayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a negative binomial random variable with success probability  $p = p$ .

**Support:**  $\{0, 1, 2, 3, \dots\}$

**Mean:**  $\frac{(1-p)r}{p} = \mu$

**Variance:**  $\frac{(1-p)r}{p^2}$

**Probability mass function (p.m.f.):**

$$f(k) = \binom{k+r-1}{k} \cdot p^r (1-p)^k$$

**Cumulative distribution function (c.d.f.):**

Omitted for now.

**Moment generating function (m.g.f.):**

$$\left( \frac{p}{1 - (1-p)e^t} \right)^r, t < -\log(1-p)$$

**Alternative parameterization:** Sometimes, especially when used in regression models, the negative binomial distribution is parameterized by its mean  $\mu$  (as listed above) plus the size parameter  $r$ . This implies a success probability of  $p = r/(r + \mu)$ . This can also be seen as a generalization of the Poisson distribution where the assumption of equidispersion (i.e., variance equal to mean) is relaxed. The negative binomial distribution is overdispersed (i.e., variance greater than mean) and its variance can also be written as  $\mu + 1/r\mu^2$ . The Poisson distribution is then obtained as  $r$  goes to infinity. Note that in this view it is natural to also allow for non-integer  $r$  parameters. The factorials in the equations above are then expressed in terms of the gamma function.

**Value**

A NegativeBinomial object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
set.seed(27)

X <- NegativeBinomial(size = 5, p = 0.1)
X

random(X, 10)
```

```
pdf(X, 50)
log_pdf(X, 50)

cdf(X, 50)
quantile(X, 0.7)

## alternative parameterization of X
Y <- NegativeBinomial(mu = 45, size = 5)
Y
cdf(Y, 50)
quantile(Y, 0.7)
```

---

Normal

*Create a Normal distribution*

---

## Description

The Normal distribution is ubiquitous in statistics, partially because of the central limit theorem, which states that sums of i.i.d. random variables eventually become Normal. Linear transformations of Normal random variables result in new random variables that are also Normal. If you are taking an intro stats course, you'll likely use the Normal distribution for Z-tests and in simple linear regression. Under regularity conditions, maximum likelihood estimators are asymptotically Normal. The Normal distribution is also called the gaussian distribution.

## Usage

```
Normal(mu = 0, sigma = 1)
```

## Arguments

mu	The location parameter, written $\mu$ in textbooks, which is also the mean of the distribution. Can be any real number. Defaults to 0.
sigma	The scale parameter, written $\sigma$ in textbooks, which is also the <b>standard deviation</b> of the distribution. Can be any positive number. Defaults to 1. If you would like a Normal distribution with <b>variance</b> $\sigma^2$ , be sure to take the square root, as this is a common source of errors.

## Details

We recommend reading this documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Normal random variable with mean  $\mu = \mu$  and standard deviation  $\sigma = \sigma$ .

**Support:**  $R$ , the set of all real numbers

**Mean:**  $\mu$

**Variance:**  $\sigma^2$

**Probability density function (p.d.f):**

$$f(x) = \frac{1}{\sqrt{2\pi\sigma^2}} e^{-(x-\mu)^2/2\sigma^2}$$

**Cumulative distribution function (c.d.f):**

The cumulative distribution function has the form

$$F(t) = \int_{-\infty}^t \frac{1}{\sqrt{2\pi\sigma^2}} e^{-(x-\mu)^2/2\sigma^2} dx$$

but this integral does not have a closed form solution and must be approximated numerically. The c.d.f. of a standard Normal is sometimes called the "error function". The notation  $\Phi(t)$  also stands for the c.d.f. of a standard Normal evaluated at  $t$ . Z-tables list the value of  $\Phi(t)$  for various  $t$ .

**Moment generating function (m.g.f):**

$$E(e^{tX}) = e^{\mu t + \sigma^2 t^2 / 2}$$

**Value**

A Normal object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- Normal(5, 2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided Z-test
```

```
# here the null hypothesis is H_0: mu = 3
# and we assume sigma = 2

# exactly the same as: Z <- Normal(0, 1)
Z <- Normal()

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the z-statistic
z_stat <- (mean(x) - 3) / (2 / sqrt(nx))
z_stat

# calculate the two-sided p-value
1 - cdf(Z, abs(z_stat)) + cdf(Z, -abs(z_stat))

# exactly equivalent to the above
2 * cdf(Z, -abs(z_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(Z, z_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(Z, z_stat)

### example: calculating a 88 percent Z CI for a mean

# same `x` as before, still assume `sigma = 2`

# lower-bound
mean(x) - quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# upper-bound
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# also equivalent to
mean(x) + quantile(Z, 0.12 / 2) * 2 / sqrt(nx)
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

### generating random samples and plugging in ks.test()

set.seed(27)

# generate a random sample
ns <- random(Normal(3, 7), 26)

# test if sample is Normal(3, 7)
```

```

ks.test(ns, pnorm, mean = 3, sd = 7)

# test if sample is gamma(8, 3) using base R pgamma()
ks.test(ns, pgamma, shape = 8, rate = 3)

### MISC

# note that the cdf() and quantile() functions are inverses
cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

pdf

---

*Evaluate the probability density of a probability distribution*


---

## Description

Generic function for computing probability density function (PDF) contributions based on a distribution object and observed data.

## Usage

```
pdf(d, x, drop = TRUE, ...)
```

```
log_pdf(d, x, ...)
```

```
pmf(d, x, ...)
```

## Arguments

d	An object. The package provides methods for distribution objects such as those from <code>Normal()</code> or <code>Binomial()</code> etc.
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Details

The generic function `pdf()` computes the probability density, both for continuous and discrete distributions. `pmf()` (for the probability mass function) is an alias that just calls `pdf()` internally. For computing log-density contributions (e.g., to a log-likelihood) either `pdf(..., log = TRUE)` can be used or the generic function `log_pdf()`.

## Value

Probabilities corresponding to the vector x.

**Examples**

```
## distribution object
X <- Normal()
## probability density
pdf(X, c(1, 2, 3, 4, 5))
pmf(X, c(1, 2, 3, 4, 5))
## log-density
pdf(X, c(1, 2, 3, 4, 5), log = TRUE)
log_pdf(X, c(1, 2, 3, 4, 5))
```

---

pdf.Bernoulli	<i>Evaluate the probability mass function of a Bernoulli distribution</i>
---------------	---

---

**Description**

Evaluate the probability mass function of a Bernoulli distribution

**Usage**

```
## S3 method for class 'Bernoulli'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Bernoulli'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Bernoulli object created by a call to <a href="#">Bernoulli()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Bernoulli(0.7)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)
pdf(X, 1)
log_pdf(X, 1)
cdf(X, 0)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

pdf.Beta

*Evaluate the probability mass function of a Beta distribution***Description**

Evaluate the probability mass function of a Beta distribution

**Usage**

```

## S3 method for class 'Beta'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Beta'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A Beta object created by a call to <code>Beta()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dbeta</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Beta(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

mean(X)
variance(X)
skewness(X)
kurtosis(X)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

pdf.Binomial

---

*Evaluate the probability mass function of a Binomial distribution*


---

**Description**

Evaluate the probability mass function of a Binomial distribution

**Usage**

```
## S3 method for class 'Binomial'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Binomial'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

`d` A Binomial object created by a call to `Binomial()`.

`x` A vector of elements whose probabilities you would like to determine given the distribution `d`.

drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>dbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Binomial(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2L)
log_pdf(X, 2L)

cdf(X, 4L)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

pdf.Categorical

*Evaluate the probability mass function of a Categorical discrete distribution*

---

### Description

Evaluate the probability mass function of a Categorical discrete distribution

**Usage**

```
## S3 method for class 'Categorical'
pdf(d, x, ...)

## S3 method for class 'Categorical'
log_pdf(d, x, ...)
```

**Arguments**

d	A Categorical object created by a call to <code>Categorical()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

A vector of probabilities, one for each element of x.

**Examples**

```
set.seed(27)

X <- Categorical(1:3, p = c(0.4, 0.1, 0.5))
X

Y <- Categorical(LETTERS[1:4])
Y

random(X, 10)
random(Y, 10)

pdf(X, 1)
log_pdf(X, 1)

cdf(X, 1)
quantile(X, 0.5)

# cdfs are only defined for numeric sample spaces. this errors!
# cdf(Y, "a")

# same for quantiles. this also errors!
# quantile(Y, 0.7)
```

---

`pdf.Cauchy`*Evaluate the probability mass function of a Cauchy distribution*

---

### Description

Evaluate the probability mass function of a Cauchy distribution

### Usage

```
## S3 method for class 'Cauchy'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Cauchy'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

<code>d</code>	A Cauchy object created by a call to <code>Cauchy()</code> .
<code>x</code>	A vector of elements whose probabilities you would like to determine given the distribution <code>d</code> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>dcauchy</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Cauchy(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)
```

```

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

pdf.ChiSquare

*Evaluate the probability mass function of a chi square distribution*


---

### Description

Evaluate the probability mass function of a chi square distribution

### Usage

```

## S3 method for class 'ChiSquare'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'ChiSquare'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

### Arguments

d	A ChiSquare object created by a call to <a href="#">ChiSquare()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dchisq</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- ChiSquare(5)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

pdf.Erlang

---

*Evaluate the probability mass function of an Erlang distribution*


---

**Description**

Evaluate the probability mass function of an Erlang distribution

**Usage**

```

## S3 method for class 'Erlang'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Erlang'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	An Erlang object created by a call to <a href="#">Erlang()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.

... Arguments to be passed to `dgamma`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Erlang(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

pdf.Exponential	<i>Evaluate the probability density function of an Exponential distribution</i>
-----------------	---

---

### Description

Evaluate the probability density function of an Exponential distribution

### Usage

```
## S3 method for class 'Exponential'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Exponential'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

`d` An `Exponential` object created by a call to `Exponential()`.

`x` A vector of elements whose probabilities you would like to determine given the distribution `d`.

drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>dexp</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Exponential(5)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

pdf.FisherF

*Evaluate the probability mass function of an F distribution*

---

### Description

Evaluate the probability mass function of an F distribution

**Usage**

```
## S3 method for class 'FisherF'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'FisherF'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A FisherF object created by a call to <code>FisherF()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>df</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- FisherF(5, 10, 0.2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

pdf.Frechet

*Evaluate the probability mass function of a Frechet distribution***Description**

Evaluate the probability mass function of a Frechet distribution

**Usage**

```
## S3 method for class 'Frechet'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Frechet'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Frechet object created by a call to <a href="#">Frechet()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dgev</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Frechet(0, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)
```

```

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

pdf.Gamma

---

*Evaluate the probability mass function of a Gamma distribution*


---

### Description

Evaluate the probability mass function of a Gamma distribution

### Usage

```

## S3 method for class 'Gamma'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Gamma'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

### Arguments

d	A Gamma object created by a call to <a href="#">Gamma()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dgamma</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Gamma(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

pdf.Geometric

*Evaluate the probability mass function of a Geometric distribution*


---

**Description**

Please see the documentation of [Geometric\(\)](#) for some properties of the Geometric distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

**Usage**

```

## S3 method for class 'Geometric'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Geometric'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A Geometric object created by a call to <a href="#">Geometric()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dgeom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other Geometric distribution: [cdf.Geometric\(\)](#), [quantile.Geometric\(\)](#), [random.Geometric\(\)](#)

**Examples**

```
set.seed(27)

X <- Geometric(0.3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

pdf.GEV

*Evaluate the probability mass function of a GEV distribution*

---

**Description**

Evaluate the probability mass function of a GEV distribution

**Usage**

```
## S3 method for class 'GEV'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'GEV'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A GEV object created by a call to <a href="#">GEV()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?

`elementwise` logical. Should each distribution in `d` be evaluated at all elements of `x` (`elementwise = FALSE`, yielding a matrix)? Or, if `d` and `x` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

... Arguments to be passed to `dgev`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- GEV(1, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

pdf.GP

*Evaluate the probability mass function of a GP distribution*

---

### Description

Evaluate the probability mass function of a GP distribution

### Usage

```
## S3 method for class 'GP'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'GP'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A GP object created by a call to <code>GP()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dgp</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- GP(0, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

pdf.Gumbel

---

*Evaluate the probability mass function of a Gumbel distribution*


---

**Description**

Evaluate the probability mass function of a Gumbel distribution

## Usage

```
## S3 method for class 'Gumbel'  
pdf(d, x, drop = TRUE, elementwise = NULL, ...)  
  
## S3 method for class 'Gumbel'  
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

d	A Gumbel object created by a call to <code>Gumbel()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dgev</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

## Examples

```
set.seed(27)  
  
X <- Gumbel(1, 2)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

```
pdf.HurdleNegativeBinomial
```

*Evaluate the probability mass function of a hurdle negative binomial distribution*

---

### Description

Evaluate the probability mass function of a hurdle negative binomial distribution

### Usage

```
## S3 method for class 'HurdleNegativeBinomial'  
pdf(d, x, drop = TRUE, elementwise = NULL, ...)  
  
## S3 method for class 'HurdleNegativeBinomial'  
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

d	A HurdleNegativeBinomial object created by a call to <a href="#">HurdleNegativeBinomial()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dhnbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

### Examples

```
## set up a hurdle negative binomial distribution  
X <- HurdleNegativeBinomial(mu = 2.5, theta = 1, pi = 0.75)  
X  
  
## standard functions  
pdf(X, 0:8)  
cdf(X, 0:8)  
quantile(X, seq(0, 1, by = 0.25))
```

```
## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

pdf.HurdlePoisson      *Evaluate the probability mass function of a hurdle Poisson distribution*

---

### Description

Evaluate the probability mass function of a hurdle Poisson distribution

### Usage

```
## S3 method for class 'HurdlePoisson'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'HurdlePoisson'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

d	A HurdlePoisson object created by a call to <a href="#">HurdlePoisson()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dhpois</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a hurdle Poisson distribution
X <- HurdlePoisson(lambda = 2.5, pi = 0.75)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

pdf.HyperGeometric      *Evaluate the probability mass function of a HyperGeometric distribution*

---

**Description**

Please see the documentation of [HyperGeometric\(\)](#) for some properties of the HyperGeometric distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

**Usage**

```
## S3 method for class 'HyperGeometric'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'HyperGeometric'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A HyperGeometric object created by a call to <a href="#">HyperGeometric()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?

`elementwise` logical. Should each distribution in `d` be evaluated at all elements of `x` (`elementwise = FALSE`, yielding a matrix)? Or, if `d` and `x` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

... Arguments to be passed to `dhyper`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### See Also

Other HyperGeometric distribution: `cdf.HyperGeometric()`, `quantile.HyperGeometric()`, `random.HyperGeometric()`

### Examples

```
set.seed(27)

X <- HyperGeometric(4, 5, 8)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

pdf.Logistic

*Evaluate the probability mass function of a Logistic distribution*

---

### Description

Please see the documentation of `Logistic()` for some properties of the Logistic distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

### Usage

```
## S3 method for class 'Logistic'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Logistic'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A <code>Logistic</code> object created by a call to <code>Logistic()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dlogis</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**See Also**

Other `Logistic` distribution: `cdf.Logistic()`, `quantile.Logistic()`, `random.Logistic()`

**Examples**

```
set.seed(27)

X <- Logistic(2, 4)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

pdf.LogNormal

*Evaluate the probability mass function of a LogNormal distribution*

---

**Description**

Please see the documentation of `LogNormal()` for some properties of the `LogNormal` distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

**Usage**

```
## S3 method for class 'LogNormal'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'LogNormal'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A LogNormal object created by a call to <a href="#">LogNormal()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dlnorm</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other LogNormal distribution: [cdf.LogNormal\(\)](#), [fit\\_mle.LogNormal\(\)](#), [quantile.LogNormal\(\)](#), [random.LogNormal\(\)](#)

**Examples**

```
set.seed(27)

X <- LogNormal(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

pdf.Multinomial      *Evaluate the probability mass function of a Multinomial distribution*

---

## Description

Please see the documentation of [Multinomial\(\)](#) for some properties of the Multinomial distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

## Usage

```
## S3 method for class 'Multinomial'  
pdf(d, x, ...)
```

```
## S3 method for class 'Multinomial'  
log_pdf(d, x, ...)
```

## Arguments

d	A Multinomial object created by a call to <a href="#">Multinomial()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

A vector of probabilities, one for each element of x.

## See Also

Other Multinomial distribution: [random.Multinomial\(\)](#)

## Examples

```
set.seed(27)  
  
X <- Multinomial(size = 5, p = c(0.3, 0.4, 0.2, 0.1))  
X  
  
random(X, 10)  
  
# pdf(X, 2)  
# log_pdf(X, 2)
```

---

pdf.NegativeBinomial *Evaluate the probability mass function of a NegativeBinomial distribution*

---

### Description

Evaluate the probability mass function of a NegativeBinomial distribution

### Usage

```
## S3 method for class 'NegativeBinomial'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'NegativeBinomial'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

d	A NegativeBinomial object created by a call to <a href="#">NegativeBinomial()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dnbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

### See Also

Other NegativeBinomial distribution: [cdf.NegativeBinomial\(\)](#), [quantile.NegativeBinomial\(\)](#), [random.NegativeBinomial\(\)](#)

### Examples

```
set.seed(27)

X <- NegativeBinomial(size = 5, p = 0.1)
X
```

```

random(X, 10)

pdf(X, 50)
log_pdf(X, 50)

cdf(X, 50)
quantile(X, 0.7)

## alternative parameterization of X
Y <- NegativeBinomial(mu = 45, size = 5)
Y
cdf(Y, 50)
quantile(Y, 0.7)

```

pdf.Normal

*Evaluate the probability mass function of a Normal distribution***Description**

Please see the documentation of [Normal\(\)](#) for some properties of the Normal distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

**Usage**

```

## S3 method for class 'Normal'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Normal'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

d	A Normal object created by a call to <a href="#">Normal()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dnorm</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**See Also**

Other Normal distribution: `cdf.Normal()`, `fit_mle.Normal()`, `quantile.Normal()`

**Examples**

```
set.seed(27)

X <- Normal(5, 2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided Z-test

# here the null hypothesis is H_0: mu = 3
# and we assume sigma = 2

# exactly the same as: Z <- Normal(0, 1)
Z <- Normal()

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the z-statistic
z_stat <- (mean(x) - 3) / (2 / sqrt(nx))
z_stat

# calculate the two-sided p-value
1 - cdf(Z, abs(z_stat)) + cdf(Z, -abs(z_stat))

# exactly equivalent to the above
2 * cdf(Z, -abs(z_stat))

# p-value for one-sided test
```

```

# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(Z, z_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(Z, z_stat)

### example: calculating a 88 percent Z CI for a mean

# same `x` as before, still assume `sigma = 2`

# lower-bound
mean(x) - quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# upper-bound
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# also equivalent to
mean(x) + quantile(Z, 0.12 / 2) * 2 / sqrt(nx)
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

### generating random samples and plugging in ks.test()

set.seed(27)

# generate a random sample
ns <- random(Normal(3, 7), 26)

# test if sample is Normal(3, 7)
ks.test(ns, pnorm, mean = 3, sd = 7)

# test if sample is gamma(8, 3) using base R pgamma()
ks.test(ns, pgamma, shape = 8, rate = 3)

### MISC

# note that the cdf() and quantile() functions are inverses
cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

**Description**

Evaluate the probability mass function of a Poisson distribution

**Usage**

```
## S3 method for class 'Poisson'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Poisson'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Poisson object created by a call to <code>Poisson()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dpois</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `length(x)` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Poisson(2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

pdf.PoissonBinomial *Evaluate the probability mass function of a PoissonBinomial distribution*

---

## Description

Evaluate the probability mass function of a PoissonBinomial distribution

## Usage

```
## S3 method for class 'PoissonBinomial'
pdf(d, x, drop = TRUE, elementwise = NULL, log = FALSE, verbose = TRUE, ...)

## S3 method for class 'PoissonBinomial'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

d	A PoissonBinomial object created by a call to <code>PoissonBinomial()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
log, ...	Arguments to be passed to <code>dpbinom</code> or <code>pnorm</code> , respectively.
verbose	logical. Should a warning be issued if the normal approximation is applied because the <b>PoissonBinomial</b> package is not installed?

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

## Examples

```
set.seed(27)

X <- PoissonBinomial(0.5, 0.3, 0.8)
X

mean(X)
variance(X)
skewness(X)
```

```

kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.8)

cdf(X, quantile(X, 0.8))
quantile(X, cdf(X, 2))

## equivalent definitions of four Poisson binomial distributions
## each summing up three Bernoulli probabilities
p <- cbind(
  p1 = c(0.1, 0.2, 0.1, 0.2),
  p2 = c(0.5, 0.5, 0.5, 0.5),
  p3 = c(0.8, 0.7, 0.9, 0.8))
PoissonBinomial(p)
PoissonBinomial(p[, 1], p[, 2], p[, 3])
PoissonBinomial(p[, 1:2], p[, 3])

```

---

pdf.RevWeibull

---

*Evaluate the probability mass function of an RevWeibull distribution*


---

## Description

Evaluate the probability mass function of an RevWeibull distribution

## Usage

```

## S3 method for class 'RevWeibull'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'RevWeibull'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

d	A RevWeibull object created by a call to <a href="#">RevWeibull()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.

... Arguments to be passed to `dgev`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- RevWeibull(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

pdf.StudentsT

*Evaluate the probability mass function of a StudentsT distribution*

---

### Description

Please see the documentation of [StudentsT\(\)](#) for some properties of the StudentsT distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

### Usage

```
## S3 method for class 'StudentsT'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'StudentsT'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

`d` A StudentsT object created by a call to [StudentsT\(\)](#).

`x` A vector of elements whose probabilities you would like to determine given the distribution `d`.

drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in <code>d</code> be evaluated at all elements of <code>x</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>d</code> and <code>x</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>dt</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### See Also

Other StudentsT distribution: `cdf.StudentsT()`, `quantile.StudentsT()`, `random.StudentsT()`

### Examples

```
set.seed(27)

X <- StudentsT(3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided T-test

# here the null hypothesis is H_0: mu = 3

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the T-statistic
t_stat <- (mean(x) - 3) / (sd(x) / sqrt(nx))
t_stat

# null distribution of statistic depends on sample size!
T <- StudentsT(df = nx - 1)

# calculate the two-sided p-value
1 - cdf(T, abs(t_stat)) + cdf(T, -abs(t_stat))
```

```

# exactly equivalent to the above
2 * cdf(T, -abs(t_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(T, t_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(T, t_stat)

### example: calculating a 88 percent T CI for a mean

# lower-bound
mean(x) - quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# upper-bound
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# also equivalent to
mean(x) + quantile(T, 0.12 / 2) * sd(x) / sqrt(nx)
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

```

---

pdf.Uniform

*Evaluate the probability mass function of a continuous Uniform distribution*


---

## Description

Evaluate the probability mass function of a continuous Uniform distribution

## Usage

```

## S3 method for class 'Uniform'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Uniform'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

d	A Uniform object created by a call to <code>Uniform()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?

`elementwise` logical. Should each distribution in `d` be evaluated at all elements of `x` (`elementwise = FALSE`, yielding a matrix)? Or, if `d` and `x` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

... Arguments to be passed to `dunif`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Uniform(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

pdf.Weibull

*Evaluate the probability mass function of a Weibull distribution*

---

### Description

Please see the documentation of `Weibull()` for some properties of the Weibull distribution, as well as extensive examples showing how calculate p-values and confidence intervals.

### Usage

```
## S3 method for class 'Weibull'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'Weibull'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A Weibull object created by a call to <code>Weibull()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dweibull</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**See Also**

Other Weibull distribution: `cdf.Weibull()`, `quantile.Weibull()`, `random.Weibull()`

**Examples**

```
set.seed(27)

X <- Weibull(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

pdf.ZINegativeBinomial

*Evaluate the probability mass function of a zero-inflated negative binomial distribution*

---

**Description**

Evaluate the probability mass function of a zero-inflated negative binomial distribution

**Usage**

```
## S3 method for class 'ZINegativeBinomial'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'ZINegativeBinomial'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A ZINegativeBinomial object created by a call to <code>ZINegativeBinomial()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dzinbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a zero-inflated negative binomial distribution
X <- ZINegativeBinomial(mu = 2.5, theta = 1, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

pdf.ZIPoisson	<i>Evaluate the probability mass function of a zero-inflated Poisson distribution</i>
---------------	---

---

**Description**

Evaluate the probability mass function of a zero-inflated Poisson distribution

**Usage**

```
## S3 method for class 'ZIPoisson'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'ZIPoisson'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A ZIPoisson object created by a call to <code>ZIPoisson()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>dzipois</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a zero-inflated Poisson distribution
X <- ZIPoisson(lambda = 2.5, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))
```

```
## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

pdf.ZTNegativeBinomial

*Evaluate the probability mass function of a zero-truncated negative binomial distribution*

---

### Description

Evaluate the probability mass function of a zero-truncated negative binomial distribution

### Usage

```
## S3 method for class 'ZTNegativeBinomial'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'ZTNegativeBinomial'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

d	A ZTNegativeBinomial object created by a call to <a href="#">ZTNegativeBinomial()</a> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">dztnbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(x) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(x) columns containing all possible combinations.

**Examples**

```
## set up a zero-truncated negative binomial distribution
X <- ZTNegativeBinomial(mu = 2.5, theta = 1)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

pdf.ZTPoisson

---

*Evaluate the probability mass function of a zero-truncated Poisson distribution*

---

**Description**

Evaluate the probability mass function of a zero-truncated Poisson distribution

**Usage**

```
## S3 method for class 'ZTPoisson'
pdf(d, x, drop = TRUE, elementwise = NULL, ...)

## S3 method for class 'ZTPoisson'
log_pdf(d, x, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

d	A ZTPoisson object created by a call to <code>ZTPoisson()</code> .
x	A vector of elements whose probabilities you would like to determine given the distribution d.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in d be evaluated at all elements of x (elementwise = FALSE, yielding a matrix)? Or, if d and x have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.

... Arguments to be passed to `dztpois`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(x)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(x)` columns containing all possible combinations.

### Examples

```
## set up a zero-truncated Poisson distribution
X <- ZTPoisson(lambda = 2.5)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

plot.distribution      *Plot the p.m.f, p.d.f or c.d.f. of a univariate distribution*

---

### Description

Plot method for an object inheriting from class "distribution". By default the probability density function (p.d.f.), for a continuous variable, or the probability mass function (p.m.f.), for a discrete variable, is plotted. The cumulative distribution function (c.d.f.) will be plotted if `cdf = TRUE`. Multiple functions are included in the plot if any of the parameter vectors in `x` has length greater than 1. See the argument `all`.

### Usage

```
## S3 method for class 'distribution'
plot(
  x,
  cdf = FALSE,
  p = c(0.1, 99.9),
```

```

    len = 1000,
    all = FALSE,
    legend_args = list(),
    ...
)

```

### Arguments

x	an object of class <code>c("name", "distribution")</code> , where "name" is the name of the distribution.
cdf	A logical scalar. If <code>cdf = TRUE</code> then the cumulative distribution function (c.d.f.) is plotted. Otherwise, the probability density function (p.d.f.), for a continuous variable, or the probability mass function (p.m.f.), for a discrete variable, is plotted.
p	A numeric vector. If <code>xlim</code> is not passed in <code>...</code> then <code>p</code> is the fallback option for setting the range of values over which the p.m.f, p.d.f. or c.d.f is plotted. See <b>Details</b> .
len	An integer scalar. If <code>x</code> is a continuous distribution object then <code>len</code> is the number of values at which the p.d.f or c.d.f. is evaluated to produce the plot. The larger <code>len</code> is the smoother is the curve.
all	A logical scalar. If <code>all = TRUE</code> then a separate distribution is plotted for all the combinations of parameter values present in the parameter vectors present in <code>x</code> . These combinations are generated using <code>expand.grid</code> . If <code>all = FALSE</code> then the number of distributions plotted is equal to the maximum of the lengths of these parameter vectors, with shorter vectors recycled to this length if necessary using <code>rep_len</code> .
legend_args	A list of arguments to be passed to <code>legend</code> . In particular, the argument <code>x</code> (perhaps in conjunction with <code>legend_args\$y</code> ) can be used to set the position of the legend. If <code>legend_args\$x</code> is not supplied then "bottomright" is used if <code>cdf = TRUE</code> and "topright" if <code>cdf = FALSE</code> .
...	Further arguments to be passed to <code>plot</code> , <code>plot.ecdf</code> and <code>lines</code> , such as <code>xlim</code> , <code>ylim</code> , <code>xlab</code> , <code>ylab</code> , <code>main</code> , <code>lwd</code> , <code>lty</code> , <code>col</code> , <code>pch</code> .

### Details

If `xlim` is passed in `...` then this determines the range of values of the variable to be plotted on the horizontal axis. If `x` is a discrete distribution object then the values for which the p.m.f. or c.d.f. is plotted is the smallest set of consecutive integers that contains both components of `xlim`. Otherwise, `xlim` is used directly.

If `xlim` is not passed in `...` then the range of values spans the support of the distribution, with the following proviso: if the lower (upper) endpoint of the distribution is `-Inf` (`Inf`) then the lower (upper) limit of the plotting range is set to the `p[1]`

If the name of `x` is a single upper case letter then that name is used to labels the axes of the plot. Otherwise, `x` and  $P(X = x)$  or  $f(x)$  are used.

A legend is included only if at least one of the parameter vectors in `x` has length greater than 1.

Plots of c.d.f.s are produced using calls to `approxfun` and `plot.ecdf`.

**Value**

An object with the same class as `x`, in which the parameter vectors have been expanded to contain a parameter combination for each function plotted.

**Examples**

```
B <- Binomial(20, 0.7)
plot(B)
plot(B, cdf = TRUE)

B2 <- Binomial(20, c(0.1, 0.5, 0.9))
plot(B2, legend_args = list(x = "top"))
x <- plot(B2, cdf = TRUE)
x$size
x$p

X <- Poisson(2)
plot(X)
plot(X, cdf = TRUE)

G <- Gamma(c(1, 3), 1:2)
plot(G)
plot(G, all = TRUE)
plot(G, cdf = TRUE)

C <- Cauchy()
plot(C, p = c(1, 99), len = 10000)
plot(C, cdf = TRUE, p = c(1, 99))
```

---

plot\_cdf

*Plot the CDF of a distribution*


---

**Description**

A function to easily plot the CDF of a distribution using `ggplot2`. Requires `ggplot2` to be loaded.

**Usage**

```
plot_cdf(d, limits = NULL, p = 0.001, plot_theme = NULL)
```

**Arguments**

<code>d</code>	A distribution object
<code>limits</code>	either <code>NULL</code> (default) or a vector of length 2 that specifies the range of the x-axis
<code>p</code>	If <code>limits</code> is <code>NULL</code> , the range of the x-axis will be the support of <code>d</code> if this is a bounded interval, or <code>quantile(d, p)</code> and <code>quantile(d, 1 - p)</code> if lower and/or upper limits of the support is <code>-Inf/Inf</code> . Defaults to 0.001.
<code>plot_theme</code>	specify theme of resulting plot using <code>ggplot2</code> . Default is <code>theme_minimal</code>

**Examples**

```
N1 <- Normal()
plot_cdf(N1)

N2 <- Normal(0, c(1, 2))
plot_cdf(N2)

B1 <- Binomial(10, 0.2)
plot_cdf(B1)

B2 <- Binomial(10, c(0.2, 0.5))
plot_cdf(B2)
```

---

plot\_pdf

*Plot the PDF of a distribution*

---

**Description**

A function to easily plot the PDF of a distribution using ggplot2. Requires ggplot2 to be loaded.

**Usage**

```
plot_pdf(d, limits = NULL, p = 0.001, plot_theme = NULL)
```

**Arguments**

d	A distribution object
limits	either NULL (default) or a vector of length 2 that specifies the range of the x-axis
p	If limits is NULL, the range of the x-axis will be the support of d if this is a bounded interval, or $\text{quantile}(d, p)$ and $\text{quantile}(d, 1 - p)$ if lower and/or upper limits of the support is $-\text{Inf}/\text{Inf}$ . Defaults to 0.001.
plot_theme	specify theme of resulting plot using ggplot2. Default is theme_minimal

**Examples**

```
N1 <- Normal()
plot_pdf(N1)

N2 <- Normal(0, c(1, 2))
plot_pdf(N2)

B1 <- Binomial(10, 0.2)
plot_pdf(B1)

B2 <- Binomial(10, c(0.2, 0.5))
plot_pdf(B2)
```

Poisson

*Create a Poisson distribution***Description**

Poisson distributions are frequently used to model counts.

**Usage**

```
Poisson(lambda)
```

**Arguments**

`lambda` The shape parameter, which is also the mean and the variance of the distribution. Can be any positive number.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a Poisson random variable with parameter `lambda` =  $\lambda$ .

**Support:**  $\{0, 1, 2, 3, \dots\}$

**Mean:**  $\lambda$

**Variance:**  $\lambda$

**Probability mass function (p.m.f):**

$$P(X = k) = \frac{\lambda^k e^{-\lambda}}{k!}$$

**Cumulative distribution function (c.d.f):**

$$P(X \leq k) = e^{-\lambda} \sum_{i=0}^{\lfloor k \rfloor} \frac{\lambda^i}{i!}$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = e^{\lambda(e^t - 1)}$$

**Value**

A Poisson object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

## Examples

```
set.seed(27)

X <- Poisson(2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

PoissonBinomial

*Create a Poisson binomial distribution*

---

## Description

The Poisson binomial distribution is a generalization of the [Binomial](#) distribution. It is also a sum of  $n$  independent Bernoulli experiments. However, the success probabilities can vary between the experiments so that they are not identically distributed.

## Usage

```
PoissonBinomial(...)
```

## Arguments

... An arbitrary number of numeric vectors or matrices of success probabilities in  $[\theta, 1]$  (with matching number of rows).

## Details

The Poisson binomial distribution comes up when you consider the number of successes in independent binomial experiments (coin flips) with potentially varying success probabilities.

The `PoissonBinomial` distribution class in **distributions3** is mostly based on the **PoissonBinomial** package, providing fast **Rcpp** implementations of efficient algorithms. Hence, it is recommended to install the **PoissonBinomial** package when working with this distribution. However, as a fallback for when the **PoissonBinomial** package is not installed the methods for the `PoissonBinomial` distribution employ a normal approximation.

We recommend reading the following documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a Poisson binomial random variable with success probabilities  $p_1$  to  $p_n$ .

**Support:**  $\{0, 1, 2, \dots, n\}$

**Mean:**  $p_1 + \dots + p_n$

**Variance:**  $p_1 \cdot (1 - p_1) + \dots + p_n \cdot (1 - p_n)$

**Probability mass function (p.m.f):**

$$P(X = k) = \sum_A \prod_{i \in A} p_i \prod_{j \in A^C} (1 - p_j)$$

where the sum is taken over all sets  $A$  with  $k$  elements from  $\{0, 1, 2, \dots, n\}$ .  $A^C$  is the complement of  $A$ .

**Cumulative distribution function (c.d.f):**

$$P(X \leq k) = \sum_{i=0}^{\lfloor k \rfloor} P(X = i)$$

**Moment generating function (m.g.f):**

$$E(e^{tX}) = \prod_{i=1}^n (1 - p_i + p_i e^t)$$

## Value

A PoissonBinomial object.

## See Also

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

## Examples

```
set.seed(27)

X <- PoissonBinomial(0.5, 0.3, 0.8)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
```

```

quantile(X, 0.8)

cdf(X, quantile(X, 0.8))
quantile(X, cdf(X, 2))

## equivalent definitions of four Poisson binomial distributions
## each summing up three Bernoulli probabilities
p <- cbind(
  p1 = c(0.1, 0.2, 0.1, 0.2),
  p2 = c(0.5, 0.5, 0.5, 0.5),
  p3 = c(0.8, 0.7, 0.9, 0.8))
PoissonBinomial(p)
PoissonBinomial(p[, 1], p[, 2], p[, 3])
PoissonBinomial(p[, 1:2], p[, 3])

```

---

prodist

*Extracting fitted or predicted probability distributions from models*


---

## Description

Generic function with methods for various model classes for extracting fitted (in-sample) or predicted (out-of-sample) probability distributions<sup>3</sup> objects.

## Usage

```

prodist(object, ...)

## S3 method for class 'lm'
prodist(object, ..., sigma = "ML")

## S3 method for class 'glm'
prodist(object, ..., dispersion = NULL)

## S3 method for class 'distribution'
prodist(object, ...)

```

## Arguments

object	A model object.
...	Arguments passed on to methods, typically for calling the underlying <code>predict</code> methods, e.g., <code>newdata</code> for <code>lm</code> or <code>glm</code> objects or <code>n.ahead</code> for <code>arima</code> objects.
sigma	character or numeric or NULL. Specification of the standard deviation <code>sigma</code> to be used for the <code>Normal</code> distribution in the <code>lm</code> method. The default "ML" (or equivalently "MLE" or NULL) uses the maximum likelihood estimate based on the residual sum of squares divided by the number of observations, <code>n</code> . Alternatively, <code>sigma = "OLS"</code> uses the least-squares estimate (divided by the residual degrees of freedom, <code>n - k</code> ). Finally, a concrete numeric value can also be specified in <code>sigma</code> .

**dispersion** character or numeric or NULL. Specification of the dispersion parameter in the `glm` method. The default NULL (or equivalently "deviance") is to use the `deviance` divided by the number of observations, `n`. Alternatively, `dispersion = "Chisquared"` uses the Chi-squared statistic divided by the residual degrees of freedom, `n - k`. Finally, a concrete numeric value can also be specified in `dispersion`.

## Details

To facilitate making probabilistic forecasts based on regression and time series model objects, the function `prodist` extracts fitted or predicted probability distribution objects. Currently, methods are provided for objects fitted by `lm`, `glm`, and `arima` in base R as well as `glm.nb` from the **MASS** package and `hurdle/zeroinfl/zerotrunc` from the **pscl** or **countreg** packages.

All methods essentially proceed in two steps: First, the standard `predict` method for these model objects is used to compute fitted (in-sample, default) or predicted (out-of-sample) distribution parameters. Typically, this includes the mean plus further parameters describing scale, dispersion, shape, etc.). Second, the distributions objects are set up using the generator functions from **distributions3**.

Note that these probability distributions only reflect the random variation in the dependent variable based on the model employed (and its associated distributional assumption for the dependent variable). This does not capture the uncertainty in the parameter estimates.

For both linear regression models and generalized linear models, estimated by `lm` and `glm` respectively, there is some ambiguity as to which estimate for the dispersion parameter of the model is to be used. While the `logLik` methods use the maximum-likelihood (ML) estimate implicitly, the summary methods report an estimate that is standardized with the residual degrees of freedom, `n - k` (rather than the number of observations, `n`). The `prodist` methods for these objects follow the `logLik` method by default but the summary behavior can be mimicked by setting the `sigma` or `dispersion` arguments accordingly.

## Value

An object inheriting from `distribution`.

## See Also

`predict`, `lm`, `glm`, `arima`

## Examples

```
## Model: Linear regression
## Fit: lm
## Data: 1920s cars data
data("cars", package = "datasets")

## Stopping distance (ft) explained by speed (mph)
reg <- lm(dist ~ speed, data = cars)

## Extract fitted normal distributions (in-sample, with constant variance)
pd <- prodist(reg)
head(pd)
```

```
## Extract log-likelihood from model object
logLik(reg)

## Replicate log-likelihood via distributions object
sum(log_pdf(pd, cars$dist))
log_likelihood(pd, cars$dist)

## Compute corresponding medians and 90% interval
qd <- quantile(pd, c(0.05, 0.5, 0.95))
head(qd)

## Visualize observations with predicted quantiles
plot(dist ~ speed, data = cars)
matplot(cars$speed, qd, add = TRUE, type = "l", col = 2, lty = 1)

## Sigma estimated by maximum-likelihood estimate (default, used in logLik)
## vs. least-squares estimate (used in summary)
nd <- data.frame(speed = 50)
prodist(reg, newdata = nd, sigma = "ML")
prodist(reg, newdata = nd, sigma = "OLS")
summary(reg)$sigma

## Model: Poisson generalized linear model
## Fit: glm
## Data: FIFA 2018 World Cup data
data("FIFA2018", package = "distributions3")

## Number of goals per team explained by ability differences
poisreg <- glm(goals ~ difference, data = FIFA2018, family = poisson)
summary(poisreg)
## Interpretation: When the ratio of abilities increases by 1 percent,
## the expected number of goals increases by around 0.4 percent

## Predict fitted Poisson distributions for teams with equal ability (out-of-sample)
nd <- data.frame(difference = 0)
prodist(poisreg, newdata = nd)

## Extract fitted Poisson distributions (in-sample)
pd <- prodist(poisreg)
head(pd)

## Extract log-likelihood from model object
logLik(poisreg)

## Replicate log-likelihood via distributions object
sum(log_pdf(pd, FIFA2018$goals))
log_likelihood(pd, FIFA2018$goals)

## Model: Autoregressive integrated moving average model
## Fit: arima
```

```
## Data: Quarterly approval ratings of U.S. presidents (1945-1974)
data("presidents", package = "datasets")

## ARMA(2,1) model
arma21 <- arima(presidents, order = c(2, 0, 1))

## Extract predicted normal distributions for next two years
p <- prodist(arma21, n.ahead = 8)
p

## Compute median (= mean) forecast along with 80% and 95% interval
quantile(p, c(0.5, 0.1, 0.9, 0.025, 0.975))
```

---

quantile.Bernoulli      *Determine quantiles of a Bernoulli distribution*

---

## Description

quantile() is the inverse of cdf().

## Usage

```
## S3 method for class 'Bernoulli'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

x	A Bernoulli object created by a call to <a href="#">Bernoulli()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Bernoulli(0.7)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)
pdf(X, 1)
log_pdf(X, 1)
cdf(X, 0)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

quantile.Beta

*Determine quantiles of a Beta distribution*


---

**Description**

quantile() is the inverse of cdf().

**Usage**

```

## S3 method for class 'Beta'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

x	A Beta object created by a call to <a href="#">Beta()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qbeta</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Beta(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

mean(X)
variance(X)
skewness(X)
kurtosis(X)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

quantile.Binomial      *Determine quantiles of a Binomial distribution*

---

**Description**

`quantile()` is the inverse of `cdf()`.

**Usage**

```
## S3 method for class 'Binomial'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A Binomial object created by a call to <code>Binomial()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Shoul the result be simplified to a vector if possible?

`elementwise` logical. Should each distribution in `x` be evaluated at all elements of `probs` (`elementwise = FALSE`, yielding a matrix)? Or, if `x` and `probs` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

`...` Arguments to be passed to `qbinom`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Binomial(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2L)
log_pdf(X, 2L)

cdf(X, 4L)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

`quantile.Categorical` *Determine quantiles of a Categorical discrete distribution*

---

### Description

`quantile()` is the inverse of `cdf()`.

### Usage

```
## S3 method for class 'Categorical'
quantile(x, probs, ...)
```

**Arguments**

x	A Categorical object created by a call to <code>Categorical()</code> .
probs	A vector of probabilities.
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

A vector of quantiles, one for each element of probs.

**Examples**

```
set.seed(27)

X <- Categorical(1:3, p = c(0.4, 0.1, 0.5))
X

Y <- Categorical(LETTERS[1:4])
Y

random(X, 10)
random(Y, 10)

pdf(X, 1)
log_pdf(X, 1)

cdf(X, 1)
quantile(X, 0.5)

# cdfs are only defined for numeric sample spaces. this errors!
# cdf(Y, "a")

# same for quantiles. this also errors!
# quantile(Y, 0.7)
```

---

 quantile.Cauchy

*Determine quantiles of a Cauchy distribution*


---

**Description**

quantile() is the inverse of cdf().

**Usage**

```
## S3 method for class 'Cauchy'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A Cauchy object created by a call to <code>Cauchy()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qcauchy</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Cauchy(10, 0.2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

`quantile.ChiSquare`      *Determine quantiles of a chi square distribution*

---

**Description**

`quantile()` is the inverse of `cdf()`.

**Usage**

```
## S3 method for class 'ChiSquare'  
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

x	A ChiSquare object created by a call to <code>ChiSquare()</code> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>qchisq</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```
set.seed(27)  
  
X <- ChiSquare(5)  
X  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

quantile.Erlang      *Determine quantiles of an Erlang distribution*

---

### Description

quantile() is the inverse of cdf().

### Usage

```
## S3 method for class 'Erlang'  
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

x	An Erlang object created by a call to <a href="#">Erlang()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qgamma</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

### Examples

```
set.seed(27)  
  
X <- Erlang(5, 2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

quantile.Exponential *Determine quantiles of an Exponential distribution*

---

### Description

quantile() is the inverse of cdf().

### Usage

```
## S3 method for class 'Exponential'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

x	An Exponential object created by a call to <a href="#">Exponential()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qexp</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Exponential(5)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)
```

```

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

quantile.FisherF	<i>Determine quantiles of an F distribution</i>
------------------	---

---

### Description

quantile() is the inverse of cdf().

### Usage

```

## S3 method for class 'FisherF'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

### Arguments

x	A FisherF object created by a call to <a href="#">FisherF()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qf</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

### Examples

```

set.seed(27)

X <- FisherF(5, 10, 0.2)
X

random(X, 10)

```

```
pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

quantile.Frechet      *Determine quantiles of a Frechet distribution*

---

### Description

quantile() is the inverse of cdf().

### Usage

```
## S3 method for class 'Frechet'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

x	A Frechet object created by a call to <a href="#">Frechet()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qgev</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

### Examples

```
set.seed(27)

X <- Frechet(0, 2)
X
```

```

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

quantile.Gamma

*Determine quantiles of a Gamma distribution*


---

## Description

quantile() is the inverse of cdf().

## Usage

```

## S3 method for class 'Gamma'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

x	A Gamma object created by a call to <a href="#">Gamma()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qgamma</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Gamma(5, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

quantile.Geometric      *Determine quantiles of a Geometric distribution*

---

**Description**

Determine quantiles of a Geometric distribution

**Usage**

```

## S3 method for class 'Geometric'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

<code>x</code>	A Geometric object created by a call to <code>Geometric()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qgeom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**See Also**

Other Geometric distribution: `cdf.Geometric()`, `pdf.Geometric()`, `random.Geometric()`

**Examples**

```
set.seed(27)

X <- Geometric(0.3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

quantile.GEV

*Determine quantiles of a GEV distribution*

---

**Description**

`quantile()` is the inverse of `cdf()`.

**Usage**

```
## S3 method for class 'GEV'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A GEV object created by a call to <code>GEV()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qgev</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- GEV(1, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

quantile.GP

*Determine quantiles of a GP distribution*


---

**Description**

quantile() is the inverse of cdf().

**Usage**

```

## S3 method for class 'GP'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

x	A GP object created by a call to <code>GP()</code> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <code>qgp</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- GP(0, 2, 0.1)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

quantile.Gumbel	<i>Determine quantiles of a Gumbel distribution</i>
-----------------	---

---

**Description**

quantile() is the inverse of cdf().

**Usage**

```

## S3 method for class 'Gumbel'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

x	A Gumbel object created by a call to <a href="#">Gumbel()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qgev</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Gumbel(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

```
quantile.HurdleNegativeBinomial
```

*Determine quantiles of a hurdle negative binomial distribution*

---

**Description**

quantile() is the inverse of cdf().

**Usage**

```

## S3 method for class 'HurdleNegativeBinomial'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

x	A HurdleNegativeBinomial object created by a call to <a href="#">HurdleNegativeBinomial()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qhnbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```
## set up a hurdle negative binomial distribution
X <- HurdleNegativeBinomial(mu = 2.5, theta = 1, pi = 0.75)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

quantile.HurdlePoisson

*Determine quantiles of a hurdle Poisson distribution*

---

**Description**

quantile() is the inverse of cdf().

**Usage**

```
## S3 method for class 'HurdlePoisson'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

x	A HurdlePoisson object created by a call to <a href="#">HurdlePoisson()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qhpois</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```
## set up a hurdle Poisson distribution
X <- HurdlePoisson(lambda = 2.5, pi = 0.75)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

quantile.HyperGeometric

*Determine quantiles of a HyperGeometric distribution*

---

**Description**

Determine quantiles of a HyperGeometric distribution

**Usage**

```
## S3 method for class 'HyperGeometric'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

x	A HyperGeometric object created by a call to <a href="#">HyperGeometric()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?

`elementwise`      logical. Should each distribution in `x` be evaluated at all elements of `probs` (`elementwise = FALSE`, yielding a matrix)? Or, if `x` and `probs` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

`...`                Arguments to be passed to [qhyper](#). Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

### See Also

Other HyperGeometric distribution: [cdf.HyperGeometric\(\)](#), [pdf.HyperGeometric\(\)](#), [random.HyperGeometric\(\)](#)

### Examples

```

set.seed(27)

X <- HyperGeometric(4, 5, 8)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

```

---

quantile.Logistic      *Determine quantiles of a Logistic distribution*

---

### Description

Determine quantiles of a Logistic distribution

### Usage

```

## S3 method for class 'Logistic'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

<code>x</code>	A Logistic object created by a call to <code>Logistic()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qlogis</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**See Also**

Other Logistic distribution: `cdf.Logistic()`, `pdf.Logistic()`, `random.Logistic()`

**Examples**

```
set.seed(27)

X <- Logistic(2, 4)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

`quantile.LogNormal`      *Determine quantiles of a LogNormal distribution*

---

**Description**

Determine quantiles of a LogNormal distribution

**Usage**

```
## S3 method for class 'LogNormal'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A LogNormal object created by a call to <a href="#">LogNormal()</a> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <a href="#">qlnorm</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**See Also**

Other LogNormal distribution: [cdf.LogNormal\(\)](#), [fit\\_mle.LogNormal\(\)](#), [pdf.LogNormal\(\)](#), [random.LogNormal\(\)](#)

**Examples**

```
set.seed(27)

X <- LogNormal(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

quantile.NegativeBinomial

*Determine quantiles of a NegativeBinomial distribution*

---

**Description**

Determine quantiles of a NegativeBinomial distribution

**Usage**

```
## S3 method for class 'NegativeBinomial'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

x	A NegativeBinomial object created by a call to <a href="#">NegativeBinomial()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qnbinom</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**See Also**

Other NegativeBinomial distribution: [cdf.NegativeBinomial\(\)](#), [pdf.NegativeBinomial\(\)](#), [random.NegativeBinomial](#)

**Examples**

```
set.seed(27)

X <- NegativeBinomial(size = 5, p = 0.1)
X

random(X, 10)

pdf(X, 50)
log_pdf(X, 50)

cdf(X, 50)
quantile(X, 0.7)

## alternative parameterization of X
Y <- NegativeBinomial(mu = 45, size = 5)
Y

cdf(Y, 50)
quantile(Y, 0.7)
```

---

quantile.Normal	<i>Determine quantiles of a Normal distribution</i>
-----------------	---

---

## Description

Please see the documentation of [Normal\(\)](#) for some properties of the Normal distribution, as well as extensive examples showing to how calculate p-values and confidence intervals. [quantile\(\)](#)

## Usage

```
## S3 method for class 'Normal'  
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

## Arguments

x	A Normal object created by a call to <a href="#">Normal()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qnorm</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Details

This function returns the same values that you get from a Z-table. Note [quantile\(\)](#) is the inverse of [cdf\(\)](#). Please see the documentation of [Normal\(\)](#) for some properties of the Normal distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

## See Also

Other Normal distribution: [cdf.Normal\(\)](#), [fit\\_mle.Normal\(\)](#), [pdf.Normal\(\)](#)

**Examples**

```

set.seed(27)

X <- Normal(5, 2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided Z-test

# here the null hypothesis is H_0: mu = 3
# and we assume sigma = 2

# exactly the same as: Z <- Normal(0, 1)
Z <- Normal()

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the z-statistic
z_stat <- (mean(x) - 3) / (2 / sqrt(nx))
z_stat

# calculate the two-sided p-value
1 - cdf(Z, abs(z_stat)) + cdf(Z, -abs(z_stat))

# exactly equivalent to the above
2 * cdf(Z, -abs(z_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(Z, z_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(Z, z_stat)

### example: calculating a 88 percent Z CI for a mean

# same `x` as before, still assume `sigma = 2`

```

```

# lower-bound
mean(x) - quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# upper-bound
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# also equivalent to
mean(x) + quantile(Z, 0.12 / 2) * 2 / sqrt(nx)
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

### generating random samples and plugging in ks.test()

set.seed(27)

# generate a random sample
ns <- random(Normal(3, 7), 26)

# test if sample is Normal(3, 7)
ks.test(ns, pnorm, mean = 3, sd = 7)

# test if sample is gamma(8, 3) using base R pgamma()
ks.test(ns, pgamma, shape = 8, rate = 3)

### MISC

# note that the cdf() and quantile() functions are inverses
cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))

```

---

quantile.Poisson      *Determine quantiles of a Poisson distribution*

---

### Description

quantile() is the inverse of cdf().

### Usage

```

## S3 method for class 'Poisson'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

### Arguments

x                    A Poisson object created by a call to [Poisson\(\)](#).

probs                A vector of probabilities.

drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
...	Arguments to be passed to <code>qpois</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**Examples**

```
set.seed(27)

X <- Poisson(2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

```
quantile.PoissonBinomial
```

*Determine quantiles of a PoissonBinomial distribution*

---

**Description**

`quantile()` is the inverse of `cdf()`.

**Usage**

```
## S3 method for class 'PoissonBinomial'
quantile(
  x,
  probs,
  drop = TRUE,
```

```

    elementwise = NULL,
    lower.tail = TRUE,
    log.p = FALSE,
    verbose = TRUE,
    ...
)

```

### Arguments

<code>x</code>	A <code>PoissonBinomial</code> object created by a call to <code>PoissonBinomial()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>lower.tail</code> , <code>log.p</code> , ...	Arguments to be passed to <code>qbinom</code> or <code>qnorm</code> , respectively.
<code>verbose</code>	logical. Should a warning be issued if the normal approximation is applied because the <b>PoissonBinomial</b> package is not installed?

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

### Examples

```

set.seed(27)

X <- PoissonBinomial(0.5, 0.3, 0.8)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.8)

cdf(X, quantile(X, 0.8))

```

```

quantile(X, cdf(X, 2))

## equivalent definitions of four Poisson binomial distributions
## each summing up three Bernoulli probabilities
p <- cbind(
  p1 = c(0.1, 0.2, 0.1, 0.2),
  p2 = c(0.5, 0.5, 0.5, 0.5),
  p3 = c(0.8, 0.7, 0.9, 0.8))
PoissonBinomial(p)
PoissonBinomial(p[, 1], p[, 2], p[, 3])
PoissonBinomial(p[, 1:2], p[, 3])

```

---

quantile.RevWeibull    *Determine quantiles of a RevWeibull distribution*

---

## Description

quantile() is the inverse of cdf().

## Usage

```

## S3 method for class 'RevWeibull'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

x	A RevWeibull object created by a call to <a href="#">RevWeibull()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qgev</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- RevWeibull(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

quantile.StudentsT      *Determine quantiles of a StudentsT distribution*

---

**Description**

Please see the documentation of [StudentsT\(\)](#) for some properties of the StudentsT distribution, as well as extensive examples showing to how calculate p-values and confidence intervals. `quantile()`

**Usage**

```

## S3 method for class 'StudentsT'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

<code>x</code>	A StudentsT object created by a call to <a href="#">StudentsT()</a> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qt</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Details**

This function returns the same values that you get from a Z-table. Note `quantile()` is the inverse of `cdf()`. Please see the documentation of [StudentsT\(\)](#) for some properties of the StudentsT distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**See Also**

Other StudentsT distribution: `cdf.StudentsT()`, `pdf.StudentsT()`, `random.StudentsT()`

**Examples**

```
set.seed(27)

X <- StudentsT(3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided T-test

# here the null hypothesis is H_0: mu = 3

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the T-statistic
t_stat <- (mean(x) - 3) / (sd(x) / sqrt(nx))
t_stat

# null distribution of statistic depends on sample size!
T <- StudentsT(df = nx - 1)

# calculate the two-sided p-value
1 - cdf(T, abs(t_stat)) + cdf(T, -abs(t_stat))

# exactly equivalent to the above
2 * cdf(T, -abs(t_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(T, t_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(T, t_stat)
```

```

### example: calculating a 88 percent T CI for a mean

# lower-bound
mean(x) - quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# upper-bound
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# also equivalent to
mean(x) + quantile(T, 0.12 / 2) * sd(x) / sqrt(nx)
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

```

---

quantile.Tukey

*Determine quantiles of a Tukey distribution*


---

## Description

Determine quantiles of a Tukey distribution

## Usage

```

## S3 method for class 'Tukey'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

## Arguments

x	A vector of elements whose cumulative probabilities you would like to determine given the distribution d.
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qtukey</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**See Also**

Other Tukey distribution: [cdf.Tukey\(\)](#)

**Examples**

```
set.seed(27)

X <- Tukey(4L, 16L, 2L)
X

cdf(X, 4)
quantile(X, 0.7)
```

---

quantile.Uniform      *Determine quantiles of a continuous Uniform distribution*

---

**Description**

quantile() is the inverse of cdf().

**Usage**

```
## S3 method for class 'Uniform'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

x	A Uniform object created by a call to <a href="#">Uniform()</a> .
probs	A vector of probabilities.
drop	logical. Should the result be simplified to a vector if possible?
elementwise	logical. Should each distribution in x be evaluated at all elements of probs (elementwise = FALSE, yielding a matrix)? Or, if x and probs have the same length, should the evaluation be done element by element (elementwise = TRUE, yielding a vector)? The default of NULL means that elementwise = TRUE is used if the lengths match and otherwise elementwise = FALSE is used.
...	Arguments to be passed to <a href="#">qunif</a> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length probs (if drop = TRUE, default) or a matrix with length(probs) columns (if drop = FALSE). In case of a vectorized distribution object, a matrix with length(probs) columns containing all possible combinations.

**Examples**

```

set.seed(27)

X <- Uniform(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))

```

---

quantile.Weibull	<i>Determine quantiles of a Weibull distribution</i>
------------------	--

---

**Description**

Determine quantiles of a Weibull distribution

**Usage**

```

## S3 method for class 'Weibull'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)

```

**Arguments**

<code>x</code>	A Weibull object created by a call to <code>Weibull()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qweibull</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**See Also**

Other Weibull distribution: `cdf.Weibull()`, `pdf.Weibull()`, `random.Weibull()`

**Examples**

```
set.seed(27)

X <- Weibull(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

---

quantile.ZINegativeBinomial

*Determine quantiles of a zero-inflated negative binomial distribution*

---

**Description**

`quantile()` is the inverse of `cdf()`.

**Usage**

```
## S3 method for class 'ZINegativeBinomial'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A <code>ZINegativeBinomial</code> object created by a call to <code>ZINegativeBinomial()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qzinbinom</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**Examples**

```
## set up a zero-inflated negative binomial distribution
X <- ZINegativeBinomial(mu = 2.5, theta = 1, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

quantile.ZIPoisson      *Determine quantiles of a zero-inflated Poisson distribution*

---

**Description**

`quantile()` is the inverse of `cdf()`.

**Usage**

```
## S3 method for class 'ZIPoisson'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A ZIPoisson object created by a call to <code>ZIPoisson()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.

... Arguments to be passed to `qzipois`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

### Examples

```
## set up a zero-inflated Poisson distribution
X <- ZIPoisson(lambda = 2.5, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

quantile.ZTNegativeBinomial

*Determine quantiles of a zero-truncated negative binomial distribution*

---

### Description

`quantile()` is the inverse of `cdf()`.

### Usage

```
## S3 method for class 'ZTNegativeBinomial'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

### Arguments

<code>x</code>	A <code>ZTNegativeBinomial</code> object created by a call to <code>ZTNegativeBinomial()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?

elementwise      logical. Should each distribution in `x` be evaluated at all elements of `probs` (`elementwise = FALSE`, yielding a matrix)? Or, if `x` and `probs` have the same length, should the evaluation be done element by element (`elementwise = TRUE`, yielding a vector)? The default of `NULL` means that `elementwise = TRUE` is used if the lengths match and otherwise `elementwise = FALSE` is used.

...                Arguments to be passed to `qztnbinom`. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

### Examples

```
## set up a zero-truncated negative binomial distribution
X <- ZTNegativeBinomial(mu = 2.5, theta = 1)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

quantile.ZTPoisson      *Determine quantiles of a zero-truncated Poisson distribution*

---

### Description

`quantile()` is the inverse of `cdf()`.

### Usage

```
## S3 method for class 'ZTPoisson'
quantile(x, probs, drop = TRUE, elementwise = NULL, ...)
```

**Arguments**

<code>x</code>	A ZTPoisson object created by a call to <code>ZTPoisson()</code> .
<code>probs</code>	A vector of probabilities.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>elementwise</code>	logical. Should each distribution in <code>x</code> be evaluated at all elements of <code>probs</code> ( <code>elementwise = FALSE</code> , yielding a matrix)? Or, if <code>x</code> and <code>probs</code> have the same length, should the evaluation be done element by element ( <code>elementwise = TRUE</code> , yielding a vector)? The default of <code>NULL</code> means that <code>elementwise = TRUE</code> is used if the lengths match and otherwise <code>elementwise = FALSE</code> is used.
<code>...</code>	Arguments to be passed to <code>qztpois</code> . Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object, either a numeric vector of length `probs` (if `drop = TRUE`, default) or a matrix with `length(probs)` columns (if `drop = FALSE`). In case of a vectorized distribution object, a matrix with `length(probs)` columns containing all possible combinations.

**Examples**

```
## set up a zero-truncated Poisson distribution
X <- ZTPoisson(lambda = 2.5)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

random

*Draw a random sample from a probability distribution*


---

**Description**

Generic function for drawing random samples from distribution objects.

**Usage**

```
random(x, n = 1L, drop = TRUE, ...)  
  
## S3 method for class 'distribution'  
simulate(object, nsim = 1L, seed = NULL, ...)
```

**Arguments**

x, object	An object. The package provides methods for distribution objects such as those from <code>Normal()</code> or <code>Binomial()</code> etc.
n, nsim	The number of samples to draw. Should be a positive integer. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.
seed	An optional random seed that is to be set using <code>set.seed</code> prior to drawing the random sample. The previous random seed from the global environment (if any) is restored afterwards.

**Details**

`random` is a new generic for drawing random samples from the S3 distribution objects provided in this package, such as `Normal` or `Binomial` etc. The respective methods typically call the "r" function for the corresponding distribution functions provided in base R such as `rnorm`, `rbinom` etc.

In addition to the new `random` generic there is also a `simulate` method for distribution objects which simply calls the `random` method internally.

**Value**

Random samples drawn from the distribution `x`. The random methods typically return either a matrix or, if possible, a vector. The `simulate` method always returns a data frame (with an attribute "seed" containing the `.Random.seed` from before the simulation).

**Examples**

```
## distribution object  
X <- Normal()  
## 10 random samples  
random(X, 10)
```

---

random.Bernoulli      *Draw a random sample from a Bernoulli distribution*

---

### Description

Draw a random sample from a Bernoulli distribution

### Usage

```
## S3 method for class 'Bernoulli'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A Bernoulli object created by a call to <code>Bernoulli()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a `matrix` with  $n$  columns (if `drop = FALSE`).

### Examples

```
set.seed(27)  
  
X <- Bernoulli(0.7)  
X  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
random(X, 10)  
pdf(X, 1)  
log_pdf(X, 1)  
cdf(X, 0)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

random.Beta	<i>Draw a random sample from a Beta distribution</i>
-------------	--

---

### Description

Draw a random sample from a Beta distribution

### Usage

```
## S3 method for class 'Beta'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A Beta object created by a call to <code>Beta()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

Values in  $[0, 1]$ . In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### Examples

```
set.seed(27)  
  
X <- Beta(1, 2)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

random.Binomial	<i>Draw a random sample from a Binomial distribution</i>
-----------------	--

---

### Description

Draw a random sample from a Binomial distribution

### Usage

```
## S3 method for class 'Binomial'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A Binomial object created by a call to <code>Binomial()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

Integers containing values between 0 and `x$size`. In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

### Examples

```
set.seed(27)  
  
X <- Binomial(10, 0.2)  
X  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
random(X, 10)  
  
pdf(X, 2L)  
log_pdf(X, 2L)  
  
cdf(X, 4L)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

random.Categorical     *Draw a random sample from a Categorical distribution*

---

### Description

Draw a random sample from a Categorical distribution

### Usage

```
## S3 method for class 'Categorical'  
random(x, n = 1L, ...)
```

### Arguments

x	A Categorical object created by a call to <code>Categorical()</code> .
n	The number of samples to draw. Defaults to 1L.
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

A vector containing values from outcomes of length n.

### Examples

```
set.seed(27)  
  
X <- Categorical(1:3, p = c(0.4, 0.1, 0.5))  
X  
  
Y <- Categorical(LETTERS[1:4])  
Y  
  
random(X, 10)  
random(Y, 10)  
  
pdf(X, 1)  
log_pdf(X, 1)  
  
cdf(X, 1)  
quantile(X, 0.5)  
  
# cdfs are only defined for numeric sample spaces. this errors!  
# cdf(Y, "a")  
  
# same for quantiles. this also errors!  
# quantile(Y, 0.7)
```

---

random.Cauchy	<i>Draw a random sample from a Cauchy distribution</i>
---------------	--

---

**Description**

Draw a random sample from a Cauchy distribution

**Usage**

```
## S3 method for class 'Cauchy'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

x	A Cauchy object created by a call to <code>Cauchy()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a *matrix* with  $n$  columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- Cauchy(10, 0.2)  
X  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 2)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

random.ChiSquare	<i>Draw a random sample from a chi square distribution</i>
------------------	--

---

**Description**

Draw a random sample from a chi square distribution

**Usage**

```
## S3 method for class 'ChiSquare'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

x	A ChiSquare object created by a call to <code>ChiSquare()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- ChiSquare(5)  
X  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

`random.Erlang`*Draw a random sample from an Erlang distribution*

---

**Description**

Draw a random sample from an Erlang distribution

**Usage**

```
## S3 method for class 'Erlang'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

<code>x</code>	An Erlang object created by a call to <code>Erlang()</code> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- Erlang(5, 2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

random.Exponential      *Draw a random sample from an Exponential distribution*

---

### Description

Draw a random sample from an Exponential distribution

### Usage

```
## S3 method for class 'Exponential'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	An <code>Exponential</code> object created by a call to <code>Exponential()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### Examples

```
set.seed(27)  
  
X <- Exponential(5)  
X  
  
mean(X)  
variance(X)  
skewness(X)  
kurtosis(X)  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

random.FisherF      *Draw a random sample from an F distribution*

---

### Description

Draw a random sample from an F distribution

### Usage

```
## S3 method for class 'FisherF'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A FisherF object created by a call to <a href="#">FisherF()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### Examples

```
set.seed(27)  
  
X <- FisherF(5, 10, 0.2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

random.Frechet	<i>Draw a random sample from a Frechet distribution</i>
----------------	---

---

**Description**

Draw a random sample from a Frechet distribution

**Usage**

```
## S3 method for class 'Frechet'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

x	A Frechet object created by a call to <a href="#">Frechet()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a *matrix* with  $n$  columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- Frechet(0, 2)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

`random.Gamma`*Draw a random sample from a Gamma distribution*

---

**Description**

Draw a random sample from a Gamma distribution

**Usage**

```
## S3 method for class 'Gamma'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

<code>x</code>	A Gamma object created by a call to <code>Gamma()</code> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- Gamma(5, 2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 7))
```

---

random.Geometric	<i>Draw a random sample from a Geometric distribution</i>
------------------	---

---

### Description

Please see the documentation of [Geometric\(\)](#) for some properties of the Geometric distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

### Usage

```
## S3 method for class 'Geometric'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A Geometric object created by a call to <a href="#">Geometric()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### See Also

Other Geometric distribution: [cdf.Geometric\(\)](#), [pdf.Geometric\(\)](#), [quantile.Geometric\(\)](#)

### Examples

```
set.seed(27)  
  
X <- Geometric(0.3)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)
```

---

`random.GEV`*Draw a random sample from a GEV distribution*

---

**Description**

Draw a random sample from a GEV distribution

**Usage**

```
## S3 method for class 'GEV'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

<code>x</code>	A GEV object created by a call to <code>GEV()</code> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- GEV(1, 2, 0.1)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

random.GP	<i>Draw a random sample from a GP distribution</i>
-----------	--

---

**Description**

Draw a random sample from a GP distribution

**Usage**

```
## S3 method for class 'GP'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

x	A GP object created by a call to <code>GP()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a *matrix* with  $n$  columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- GP(0, 2, 0.1)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

random.Gumbel	<i>Draw a random sample from a Gumbel distribution</i>
---------------	--

---

**Description**

Draw a random sample from a Gumbel distribution

**Usage**

```
## S3 method for class 'Gumbel'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

x	A Gumbel object created by a call to <code>Gumbel()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- Gumbel(1, 2)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

`random.HurdleNegativeBinomial`*Draw a random sample from a hurdle negative binomial distribution*

---

**Description**

Draw a random sample from a hurdle negative binomial distribution

**Usage**

```
## S3 method for class 'HurdleNegativeBinomial'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

<code>x</code>	A <code>HurdleNegativeBinomial</code> object created by a call to <code>HurdleNegativeBinomial()</code> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

**Examples**

```
## set up a hurdle negative binomial distribution  
X <- HurdleNegativeBinomial(mu = 2.5, theta = 1, pi = 0.75)  
X  
  
## standard functions  
pdf(X, 0:8)  
cdf(X, 0:8)  
quantile(X, seq(0, 1, by = 0.25))  
  
## cdf() and quantile() are inverses for each other  
quantile(X, cdf(X, 3))  
  
## density visualization  
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)  
  
## corresponding sample with histogram of empirical frequencies  
set.seed(0)  
x <- random(X, 500)  
hist(x, breaks = -1:max(x) + 0.5)
```

---

random.HurdlePoisson *Draw a random sample from a hurdle Poisson distribution*

---

## Description

Draw a random sample from a hurdle Poisson distribution

## Usage

```
## S3 method for class 'HurdlePoisson'  
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A HurdlePoisson object created by a call to <code>HurdlePoisson()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

## Examples

```
## set up a hurdle Poisson distribution  
X <- HurdlePoisson(lambda = 2.5, pi = 0.75)  
X  
  
## standard functions  
pdf(X, 0:8)  
cdf(X, 0:8)  
quantile(X, seq(0, 1, by = 0.25))  
  
## cdf() and quantile() are inverses for each other  
quantile(X, cdf(X, 3))  
  
## density visualization  
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)  
  
## corresponding sample with histogram of empirical frequencies  
set.seed(0)  
x <- random(X, 500)  
hist(x, breaks = -1:max(x) + 0.5)
```

---

random.HyperGeometric *Draw a random sample from a HyperGeometric distribution*

---

### Description

Please see the documentation of [HyperGeometric\(\)](#) for some properties of the HyperGeometric distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

### Usage

```
## S3 method for class 'HyperGeometric'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A HyperGeometric object created by a call to <a href="#">HyperGeometric()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### See Also

Other HyperGeometric distribution: [cdf.HyperGeometric\(\)](#), [pdf.HyperGeometric\(\)](#), [quantile.HyperGeometric\(\)](#)

### Examples

```
set.seed(27)  
  
X <- HyperGeometric(4, 5, 8)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)
```

---

random.Logistic      *Draw a random sample from a Logistic distribution*

---

### Description

Draw a random sample from a Logistic distribution

### Usage

```
## S3 method for class 'Logistic'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A Logistic object created by a call to <a href="#">Logistic()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### See Also

Other Logistic distribution: [cdf.Logistic\(\)](#), [pdf.Logistic\(\)](#), [quantile.Logistic\(\)](#)

### Examples

```
set.seed(27)  
  
X <- Logistic(2, 4)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)
```

---

random.LogNormal	<i>Draw a random sample from a LogNormal distribution</i>
------------------	---

---

### Description

Draw a random sample from a LogNormal distribution

### Usage

```
## S3 method for class 'LogNormal'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A LogNormal object created by a call to <a href="#">LogNormal()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### See Also

Other LogNormal distribution: [cdf.LogNormal\(\)](#), [fit\\_mle.LogNormal\(\)](#), [pdf.LogNormal\(\)](#), [quantile.LogNormal\(\)](#)

### Examples

```
set.seed(27)  
  
X <- LogNormal(0.3, 2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)
```

---

random.Multinomial     *Draw a random sample from a Multinomial distribution*

---

### Description

Draw a random sample from a Multinomial distribution

### Usage

```
## S3 method for class 'Multinomial'  
random(x, n = 1L, ...)
```

### Arguments

x	A Multinomial object created by a call to <a href="#">Multinomial()</a> .
n	The number of samples to draw. Defaults to 1L.
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

An integer vector of length n.

### See Also

Other Multinomial distribution: [pdf.Multinomial\(\)](#)

### Examples

```
set.seed(27)  
  
X <- Multinomial(size = 5, p = c(0.3, 0.4, 0.2, 0.1))  
X  
  
random(X, 10)  
  
# pdf(X, 2)  
# log_pdf(X, 2)
```

---

`random.NegativeBinomial`*Draw a random sample from a negative binomial distribution*

---

### Description

Draw a random sample from a negative binomial distribution

### Usage

```
## S3 method for class 'NegativeBinomial'  
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

<code>x</code>	A <code>NegativeBinomial</code> object created by a call to <code>NegativeBinomial()</code> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

### See Also

Other `NegativeBinomial` distribution: `cdf.NegativeBinomial()`, `pdf.NegativeBinomial()`, `quantile.NegativeBinomial()`

### Examples

```
set.seed(27)  
  
X <- NegativeBinomial(size = 5, p = 0.1)  
X  
  
random(X, 10)  
  
pdf(X, 50)  
log_pdf(X, 50)  
  
cdf(X, 50)  
quantile(X, 0.7)  
  
## alternative parameterization of X  
Y <- NegativeBinomial(mu = 45, size = 5)  
Y
```

```
cdf(Y, 50)
quantile(Y, 0.7)
```

---

random.Normal	<i>Draw a random sample from a Normal distribution</i>
---------------	--

---

### Description

Please see the documentation of [Normal\(\)](#) for some properties of the Normal distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

### Usage

```
## S3 method for class 'Normal'
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A Normal object created by a call to <a href="#">Normal()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### Examples

```
set.seed(27)

X <- Normal(5, 2)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)
```

```
### example: calculating p-values for two-sided Z-test

# here the null hypothesis is H_0: mu = 3
# and we assume sigma = 2

# exactly the same as: Z <- Normal(0, 1)
Z <- Normal()

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the z-statistic
z_stat <- (mean(x) - 3) / (2 / sqrt(nx))
z_stat

# calculate the two-sided p-value
1 - cdf(Z, abs(z_stat)) + cdf(Z, -abs(z_stat))

# exactly equivalent to the above
2 * cdf(Z, -abs(z_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(Z, z_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(Z, z_stat)

### example: calculating a 88 percent Z CI for a mean

# same `x` as before, still assume `sigma = 2`

# lower-bound
mean(x) - quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# upper-bound
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

# also equivalent to
mean(x) + quantile(Z, 0.12 / 2) * 2 / sqrt(nx)
mean(x) + quantile(Z, 1 - 0.12 / 2) * 2 / sqrt(nx)

### generating random samples and plugging in ks.test()

set.seed(27)

# generate a random sample
```

```
ns <- random(Normal(3, 7), 26)

# test if sample is Normal(3, 7)
ks.test(ns, pnorm, mean = 3, sd = 7)

# test if sample is gamma(8, 3) using base R pgamma()
ks.test(ns, pgamma, shape = 8, rate = 3)

### MISC

# note that the cdf() and quantile() functions are inverses
cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

random.Poisson	<i>Draw a random sample from a Poisson distribution</i>
----------------	---

---

## Description

Draw a random sample from a Poisson distribution

## Usage

```
## S3 method for class 'Poisson'
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A Poisson object created by a call to <a href="#">Poisson()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

## Examples

```
set.seed(27)

X <- Poisson(2)
X

random(X, 10)
```

```
pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 7))
```

---

```
random.PoissonBinomial
```

*Draw a random sample from a PoissonBinomial distribution*

---

### Description

Draw a random sample from a PoissonBinomial distribution

### Usage

```
## S3 method for class 'PoissonBinomial'
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A PoissonBinomial object created by a call to <a href="#">PoissonBinomial()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

Integers containing values between 0 and x\$size. In case of a single distribution object or n = 1, either a numeric vector of length n (if drop = TRUE, default) or a matrix with n columns (if drop = FALSE).

### Examples

```
set.seed(27)

X <- PoissonBinomial(0.5, 0.3, 0.8)
X

mean(X)
variance(X)
skewness(X)
kurtosis(X)
```

```

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 2)
quantile(X, 0.8)

cdf(X, quantile(X, 0.8))
quantile(X, cdf(X, 2))

## equivalent definitions of four Poisson binomial distributions
## each summing up three Bernoulli probabilities
p <- cbind(
  p1 = c(0.1, 0.2, 0.1, 0.2),
  p2 = c(0.5, 0.5, 0.5, 0.5),
  p3 = c(0.8, 0.7, 0.9, 0.8))
PoissonBinomial(p)
PoissonBinomial(p[, 1], p[, 2], p[, 3])
PoissonBinomial(p[, 1:2], p[, 3])

```

---

<code>random.RevWeibull</code>	<i>Draw a random sample from an RevWeibull distribution</i>
--------------------------------	---

---

## Description

Draw a random sample from an RevWeibull distribution

## Usage

```
## S3 method for class 'RevWeibull'
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

<code>x</code>	A RevWeibull object created by a call to <a href="#">RevWeibull()</a> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

## Examples

```
set.seed(27)

X <- RevWeibull(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

random.StudentsT	<i>Draw a random sample from a StudentsT distribution</i>
------------------	---

---

## Description

Please see the documentation of [StudentsT\(\)](#) for some properties of the T distribution, as well as extensive examples showing to how calculate p-values and confidence intervals.

## Usage

```
## S3 method for class 'StudentsT'
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A StudentsT object created by a call to <a href="#">StudentsT()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

## See Also

Other StudentsT distribution: [cdf.StudentsT\(\)](#), [pdf.StudentsT\(\)](#), [quantile.StudentsT\(\)](#)

**Examples**

```

set.seed(27)

X <- StudentsT(3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided T-test

# here the null hypothesis is H_0: mu = 3

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the T-statistic
t_stat <- (mean(x) - 3) / (sd(x) / sqrt(nx))
t_stat

# null distribution of statistic depends on sample size!
T <- StudentsT(df = nx - 1)

# calculate the two-sided p-value
1 - cdf(T, abs(t_stat)) + cdf(T, -abs(t_stat))

# exactly equivalent to the above
2 * cdf(T, -abs(t_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(T, t_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(T, t_stat)

### example: calculating a 88 percent T CI for a mean

# lower-bound
mean(x) - quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# upper-bound
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# equivalent to

```

```
mean(x) + c(-1, 1) * quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# also equivalent to
mean(x) + quantile(T, 0.12 / 2) * sd(x) / sqrt(nx)
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)
```

---

random.Tukey	<i>Draw a random sample from a Tukey distribution</i>
--------------	---

---

## Description

Draw a random sample from a Tukey distribution

## Usage

```
## S3 method for class 'Tukey'
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A Tukey object created by a call to <a href="#">Tukey()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a `matrix` with  $n$  columns (if `drop = FALSE`).

## Examples

```
set.seed(27)

X <- Tukey(4L, 16L, 2L)
X

cdf(X, 4)
quantile(X, 0.7)
```

---

random.Uniform	<i>Draw a random sample from a continuous Uniform distribution</i>
----------------	--

---

**Description**

Draw a random sample from a continuous Uniform distribution

**Usage**

```
## S3 method for class 'Uniform'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

x	A Uniform object created by a call to <code>Uniform()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

Values in  $[a, b]$ . In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

**Examples**

```
set.seed(27)  
  
X <- Uniform(1, 2)  
X  
  
random(X, 10)  
  
pdf(X, 0.7)  
log_pdf(X, 0.7)  
  
cdf(X, 0.7)  
quantile(X, 0.7)  
  
cdf(X, quantile(X, 0.7))  
quantile(X, cdf(X, 0.7))
```

---

`random.Weibull`*Draw a random sample from a Weibull distribution*

---

**Description**

Draw a random sample from a Weibull distribution

**Usage**

```
## S3 method for class 'Weibull'  
random(x, n = 1L, drop = TRUE, ...)
```

**Arguments**

<code>x</code>	A Weibull object created by a call to <code>Weibull()</code> .
<code>n</code>	The number of samples to draw. Defaults to 1L.
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

**Value**

In case of a single distribution object or `n = 1`, either a numeric vector of length `n` (if `drop = TRUE`, default) or a matrix with `n` columns (if `drop = FALSE`).

**See Also**

Other Weibull distribution: `cdf.Weibull()`, `pdf.Weibull()`, `quantile.Weibull()`

**Examples**

```
set.seed(27)  
  
X <- Weibull(0.3, 2)  
X  
  
random(X, 10)  
  
pdf(X, 2)  
log_pdf(X, 2)  
  
cdf(X, 4)  
quantile(X, 0.7)
```

---

```
random.ZINegativeBinomial
```

*Draw a random sample from a zero-inflated negative binomial distribution*

---

## Description

Draw a random sample from a zero-inflated negative binomial distribution

## Usage

```
## S3 method for class 'ZINegativeBinomial'
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A <code>ZINegativeBinomial</code> object created by a call to <code>ZINegativeBinomial()</code> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

## Examples

```
## set up a zero-inflated negative binomial distribution
X <- ZINegativeBinomial(mu = 2.5, theta = 1, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

random.ZIPoisson	<i>Draw a random sample from a zero-inflated Poisson distribution</i>
------------------	---

---

## Description

Draw a random sample from a zero-inflated Poisson distribution

## Usage

```
## S3 method for class 'ZIPoisson'  
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A ZIPoisson object created by a call to <a href="#">ZIPoisson()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

## Examples

```
## set up a zero-inflated Poisson distribution  
X <- ZIPoisson(lambda = 2.5, pi = 0.25)  
X  
  
## standard functions  
pdf(X, 0:8)  
cdf(X, 0:8)  
quantile(X, seq(0, 1, by = 0.25))  
  
## cdf() and quantile() are inverses for each other  
quantile(X, cdf(X, 3))  
  
## density visualization  
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)  
  
## corresponding sample with histogram of empirical frequencies  
set.seed(0)  
x <- random(X, 500)  
hist(x, breaks = -1:max(x) + 0.5)
```

---

```
random.ZTNegativeBinomial
```

*Draw a random sample from a zero-truncated negative binomial distribution*

---

### Description

Draw a random sample from a zero-truncated negative binomial distribution

### Usage

```
## S3 method for class 'ZTNegativeBinomial'
random(x, n = 1L, drop = TRUE, ...)
```

### Arguments

x	A ZTNegativeBinomial object created by a call to <a href="#">ZTNegativeBinomial()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

### Examples

```
## set up a zero-truncated negative binomial distribution
X <- ZTNegativeBinomial(mu = 2.5, theta = 1)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

random.ZTPoisson	<i>Draw a random sample from a zero-truncated Poisson distribution</i>
------------------	--

---

## Description

Draw a random sample from a zero-truncated Poisson distribution

## Usage

```
## S3 method for class 'ZTPoisson'  
random(x, n = 1L, drop = TRUE, ...)
```

## Arguments

x	A ZTPoisson object created by a call to <a href="#">ZTPoisson()</a> .
n	The number of samples to draw. Defaults to 1L.
drop	logical. Should the result be simplified to a vector if possible?
...	Unused. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

In case of a single distribution object or  $n = 1$ , either a numeric vector of length  $n$  (if `drop = TRUE`, default) or a matrix with  $n$  columns (if `drop = FALSE`).

## Examples

```
## set up a zero-truncated Poisson distribution  
X <- ZTPoisson(lambda = 2.5)  
X  
  
## standard functions  
pdf(X, 0:8)  
cdf(X, 0:8)  
quantile(X, seq(0, 1, by = 0.25))  
  
## cdf() and quantile() are inverses for each other  
quantile(X, cdf(X, 3))  
  
## density visualization  
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)  
  
## corresponding sample with histogram of empirical frequencies  
set.seed(0)  
x <- random(X, 500)  
hist(x, breaks = -1:max(x) + 0.5)
```

RevWeibull

*Create a reversed Weibull distribution***Description**

The reversed (or negated) Weibull distribution is a special case of the [\link{GEV}](#) distribution, obtained when the GEV shape parameter  $\xi$  is negative. It may be referred to as a type III extreme value distribution.

**Usage**

```
RevWeibull(location = 0, scale = 1, shape = 1)
```

**Arguments**

location	The location (maximum) parameter $m$ . location can be any real number. Defaults to 0.
scale	The scale parameter $s$ . scale can be any positive number. Defaults to 1.
shape	The scale parameter $\alpha$ . shape can be any positive number. Defaults to 1.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a reversed Weibull random variable with location parameter  $\text{location} = m$ , scale parameter  $\text{scale} = s$ , and shape parameter  $\text{shape} = \alpha$ . An  $\text{RevWeibull}(m, s, \alpha)$  distribution is equivalent to a [\link{GEV}](#) $(m - s, s/\alpha, -1/\alpha)$  distribution.

If  $X$  has an  $\text{RevWeibull}(m, \lambda, k)$  distribution then  $m - X$  has a [\link{Weibull}](#) $(k, \lambda)$  distribution, that is, a Weibull distribution with shape parameter  $k$  and scale parameter  $\lambda$ .

**Support:**  $(-\infty, m)$ .

**Mean:**  $m + s\Gamma(1 + 1/\alpha)$ .

**Median:**  $m + s(\ln 2)^{1/\alpha}$ .

**Variance:**  $s^2[\Gamma(1 + 2/\alpha) - \Gamma(1 + 1/\alpha)^2]$ .

**Probability density function (p.d.f):**

$$f(x) = \alpha s^{-1} [-(x - m)/s]^{\alpha-1} \exp\{-[-(x - m)/s]^\alpha\}$$

for  $x < m$ . The p.d.f. is 0 for  $x \geq m$ .

**Cumulative distribution function (c.d.f):**

$$F(x) = \exp\{-[-(x - m)/s]^\alpha\}$$

for  $x < m$ . The c.d.f. is 1 for  $x \geq m$ .

**Value**

A RevWeibull object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- RevWeibull(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

simulate.default

*Simulate responses from fitted model objects*

---

**Description**

Default method for simulating new responses from any model object with a [prodist](#) method (for extracting a probability distribution object).

**Usage**

```
## Default S3 method:
simulate(object, nsim = 1, seed = NULL, ...)
```

**Arguments**

object	An object for which a <a href="#">prodist</a> method is available.
nsim	The number of response vectors to simulate. Should be a positive integer. Defaults to 1.
seed	An optional random seed that is to be set using <a href="#">set.seed</a> prior to drawing the random sample. The previous random seed from the global environment (if any) is restored afterwards.
...	Arguments passed to <a href="#">simulate.distribution</a> .

**Details**

This default method simply combines two building blocks provided in this package: (1) `prodlist` for extracting the probability distribution from a fitted model object, (2) `simulate.distribution` for simulating new observations from this distribution (internally calling `random`).

Thus, this enables simulation from any fitted model object that provides a `prodlist` method. It waives the need to implement a dedicated `simulate` method for this model class.

**Value**

A data frame with an attribute "seed" containing the `.Random.seed` from before the simulation.

**Examples**

```
## Poisson GLM for FIFA 2018 goals
data("FIFA2018", package = "distributions3")
m <- glm(goals ~ difference, data = FIFA2018, family = poisson)

## simulate new goals via glm method
set.seed(0)
g_glm <- simulate(m, n = 3)

## alternatively use the new default method
set.seed(0)
g_default <- simulate.default(m, n = 3)

## same results
all.equal(g_glm, g_default, check.attributes = FALSE)
```

---

stat\_auc

---

*Fill out area under the curve for a plotted PDF*


---

**Description**

Fill out area under the curve for a plotted PDF

**Usage**

```
stat_auc(
  mapping = NULL,
  data = NULL,
  geom = "auc",
  position = "identity",
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE,
  from = -Inf,
  to = Inf,
  annotate = FALSE,
```

```

    digits = 3,
    ...
  )

geom_auc(
  mapping = NULL,
  data = NULL,
  stat = "auc",
  position = "identity",
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE,
  from = -Inf,
  to = Inf,
  annotate = FALSE,
  digits = 3,
  ...
)

```

## Arguments

mapping	Set of aesthetic mappings created by <a href="#">aes()</a> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	<p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to <a href="#">ggplot()</a>.</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See <a href="#">fortify()</a> for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p>
geom	<p>The geometric object to use to display the data for this layer. When using a <code>stat_*()</code> function to construct a layer, the <code>geom</code> argument can be used to override the default coupling between stats and geoms. The <code>geom</code> argument accepts the following:</p> <ul style="list-style-type: none"> <li>• A Geom ggproto subclass, for example <code>GeomPoint</code>.</li> <li>• A string naming the geom. To give the geom as a string, strip the function name of the <code>geom_</code> prefix. For example, to use <code>geom_point()</code>, give the geom as <code>"point"</code>.</li> <li>• For more information and other ways to specify the geom, see the <a href="#">layer geom</a> documentation.</li> </ul>
position	A position adjustment to use on the data for this layer. This can be used in various ways, including to prevent overplotting and improving the display. The <code>position</code> argument accepts the following:

	<ul style="list-style-type: none"> <li>• The result of calling a position function, such as <code>position_jitter()</code>. This method allows for passing extra arguments to the position.</li> <li>• A string naming the position adjustment. To give the position as a string, strip the function name of the <code>position_</code> prefix. For example, to use <code>position_jitter()</code>, give the position as "jitter".</li> <li>• For more information and other ways to specify the position, see the <a href="#">layer position</a> documentation.</li> </ul>
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>from</code>	Left end-point of interval
<code>to</code>	Right end-point of interval
<code>annotate</code>	Should P() be added in the upper left corner as an annotation? Works also with a colour character, e.g., "red".
<code>digits</code>	Number of digits shown in annotation
<code>...</code>	<p>Other arguments passed on to <code>layer()</code>'s <code>params</code> argument. These arguments broadly fall into one of 4 categories below. Notably, further arguments to the <code>position</code> argument, or aesthetics that are required can <i>not</i> be passed through ... Unknown arguments that are not part of the 4 categories below are ignored.</p> <ul style="list-style-type: none"> <li>• Static aesthetics that are not mapped to a scale, but are at a fixed value and apply to the layer as a whole. For example, <code>colour = "red"</code> or <code>linewidth = 3</code>. The geom's documentation has an <b>Aesthetics</b> section that lists the available options. The 'required' aesthetics cannot be passed on to the <code>params</code>. Please note that while passing unmapped aesthetics as vectors is technically possible, the order and required length is not guaranteed to be parallel to the input data.</li> <li>• When constructing a layer using a <code>stat_*()</code> function, the <code>...</code> argument can be used to pass on parameters to the geom part of the layer. An example of this is <code>stat_density(geom = "area", outline.type = "both")</code>. The geom's documentation lists which parameters it can accept.</li> <li>• Inversely, when constructing a layer using a <code>geom_*()</code> function, the <code>...</code> argument can be used to pass on parameters to the stat part of the layer. An example of this is <code>geom_area(stat = "density", adjust = 0.5)</code>. The stat's documentation lists which parameters it can accept.</li> <li>• The <code>key_glyph</code> argument of <code>layer()</code> may also be passed on through ... This can be one of the functions described as <a href="#">key glyphs</a>, to change the display of the layer in the legend.</li> </ul>
<code>stat</code>	The statistical transformation to use on the data for this layer. When using a <code>geom_*()</code> function to construct a layer, the <code>stat</code> argument can be used to override the default coupling between geoms and stats. The <code>stat</code> argument accepts the following:

- A Stat ggproto subclass, for example StatCount.
- A string naming the stat. To give the stat as a string, strip the function name of the `stat_` prefix. For example, to use `stat_count()`, give the stat as "count".
- For more information and other ways to specify the stat, see the [layer stat](#) documentation.

## Examples

```
N1 <- Normal()
plot_pdf(N1) + geom_auc(to = -0.645)
plot_pdf(N1) + geom_auc(from = -0.645, to = 0.1, annotate = TRUE)

N2 <- Normal(0, c(1, 2))
plot_pdf(N2) + geom_auc(to = 0)
plot_pdf(N2) + geom_auc(from = -2, to = 2, annotate = TRUE)
```

---

StudentsT

*Create a Student's T distribution*

---

## Description

The Student's T distribution is closely related to the [Normal\(\)](#) distribution, but has heavier tails. As  $\nu$  increases to  $\infty$ , the Student's T converges to a Normal. The T distribution appears repeatedly throughout classic frequentist hypothesis testing when comparing group means.

## Usage

StudentsT(df)

## Arguments

df                    Degrees of freedom. Can be any positive number. Often called  $\nu$  in textbooks.

## Details

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Students T random variable with  $df = \nu$ .

**Support:**  $R$ , the set of all real numbers

**Mean:** Undefined unless  $\nu \geq 2$ , in which case the mean is zero.

**Variance:**

$$\frac{\nu}{\nu - 2}$$

Undefined if  $\nu < 1$ , infinite when  $1 < \nu \leq 2$ .

**Probability density function (p.d.f):**

$$f(x) = \frac{\Gamma(\frac{\nu+1}{2})}{\sqrt{\nu\pi}\Gamma(\frac{\nu}{2})} \left(1 + \frac{x^2}{\nu}\right)^{-\frac{\nu+1}{2}}$$

**Cumulative distribution function (c.d.f):**

Nasty, omitted.

**Moment generating function (m.g.f):**

Undefined.

**Value**

A StudentsT object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

**Examples**

```
set.seed(27)

X <- StudentsT(3)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

### example: calculating p-values for two-sided T-test

# here the null hypothesis is H_0: mu = 3

# data to test
x <- c(3, 7, 11, 0, 7, 0, 4, 5, 6, 2)
nx <- length(x)

# calculate the T-statistic
t_stat <- (mean(x) - 3) / (sd(x) / sqrt(nx))
t_stat

# null distribution of statistic depends on sample size!
T <- StudentsT(df = nx - 1)

# calculate the two-sided p-value
```

```

1 - cdf(T, abs(t_stat)) + cdf(T, -abs(t_stat))

# exactly equivalent to the above
2 * cdf(T, -abs(t_stat))

# p-value for one-sided test
# H_0: mu <= 3 vs H_A: mu > 3
1 - cdf(T, t_stat)

# p-value for one-sided test
# H_0: mu >= 3 vs H_A: mu < 3
cdf(T, t_stat)

### example: calculating a 88 percent T CI for a mean

# lower-bound
mean(x) - quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# upper-bound
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# equivalent to
mean(x) + c(-1, 1) * quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

# also equivalent to
mean(x) + quantile(T, 0.12 / 2) * sd(x) / sqrt(nx)
mean(x) + quantile(T, 1 - 0.12 / 2) * sd(x) / sqrt(nx)

```

---

suff\_stat

---

*Compute the sufficient statistics of a distribution from data*


---

## Description

Generic function for computing the sufficient statistics of a distribution based on empirical data.

## Usage

```
suff_stat(d, x, ...)
```

## Arguments

d	An object. The package provides methods for distribution objects such as those from <a href="#">Normal()</a> or <a href="#">Binomial()</a> etc.
x	A vector of data to compute the likelihood.
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

## Value

a named list of sufficient statistics

**Examples**

```
X <- Normal()
suff_stat(X, c(-1, 0, 0, 0, 3))
```

---

suff\_stat.Bernoulli    *Compute the sufficient statistics for a Bernoulli distribution from data*

---

**Description**

Compute the sufficient statistics for a Bernoulli distribution from data

**Usage**

```
## S3 method for class 'Bernoulli'
suff_stat(d, x, ...)
```

**Arguments**

d	A Bernoulli object.
x	A vector of zeroes and ones.
...	Unused.

**Value**

A named list of the sufficient statistics of the Bernoulli distribution:

- successes: The number of successful trials ( $\text{sum}(x == 1)$ )
- failures: The number of failed trials ( $\text{sum}(x == 0)$ ).

---

suff\_stat.Binomial    *Compute the sufficient statistics for the Binomial distribution from data*

---

**Description**

Compute the sufficient statistics for the Binomial distribution from data

**Usage**

```
## S3 method for class 'Binomial'
suff_stat(d, x, ...)
```

**Arguments**

d	A Binomial object.
x	A vector of zeroes and ones.
...	Unused.

**Value**

A named list of the sufficient statistics of the Binomial distribution:

- successes: The total number of successful trials.
- experiments: The number of experiments run.
- trials: The number of trials run per experiment.

---

suff\_stat.Exponential *Compute the sufficient statistics of an Exponential distribution from data*

---

**Description**

Compute the sufficient statistics of an Exponential distribution from data

**Usage**

```
## S3 method for class 'Exponential'
suff_stat(d, x, ...)
```

**Arguments**

d	An <code>Exponential</code> object created by a call to <code>Exponential()</code> .
x	A vector of data.
...	Unused.

**Value**

A named list of the sufficient statistics of the exponential distribution:

- sum: The sum of the observations.
- samples: The number of observations.

---

suff_stat.Gamma	<i>Compute the sufficient statistics for a Gamma distribution from data</i>
-----------------	---

---

**Description**

- sum: The sum of the data.
- log\_sum: The log of the sum of the data.
- samples: The number of samples in the data.

**Usage**

```
## S3 method for class 'Gamma'
suff_stat(d, x, ...)
```

**Arguments**

d	A Gamma object created by a call to <a href="#">Gamma()</a> .
x	A vector to fit the Gamma distribution to.
...	Unused.

**Value**

a Gamma object

---

suff_stat.Geometric	<i>Compute the sufficient statistics for the Geometric distribution from data</i>
---------------------	---

---

**Description**

Compute the sufficient statistics for the Geometric distribution from data

**Usage**

```
## S3 method for class 'Geometric'
suff_stat(d, x, ...)
```

**Arguments**

d	A Geometric object.
x	A vector of zeroes and ones.
...	Unused.

**Value**

A named list of the sufficient statistics of the Geometric distribution:

- trials: The total number of trials ran until the first success.
- experiments: The number of experiments run.

---

```
suff_stat.LogNormal
```

*Compute the sufficient statistics for a Log-normal distribution from data*

---

**Description**

Compute the sufficient statistics for a Log-normal distribution from data

**Usage**

```
## S3 method for class 'LogNormal'  
suff_stat(d, x, ...)
```

**Arguments**

d	A LogNormal object created by a call to <a href="#">LogNormal()</a> .
x	A vector of data.
...	Unused.

**Value**

A named list of the sufficient statistics of the normal distribution:

- mu: The sample mean of the log of the data.
- sigma: The sample standard deviation of the log of the data.
- samples: The number of samples in the data.

---

suff\_stat.Normal      *Compute the sufficient statistics for a Normal distribution from data*

---

### Description

Compute the sufficient statistics for a Normal distribution from data

### Usage

```
## S3 method for class 'Normal'  
suff_stat(d, x, ...)
```

### Arguments

d	A Normal object created by a call to <a href="#">Normal()</a> .
x	A vector of data.
...	Unused.

### Value

A named list of the sufficient statistics of the normal distribution:

- mu: The sample mean of the data.
- sigma: The sample standard deviation of the data.
- samples: The number of samples in the data.

---

suff\_stat.Poisson      *Compute the sufficient statistics of an Poisson distribution from data*

---

### Description

Compute the sufficient statistics of an Poisson distribution from data

### Usage

```
## S3 method for class 'Poisson'  
suff_stat(d, x, ...)
```

### Arguments

d	An Poisson object created by a call to <a href="#">Poisson()</a> .
x	A vector of data.
...	Unused.

**Value**

A named list of the sufficient statistics of the Poisson distribution:

- `sum`: The sum of the data.
- `samples`: The number of samples in the data.

---

`support`

*Return the support of a distribution*

---

**Description**

Generic function for computing the support interval (minimum and maximum) for a given probability distribution object.

**Usage**

```
support(d, drop = TRUE, ...)
```

**Arguments**

- |                   |   |
|-------------------|---|
| <code>d</code>    | An object. The package provides methods for distribution objects such as those from <code>Normal()</code> or <code>Binomial()</code> etc. |
| <code>drop</code> | logical. Should the result be simplified to a vector if possible?   |
| <code>...</code>  | Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.                |

**Value**

A vector (or matrix) with two elements (or columns) indicating the range (minimum and maximum) of the support.

**Examples**

```
X <- Normal()
support(X)
Y <- Uniform(-1, 1:3)
support(Y)
```

---

support.Bernoulli      *Return the support of the Bernoulli distribution*

---

**Description**

Return the support of the Bernoulli distribution

**Usage**

```
## S3 method for class 'Bernoulli'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Bernoulli object created by a call to <a href="#">Bernoulli()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Beta      *Return the support of the Beta distribution*

---

**Description**

Return the support of the Beta distribution

**Usage**

```
## S3 method for class 'Beta'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Beta object created by a call to <a href="#">Beta()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Binomial      *Return the support of the Binomial distribution*

---

**Description**

Return the support of the Binomial distribution

**Usage**

```
## S3 method for class 'Binomial'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Binomial object created by a call to <a href="#">Binomial()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Cauchy      *Return the support of the Cauchy distribution*

---

**Description**

Return the support of the Cauchy distribution

**Usage**

```
## S3 method for class 'Cauchy'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Cauchy object created by a call to <a href="#">Cauchy()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.ChiSquare      *Return the support of the ChiSquare distribution*

---

**Description**

Return the support of the ChiSquare distribution

**Usage**

```
## S3 method for class 'ChiSquare'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An ChiSquare object created by a call to <a href="#">ChiSquare()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Erlang      *Return the support of the Erlang distribution*

---

**Description**

Return the support of the Erlang distribution

**Usage**

```
## S3 method for class 'Erlang'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Erlang object created by a call to <a href="#">Erlang()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Exponential     *Return the support of the Exponential distribution*

---

**Description**

Return the support of the Exponential distribution

**Usage**

```
## S3 method for class 'Exponential'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Exponential object created by a call to <a href="#">Exponential()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.FisherF     *Return the support of the FisherF distribution*

---

**Description**

Return the support of the FisherF distribution

**Usage**

```
## S3 method for class 'FisherF'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An FisherF object created by a call to <a href="#">FisherF()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Frechet      *Return the support of the Frechet distribution*

---

### Description

Return the support of the Frechet distribution

### Usage

```
## S3 method for class 'Frechet'
support(d, drop = TRUE, ...)
```

### Arguments

d	An Frechet object created by a call to <a href="#">Frechet()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

In case of a single distribution object, a numeric vector of length 2 with the minimum and maximum value of the support (if drop = TRUE, default) or a matrix with 2 columns. In case of a vectorized distribution object, a matrix with 2 columns containing all minima and maxima.

---

support.Gamma      *Return the support of the Gamma distribution*

---

### Description

Return the support of the Gamma distribution

### Usage

```
## S3 method for class 'Gamma'
support(d, drop = TRUE, ...)
```

### Arguments

d	An Gamma object created by a call to <a href="#">Gamma()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

A vector of length 2 with the minimum and maximum value of the support.

---

support.Geometric      *Return the support of the Geometric distribution*

---

**Description**

Return the support of the Geometric distribution

**Usage**

```
## S3 method for class 'Geometric'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Geometric object created by a call to <a href="#">Geometric()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.GEV      *Return the support of a GEV distribution*

---

**Description**

Return the support of a GEV distribution

**Usage**

```
## S3 method for class 'GEV'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An GEV object created by a call to <a href="#">GEV()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

In case of a single distribution object, a numeric vector of length 2 with the minimum and maximum value of the support (if drop = TRUE, default) or a matrix with 2 columns. In case of a vectorized distribution object, a matrix with 2 columns containing all minima and maxima.

---

support.GP                      *Return the support of the GP distribution*

---

**Description**

Return the support of the GP distribution

**Usage**

```
## S3 method for class 'GP'
support(d, drop = TRUE, ...)
```

**Arguments**

d	An GP object created by a call to <a href="#">GP()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

In case of a single distribution object, a numeric vector of length 2 with the minimum and maximum value of the support (if drop = TRUE, default) or a matrix with 2 columns. In case of a vectorized distribution object, a matrix with 2 columns containing all minima and maxima.

---

support.Gumbel                      *Return the support of the Gumbel distribution*

---

**Description**

Return the support of the Gumbel distribution

**Usage**

```
## S3 method for class 'Gumbel'
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Gumbel object created by a call to <a href="#">Gumbel()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

In case of a single distribution object, a numeric vector of length 2 with the minimum and maximum value of the support (if drop = TRUE, default) or a matrix with 2 columns. In case of a vectorized distribution object, a matrix with 2 columns containing all minima and maxima.

---

```
support.HurdleNegativeBinomial
```

*Return the support of the hurdle negative binomial distribution*

---

**Description**

Return the support of the hurdle negative binomial distribution

**Usage**

```
## S3 method for class 'HurdleNegativeBinomial'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An <code>HurdleNegativeBinomial</code> object created by a call to <code>HurdleNegativeBinomial()</code> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

```
support.HurdlePoisson
```

*Return the support of the hurdle Poisson distribution*

---

**Description**

Return the support of the hurdle Poisson distribution

**Usage**

```
## S3 method for class 'HurdlePoisson'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An <code>HurdlePoisson</code> object created by a call to <code>HurdlePoisson()</code> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.HyperGeometric

*Return the support of the HyperGeometric distribution*

---

### Description

Return the support of the HyperGeometric distribution

### Usage

```
## S3 method for class 'HyperGeometric'  
support(d, drop = TRUE, ...)
```

### Arguments

d	An HyperGeometric object created by a call to <a href="#">HyperGeometric()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

A vector of length 2 with the minimum and maximum value of the support.

---

support.Logistic

*Return the support of the Logistic distribution*

---

### Description

Return the support of the Logistic distribution

### Usage

```
## S3 method for class 'Logistic'  
support(d, drop = TRUE, ...)
```

### Arguments

d	An Logistic object created by a call to <a href="#">Logistic()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

A vector of length 2 with the minimum and maximum value of the support.

---

support.LogNormal      *Return the support of the LogNormal distribution*

---

**Description**

Return the support of the LogNormal distribution

**Usage**

```
## S3 method for class 'LogNormal'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An LogNormal object created by a call to <a href="#">LogNormal()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.NegativeBinomial      *Return the support of the NegativeBinomial distribution*

---

**Description**

Return the support of the NegativeBinomial distribution

**Usage**

```
## S3 method for class 'NegativeBinomial'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An NegativeBinomial object created by a call to <a href="#">NegativeBinomial()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Normal      *Return the support of the Normal distribution*

---

### Description

Return the support of the Normal distribution

### Usage

```
## S3 method for class 'Normal'
support(d, drop = TRUE, ...)
```

### Arguments

d	An Normal object created by a call to <a href="#">Normal()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

In case of a single distribution object, a numeric vector of length 2 with the minimum and maximum value of the support (if drop = TRUE, default) or a matrix with 2 columns. In case of a vectorized distribution object, a matrix with 2 columns containing all minima and maxima.

---

support.Poisson      *Return the support of the Poisson distribution*

---

### Description

Return the support of the Poisson distribution

### Usage

```
## S3 method for class 'Poisson'
support(d, drop = TRUE, ...)
```

### Arguments

d	An Poisson object created by a call to <a href="#">Poisson()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

A vector of length 2 with the minimum and maximum value of the support.

---

`support.PoissonBinomial`*Return the support of the PoissonBinomial distribution*

---

**Description**

Return the support of the PoissonBinomial distribution

**Usage**

```
## S3 method for class 'PoissonBinomial'  
support(d, drop = TRUE, ...)
```

**Arguments**

<code>d</code>	A PoissonBinomial object created by a call to <a href="#">PoissonBinomial()</a> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

`support.RevWeibull`*Return the support of the RevWeibull distribution*

---

**Description**

Return the support of the RevWeibull distribution

**Usage**

```
## S3 method for class 'RevWeibull'  
support(d, drop = TRUE, ...)
```

**Arguments**

<code>d</code>	An RevWeibull object created by a call to <a href="#">RevWeibull()</a> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

support.StudentsT      *Return the support of the StudentsT distribution*

---

**Description**

Return the support of the StudentsT distribution

**Usage**

```
## S3 method for class 'StudentsT'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An StudentsT object created by a call to <a href="#">StudentsT()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Tukey      *Return the support of the Tukey distribution*

---

**Description**

Return the support of the Tukey distribution

**Usage**

```
## S3 method for class 'Tukey'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Tukey object created by a call to <a href="#">Tukey()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Uniform	<i>Return the support of the Uniform distribution</i>
-----------------	---

---

**Description**

Return the support of the Uniform distribution

**Usage**

```
## S3 method for class 'Uniform'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Uniform object created by a call to <a href="#">Uniform()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.Weibull	<i>Return the support of the Weibull distribution</i>
-----------------	---

---

**Description**

Return the support of the Weibull distribution

**Usage**

```
## S3 method for class 'Weibull'  
support(d, drop = TRUE, ...)
```

**Arguments**

d	An Weibull object created by a call to <a href="#">Weibull()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

support.ZINegativeBinomial

*Return the support of the zero-inflated negative binomial distribution*

---

### Description

Return the support of the zero-inflated negative binomial distribution

### Usage

```
## S3 method for class 'ZINegativeBinomial'
support(d, drop = TRUE, ...)
```

### Arguments

d	An ZINegativeBinomial object created by a call to <a href="#">ZINegativeBinomial()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

A vector of length 2 with the minimum and maximum value of the support.

---

support.ZIPoisson

*Return the support of the zero-inflated Poisson distribution*

---

### Description

Return the support of the zero-inflated Poisson distribution

### Usage

```
## S3 method for class 'ZIPoisson'
support(d, drop = TRUE, ...)
```

### Arguments

d	An ZIPoisson object created by a call to <a href="#">ZIPoisson()</a> .
drop	logical. Should the result be simplified to a vector if possible?
...	Currently not used.

### Value

A vector of length 2 with the minimum and maximum value of the support.

---

`support.ZTNegativeBinomial`*Return the support of the zero-truncated negative binomial distribution*

---

**Description**

Return the support of the zero-truncated negative binomial distribution

**Usage**

```
## S3 method for class 'ZTNegativeBinomial'  
support(d, drop = TRUE, ...)
```

**Arguments**

<code>d</code>	An <code>ZTNegativeBinomial</code> object created by a call to <code>ZTNegativeBinomial()</code> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

`support.ZTPoisson`*Return the support of the zero-truncated Poisson distribution*

---

**Description**

Return the support of the zero-truncated Poisson distribution

**Usage**

```
## S3 method for class 'ZTPoisson'  
support(d, drop = TRUE, ...)
```

**Arguments**

<code>d</code>	An <code>ZTPoisson</code> object created by a call to <code>ZTPoisson()</code> .
<code>drop</code>	logical. Should the result be simplified to a vector if possible?
<code>...</code>	Currently not used.

**Value**

A vector of length 2 with the minimum and maximum value of the support.

---

Tukey

*Create a Tukey distribution*

---

## Description

Tukey's studentized range distribution, used for Tukey's honestly significant differences test in ANOVA.

## Usage

```
Tukey(nmeans, df, nranges)
```

## Arguments

nmeans	Sample size for each range.
df	Degrees of freedom.
nranges	Number of groups being compared.

## Details

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

**Support:**  $R^+$ , the set of positive real numbers.

Other properties of Tukey's Studentized Range Distribution are omitted, largely because the distribution is not fun to work with.

## Value

A Tukey object.

## See Also

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Uniform\(\)](#), [Weibull\(\)](#)

## Examples

```
set.seed(27)

X <- Tukey(4L, 16L, 2L)
X

cdf(X, 4)
quantile(X, 0.7)
```

---

Uniform

*Create a Continuous Uniform distribution*

---

## Description

A distribution with constant density on an interval. The continuous analogue to the [Categorical\(\)](#) distribution.

## Usage

```
Uniform(a = 0, b = 1)
```

## Arguments

**a** The a parameter. a can be any value in the set of real numbers. Defaults to 0.  
**b** The b parameter. b can be any value in the set of real numbers. It should be strictly bigger than a, but if is not, the order of the parameters is inverted. Defaults to 1.

## Value

A Uniform object.

## See Also

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Weibull\(\)](#)

## Examples

```
set.seed(27)

X <- Uniform(1, 2)
X

random(X, 10)

pdf(X, 0.7)
log_pdf(X, 0.7)

cdf(X, 0.7)
quantile(X, 0.7)

cdf(X, quantile(X, 0.7))
quantile(X, cdf(X, 0.7))
```

---

variance	<i>Compute the moments of a probability distribution</i>
----------	--

---

### Description

Generic functions for computing moments (variance, skewness, excess kurtosis) from probability distributions.

### Usage

```
variance(x, ...)
```

```
skewness(x, ...)
```

```
kurtosis(x, ...)
```

### Arguments

x	An object. The package provides methods for distribution objects such as those from <a href="#">Normal()</a> or <a href="#">Binomial()</a> etc.
...	Arguments passed to methods. Unevaluated arguments will generate a warning to catch misspellings or other possible errors.

### Details

The functions `variance`, `skewness`, and `kurtosis` are new generic functions for computing moments of probability distributions such as those provided in this package. Additionally, the probability distributions from **distributions3** all have methods for the `mean` generic. Moreover, quantiles can be computed with methods for `quantile`. For examples illustrating the usage with probability distribution objects, see the manual pages of the respective distributions, e.g., [Normal](#) or [Binomial](#) etc.

### Value

Numeric vector with the values of the moments.

### See Also

[mean](#), [quantile](#), [cdf](#), [random](#)

Weibull

Create a Weibull distribution

**Description**

Generalization of the gamma distribution. Often used in survival and time-to-event analyses.

**Usage**

```
Weibull(shape, scale)
```

**Arguments**

shape	The shape parameter $k$ . Can be any positive real number.
scale	The scale parameter $\lambda$ . Can be any positive real number.

**Details**

We recommend reading this documentation on <https://alexpghayes.github.io/distributions3/>, where the math will render with additional detail and much greater clarity.

In the following, let  $X$  be a Weibull random variable with success probability  $p = p$ .

**Support:**  $R^+$  and zero.

**Mean:**  $\lambda\Gamma(1 + 1/k)$ , where  $\Gamma$  is the gamma function.

**Variance:**  $\lambda[\Gamma(1 + \frac{2}{k}) - (\Gamma(1 + \frac{1}{k}))^2]$

**Probability density function (p.d.f):**

$$f(x) = \frac{k}{\lambda} \left(\frac{x}{\lambda}\right)^{k-1} e^{-(x/\lambda)^k}, x \geq 0$$

**Cumulative distribution function (c.d.f):**

$$F(x) = 1 - e^{-(x/\lambda)^k}, x \geq 0$$

**Moment generating function (m.g.f):**

$$\sum_{n=0}^{\infty} \frac{t^n \lambda^n}{n!} \Gamma(1 + n/k), k \geq 1$$

**Value**

A Weibull object.

**See Also**

Other continuous distributions: [Beta\(\)](#), [Cauchy\(\)](#), [ChiSquare\(\)](#), [Erlang\(\)](#), [Exponential\(\)](#), [FisherF\(\)](#), [Frechet\(\)](#), [GEV\(\)](#), [GP\(\)](#), [Gamma\(\)](#), [Gumbel\(\)](#), [LogNormal\(\)](#), [Logistic\(\)](#), [Normal\(\)](#), [RevWeibull\(\)](#), [StudentsT\(\)](#), [Tukey\(\)](#), [Uniform\(\)](#)

**Examples**

```

set.seed(27)

X <- Weibull(0.3, 2)
X

random(X, 10)

pdf(X, 2)
log_pdf(X, 2)

cdf(X, 4)
quantile(X, 0.7)

```

---

ZINegativeBinomial      *Create a zero-inflated negative binomial distribution*

---

**Description**

Zero-inflated negative binomial distributions are frequently used to model counts with overdispersion and many zero observations.

**Usage**

```
ZINegativeBinomial(mu, theta, pi)
```

**Arguments**

mu	Location parameter of the negative binomial component of the distribution. Can be any positive number.
theta	Overdispersion parameter of the negative binomial component of the distribution. Can be any positive number.
pi	Zero-inflation probability, can be any value in $[\theta, 1]$ .

**Details**

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a zero-inflated negative binomial random variable with parameters  $\mu = \mu$  and  $\theta = \theta$ .

**Support:**  $\{0, 1, 2, 3, \dots\}$

**Mean:**  $(1 - \pi) \cdot \mu$

**Variance:**  $(1 - \pi) \cdot \mu \cdot (1 + (\pi + 1/\theta) \cdot \mu)$

**Probability mass function (p.m.f.):**

$$P(X = k) = \pi \cdot I_0(k) + (1 - \pi) \cdot f(k; \mu, \theta)$$

where  $I_0(k)$  is the indicator function for zero and  $f(k; \mu, \theta)$  is the p.m.f. of the [NegativeBinomial](#) distribution.

**Cumulative distribution function (c.d.f.):**

$$P(X \leq k) = \pi + (1 - \pi) \cdot F(k; \mu, \theta)$$

where  $F(k; \mu, \theta)$  is the c.d.f. of the [NegativeBinomial](#) distribution.

**Moment generating function (m.g.f.):**

Omitted for now.

**Value**

A ZINegativeBinomial object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
## set up a zero-inflated negative binomial distribution
X <- ZINegativeBinomial(mu = 2.5, theta = 1, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

ZIPoisson

*Create a zero-inflated Poisson distribution***Description**

Zero-inflated Poisson distributions are frequently used to model counts with many zero observations.

**Usage**

```
ZIPoisson(lambda, pi)
```

**Arguments**

lambda	Parameter of the Poisson component of the distribution. Can be any positive number.
pi	Zero-inflation probability, can be any value in $[\emptyset, 1]$ .

**Details**

We recommend reading this documentation on <https://alexpg Hayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a zero-inflated Poisson random variable with parameter  $\text{lambda} = \lambda$ .

**Support:**  $\{0, 1, 2, 3, \dots\}$

**Mean:**  $(1 - \pi) \cdot \lambda$

**Variance:**  $(1 - \pi) \cdot \lambda \cdot (1 + \pi \cdot \lambda)$

**Probability mass function (p.m.f.):**

$$P(X = k) = \pi \cdot I_0(k) + (1 - \pi) \cdot f(k; \lambda)$$

where  $I_0(k)$  is the indicator function for zero and  $f(k; \lambda)$  is the p.m.f. of the [Poisson](#) distribution.

**Cumulative distribution function (c.d.f.):**

$$P(X \leq k) = \pi + (1 - \pi) \cdot F(k; \lambda)$$

where  $F(k; \lambda)$  is the c.d.f. of the [Poisson](#) distribution.

**Moment generating function (m.g.f.):**

$$E(e^{tX}) = \pi + (1 - \pi) \cdot e^{\lambda(e^t - 1)}$$

**Value**

A ZIPoisson object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZTNegativeBinomial\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
## set up a zero-inflated Poisson distribution
X <- ZIPoisson(lambda = 2.5, pi = 0.25)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

---

ZTNegativeBinomial      *Create a zero-truncated negative binomial distribution*

---

**Description**

Zero-truncated negative binomial distributions are frequently used to model counts where zero observations cannot occur or have been excluded.

**Usage**

```
ZTNegativeBinomial(mu, theta)
```

**Arguments**

mu	Location parameter of the negative binomial component of the distribution. Can be any positive number.
theta	Overdispersion parameter of the negative binomial component of the distribution. Can be any positive number.

**Details**

We recommend reading this documentation on <https://alexphayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a zero-truncated negative binomial random variable with parameter  $\mu = \mu$ .

**Support:**  $\{1, 2, 3, \dots\}$

**Mean:**

$$\mu \cdot \frac{1}{1 - F(0; \mu, \theta)}$$

where  $F(k; \mu, \theta)$  is the c.d.f. of the [NegativeBinomial](#) distribution.

**Variance:**  $m \cdot (\mu + 1 - m)$ , where  $m$  is the mean above.

**Probability mass function (p.m.f.):**

$$P(X = k) = \frac{f(k; \mu, \theta)}{1 - F(0; \mu, \theta)}$$

where  $f(k; \mu, \theta)$  is the p.m.f. of the [NegativeBinomial](#) distribution.

**Cumulative distribution function (c.d.f.):**

$$P(X = k) = \frac{F(k; \mu, \theta)}{1 - F(0; \mu, \theta)}$$

**Moment generating function (m.g.f.):**

Omitted for now.

**Value**

A ZTNegativeBinomial object.

**See Also**

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTPoisson\(\)](#)

**Examples**

```
## set up a zero-truncated negative binomial distribution
X <- ZTNegativeBinomial(mu = 2.5, theta = 1)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
```

```

quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)

```

ZTPoisson

*Create a zero-truncated Poisson distribution***Description**

Zero-truncated Poisson distributions are frequently used to model counts where zero observations cannot occur or have been excluded.

**Usage**

```
ZTPoisson(lambda)
```

**Arguments**

**lambda**                   Parameter of the underlying untruncated Poisson distribution. Can be any positive number.

**Details**

We recommend reading this documentation on <https://alexpgayes.github.io/distributions3/>, where the math will render with additional detail.

In the following, let  $X$  be a zero-truncated Poisson random variable with parameter  $\text{lambda} = \lambda$ .

**Support:**  $\{1, 2, 3, \dots\}$

**Mean:**

$$\lambda \cdot \frac{1}{1 - e^{-\lambda}}$$

**Variance:**  $m \cdot (\lambda + 1 - m)$ , where  $m$  is the mean above.

**Probability mass function (p.m.f.):**

$$P(X = k) = \frac{f(k; \lambda)}{1 - f(0; \lambda)}$$

where  $f(k; \lambda)$  is the p.m.f. of the [Poisson](#) distribution.

**Cumulative distribution function (c.d.f.):**

$$P(X = k) = \frac{F(k; \lambda)}{1 - F(0; \lambda)}$$

where  $F(k; \lambda)$  is the c.d.f. of the [Poisson](#) distribution.

**Moment generating function (m.g.f.):**

$$E(e^{tX}) = \frac{1}{1 - e^{-\lambda}} \cdot e^{\lambda(e^t - 1)}$$

### Value

A ZTPoisson object.

### See Also

Other discrete distributions: [Bernoulli\(\)](#), [Binomial\(\)](#), [Categorical\(\)](#), [Geometric\(\)](#), [HurdleNegativeBinomial\(\)](#), [HurdlePoisson\(\)](#), [HyperGeometric\(\)](#), [Multinomial\(\)](#), [NegativeBinomial\(\)](#), [Poisson\(\)](#), [PoissonBinomial\(\)](#), [ZINegativeBinomial\(\)](#), [ZIPoisson\(\)](#), [ZTNegativeBinomial\(\)](#)

### Examples

```
## set up a zero-truncated Poisson distribution
X <- ZTPoisson(lambda = 2.5)
X

## standard functions
pdf(X, 0:8)
cdf(X, 0:8)
quantile(X, seq(0, 1, by = 0.25))

## cdf() and quantile() are inverses for each other
quantile(X, cdf(X, 3))

## density visualization
plot(0:8, pdf(X, 0:8), type = "h", lwd = 2)

## corresponding sample with histogram of empirical frequencies
set.seed(0)
x <- random(X, 500)
hist(x, breaks = -1:max(x) + 0.5)
```

# Index

- \* **Exponential distribution**
  - fit\_mle.Exponential, 74
- \* **Geometric distribution**
  - cdf.Geometric, 30
  - pdf.Geometric, 116
  - quantile.Geometric, 166
  - random.Geometric, 205
- \* **HyperGeometric distribution**
  - cdf.HyperGeometric, 36
  - pdf.HyperGeometric, 123
  - quantile.HyperGeometric, 172
  - random.HyperGeometric, 211
- \* **LogNormal distribution**
  - cdf.LogNormal, 39
  - fit\_mle.LogNormal, 75
  - pdf.LogNormal, 125
  - quantile.LogNormal, 174
  - random.LogNormal, 213
- \* **Logistic distribution**
  - cdf.Logistic, 37
  - pdf.Logistic, 124
  - quantile.Logistic, 173
  - random.Logistic, 212
- \* **Multinomial distribution**
  - pdf.Multinomial, 127
  - random.Multinomial, 214
- \* **NegativeBinomial distribution**
  - cdf.NegativeBinomial, 40
  - pdf.NegativeBinomial, 128
  - quantile.NegativeBinomial, 175
  - random.NegativeBinomial, 215
- \* **Normal distribution**
  - cdf.Normal, 41
  - fit\_mle.Normal, 76
  - pdf.Normal, 129
  - quantile.Normal, 177
- \* **Poisson distribution**
  - fit\_mle.Poisson, 76
- \* **StudentsT distribution**
  - cdf.StudentsT, 47
  - pdf.StudentsT, 135
  - quantile.StudentsT, 183
  - random.StudentsT, 221
- \* **Tukey distribution**
  - cdf.Tukey, 49
  - quantile.Tukey, 185
- \* **Weibull distribution**
  - cdf.Weibull, 51
  - pdf.Weibull, 138
  - quantile.Weibull, 187
  - random.Weibull, 225
- \* **continuous distributions**
  - Beta, 11
  - Cauchy, 15
  - ChiSquare, 57
  - Erlang, 66
  - Exponential, 67
  - FisherF, 71
  - Frechet, 77
  - Gamma, 78
  - GEV, 81
  - GP, 83
  - Gumbel, 85
  - Logistic, 92
  - LogNormal, 94
  - Normal, 99
  - RevWeibull, 230
  - StudentsT, 235
  - Tukey, 260
  - Uniform, 261
  - Weibull, 263
- \* **datasets**
  - FIFA2018, 69
  - stat\_auc, 232
- \* **discrete distributions**
  - Bernoulli, 9
  - Binomial, 12
  - Categorical, 14

- Geometric, 80
- HurdleNegativeBinomial, 86
- HurdlePoisson, 88
- HyperGeometric, 89
- Multinomial, 96
- NegativeBinomial, 97
- Poisson, 148
- PoissonBinomial, 149
- ZINegativeBinomial, 264
- ZIPoisson, 266
- ZTNegativeBinomial, 267
- ZTPoisson, 269
- \* distribution**
  - dhnbinom, 59
  - dhpois, 60
  - dzinbinom, 61
  - dzipois, 63
  - dztbinom, 64
  - dztpois, 65
  - prodist, 151
- \* multivariate distributions**
  - Multinomial, 96
- aes(), 233
- apply\_dpqr, 7
- approxfun, 145
- arima, 151, 152
- Bernoulli, 9, 13, 14, 81, 87, 89, 90, 97, 98, 148, 150, 265, 267, 268, 270
- Bernoulli(), 18, 80, 96, 103, 154, 194, 244
- Beta, 11, 16, 58, 67, 68, 72, 78, 79, 82, 84, 86, 93, 95, 100, 231, 236, 260, 261, 263
- Beta(), 19, 104, 155, 195, 244
- Binomial, 11, 12, 14, 81, 87, 89, 90, 97, 98, 148–150, 193, 262, 265, 267, 268, 270
- Binomial(), 10, 17, 20, 72, 91, 95, 102, 105, 156, 193, 196, 237, 243, 245, 262
- borders(), 234
- Categorical, 11, 13, 14, 81, 87, 89, 90, 97, 98, 148, 150, 265, 267, 268, 270
- Categorical(), 21, 96, 107, 158, 197, 261
- Cauchy, 12, 15, 58, 67, 68, 72, 78, 79, 82, 84, 86, 93, 95, 100, 231, 236, 260, 261, 263
- Cauchy(), 22, 108, 159, 198, 245
- cdf, 17, 262
- cdf(), 92
- cdf.Bernoulli, 17
- cdf.Beta, 18
- cdf.Binomial, 20
- cdf.Categorical, 21
- cdf.Cauchy, 22
- cdf.ChiSquare, 23
- cdf.Erlang, 24
- cdf.Exponential, 25
- cdf.FisherF, 26
- cdf.Frechet, 28
- cdf.Gamma, 29
- cdf.Geometric, 30, 117, 167, 205
- cdf.GEV, 31
- cdf.GP, 32
- cdf.Gumbel, 33
- cdf.HurdleNegativeBinomial, 34
- cdf.HurdlePoisson, 35
- cdf.HyperGeometric, 36, 124, 173, 211
- cdf.Logistic, 37, 125, 174, 212
- cdf.LogNormal, 39, 76, 126, 175, 213
- cdf.NegativeBinomial, 40, 128, 176, 215
- cdf.Normal, 41, 76, 130, 177
- cdf.Poisson, 43
- cdf.PoissonBinomial, 45
- cdf.RevWeibull, 46
- cdf.StudentsT, 47, 136, 184, 221
- cdf.Tukey, 49, 186
- cdf.Uniform, 50
- cdf.Weibull, 51, 139, 188, 225
- cdf.ZINegativeBinomial, 52
- cdf.ZIPoisson, 54
- cdf.ZTNegativeBinomial, 55
- cdf.ZTPoisson, 56
- ChiSquare, 12, 16, 57, 67, 68, 72, 78, 79, 82, 84, 86, 93, 95, 100, 231, 236, 260, 261, 263
- ChiSquare(), 23, 58, 109, 160, 199, 246
- dbeta, 104
- dbinom, 103, 106
- dcauchy, 108
- dchisq, 109
- deviance, 152
- dexp, 112
- df, 113
- dgamma, 111, 115
- dgeom, 116
- dgev, 114, 118, 120, 135

- dgp, [119](#)
- dhnbinom, [59](#), [121](#)
- dhpois, [60](#), [122](#)
- dhyper, [124](#)
- dlnorm, [126](#)
- dlogis, [125](#)
- dnbinom, [60](#), [62](#), [65](#), [128](#)
- dnorm, [129](#)
- dpbinom, [133](#)
- dpois, [61](#), [63](#), [66](#), [132](#)
- dt, [136](#)
- dunif, [138](#)
- dweibull, [139](#)
- dzinbinom, [61](#), [140](#)
- dzipois, [63](#), [141](#)
- dztinbinom, [64](#), [142](#)
- dztpois, [65](#), [144](#)
  
- Erlang, [12](#), [16](#), [58](#), [66](#), [68](#), [72](#), [78](#), [79](#), [82](#), [84](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- Erlang(), [24](#), [110](#), [161](#), [200](#), [246](#)
- expand.grid, [145](#)
- Exponential, [12](#), [16](#), [58](#), [67](#), [67](#), [72](#), [78](#), [79](#), [82](#), [84](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- Exponential(), [26](#), [74](#), [111](#), [162](#), [201](#), [239](#), [247](#)
  
- FIFA2018, [69](#)
- FisherF, [12](#), [16](#), [58](#), [67](#), [68](#), [71](#), [78](#), [79](#), [82](#), [84](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- FisherF(), [27](#), [58](#), [113](#), [163](#), [202](#), [247](#)
- fit\_mle, [72](#)
- fit\_mle.Bernoulli, [73](#)
- fit\_mle.Binomial, [73](#)
- fit\_mle.Exponential, [74](#)
- fit\_mle.Gamma, [74](#)
- fit\_mle.Geometric, [75](#)
- fit\_mle.LogNormal, [39](#), [75](#), [126](#), [175](#), [213](#)
- fit\_mle.Normal, [42](#), [76](#), [130](#), [177](#)
- fit\_mle.Poisson, [76](#)
- fortify(), [233](#)
- Frechet, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [77](#), [79](#), [82](#), [84](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- Frechet(), [28](#), [114](#), [164](#), [203](#), [248](#)
  
- Gamma, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [78](#), [82](#), [84](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- Gamma(), [29](#), [58](#), [74](#), [115](#), [165](#), [204](#), [240](#), [248](#)
- geom\_auc(stat\_auc), [232](#)
- GeomAuc(stat\_auc), [232](#)
- Geometric, [11](#), [13](#), [14](#), [80](#), [87](#), [89](#), [90](#), [97](#), [98](#), [148](#), [150](#), [265](#), [267](#), [268](#), [270](#)
- Geometric(), [30](#), [116](#), [166](#), [205](#), [249](#)
- GEV, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [79](#), [81](#), [84](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- GEV(), [31](#), [117](#), [167](#), [206](#), [249](#)
- ggplot(), [233](#)
- glm, [151](#), [152](#)
- GP, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [79](#), [82](#), [83](#), [86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- GP(), [32](#), [119](#), [168](#), [207](#), [250](#)
- Gumbel, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [79](#), [82](#), [84](#), [85](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#), [263](#)
- Gumbel(), [33](#), [120](#), [169](#), [208](#), [250](#)
  
- HurdleNegativeBinomial, [11](#), [13](#), [14](#), [60](#), [81](#), [86](#), [89](#), [90](#), [97](#), [98](#), [148](#), [150](#), [265](#), [267](#), [268](#), [270](#)
- HurdleNegativeBinomial(), [34](#), [121](#), [170](#), [209](#), [251](#)
- HurdlePoisson, [11](#), [13](#), [14](#), [61](#), [81](#), [87](#), [88](#), [90](#), [97](#), [98](#), [148](#), [150](#), [265](#), [267](#), [268](#), [270](#)
- HurdlePoisson(), [35](#), [122](#), [171](#), [210](#), [251](#)
- HyperGeometric, [11](#), [13](#), [14](#), [81](#), [87](#), [89](#), [89](#), [97](#), [98](#), [148](#), [150](#), [265](#), [267](#), [268](#), [270](#)
- HyperGeometric(), [37](#), [123](#), [172](#), [211](#), [252](#)
  
- is\_continuous(is\_discrete), [91](#)
- is\_discrete, [91](#)
- is\_distribution, [92](#)
  
- key glyphs, [234](#)
- kurtosis (variance), [262](#)
  
- layer geom, [233](#)
- layer position, [234](#)
- layer stat, [235](#)
- layer(), [234](#)
- legend, [145](#)
- likelihood(log\_likelihood), [95](#)
- lines, [145](#)
- lm, [151](#), [152](#)

- log\_likelihood, 95
- log\_pdf(pdf), 102
- log\_pdf.Bernoulli(pdf.Bernoulli), 103
- log\_pdf.Beta(pdf.Beta), 104
- log\_pdf.Binomial(pdf.Binomial), 105
- log\_pdf.Categorical(pdf.Categorical), 106
- log\_pdf.Cauchy(pdf.Cauchy), 108
- log\_pdf.ChiSquare(pdf.ChiSquare), 109
- log\_pdf.Erlang(pdf.Erlang), 110
- log\_pdf.Exponential(pdf.Exponential), 111
- log\_pdf.FisherF(pdf.FisherF), 112
- log\_pdf.Frechet(pdf.Frechet), 114
- log\_pdf.Gamma(pdf.Gamma), 115
- log\_pdf.Geometric(pdf.Geometric), 116
- log\_pdf.GEV(pdf.GEV), 117
- log\_pdf.GP(pdf.GP), 118
- log\_pdf.Gumbel(pdf.Gumbel), 119
- log\_pdf.HurdleNegativeBinomial(pdf.HurdleNegativeBinomial), 121
- log\_pdf.HurdlePoisson(pdf.HurdlePoisson), 122
- log\_pdf.HyperGeometric(pdf.HyperGeometric), 123
- log\_pdf.Logistic(pdf.Logistic), 124
- log\_pdf.LogNormal(pdf.LogNormal), 125
- log\_pdf.Multinomial(pdf.Multinomial), 127
- log\_pdf.NegativeBinomial(pdf.NegativeBinomial), 128
- log\_pdf.Normal(pdf.Normal), 129
- log\_pdf.Poisson(pdf.Poisson), 131
- log\_pdf.PoissonBinomial(pdf.PoissonBinomial), 133
- log\_pdf.RevWeibull(pdf.RevWeibull), 134
- log\_pdf.StudentsT(pdf.StudentsT), 135
- log\_pdf.Uniform(pdf.Uniform), 137
- log\_pdf.Weibull(pdf.Weibull), 138
- log\_pdf.ZINegativeBinomial(pdf.ZINegativeBinomial), 139
- log\_pdf.ZIPoisson(pdf.ZIPoisson), 141
- log\_pdf.ZTNegativeBinomial(pdf.ZTNegativeBinomial), 142
- log\_pdf.ZTPoisson(pdf.ZTPoisson), 143
- Logistic, 12, 16, 58, 67, 68, 72, 78, 79, 82, 84, 86, 92, 95, 100, 231, 236, 260, 261, 263
- Logistic(), 38, 124, 125, 174, 212, 252
- logLik, 152
- LogNormal, 12, 16, 58, 67, 68, 72, 78, 79, 82, 84, 86, 93, 94, 100, 231, 236, 260, 261, 263
- LogNormal(), 39, 75, 125, 126, 175, 213, 241, 253
- make\_positive\_integer(apply\_dpqr), 7
- make\_support(apply\_dpqr), 7
- mean, 262
- Multinomial, 11, 13, 14, 81, 87, 89, 90, 96, 98, 148, 150, 265, 267, 268, 270
- Multinomial(), 127, 214
- NegativeBinomial, 11, 13, 14, 81, 87, 89, 90, 97, 97, 148, 150, 265, 267, 268, 270
- NegativeBinomial(), 40, 128, 176, 215, 253
- Normal, 12, 16, 58, 67, 68, 72, 78, 79, 82, 84, 86, 93, 95, 99, 151, 193, 231, 236, 260–263
- Normal(), 17, 41, 58, 72, 76, 91, 94, 95, 102, 129, 177, 193, 216, 235, 237, 242, 243, 254, 262
- pbeta, 19
- pbinom, 18, 20
- pcauchy, 22
- pchisq, 23
- pdf, 102
- pdf.Bernoulli, 103
- pdf.Beta, 104
- pdf.Binomial, 105
- pdf.Categorical, 106
- pdf.Cauchy, 108
- pdf.ChiSquare, 109
- pdf.Erlang, 110
- pdf.Exponential, 111
- pdf.FisherF, 112
- pdf.Frechet, 114
- pdf.Gamma, 115
- pdf.Geometric, 30, 116, 167, 205
- pdf.GEV, 117
- pdf.GP, 118
- pdf.Gumbel, 119
- pdf.HurdleNegativeBinomial, 121
- pdf.HurdlePoisson, 122
- pdf.HyperGeometric, 37, 123, 173, 211

- pdf.Logistic, 38, 124, 174, 212
- pdf.LogNormal, 39, 76, 125, 175, 213
- pdf.Multinomial, 127, 214
- pdf.NegativeBinomial, 40, 128, 176, 215
- pdf.Normal, 42, 76, 129, 177
- pdf.Poisson, 131
- pdf.PoissonBinomial, 133
- pdf.RevWeibull, 134
- pdf.StudentsT, 48, 135, 184, 221
- pdf.Uniform, 137
- pdf.Weibull, 52, 138, 188, 225
- pdf.ZINegativeBinomial, 139
- pdf.ZIPoisson, 141
- pdf.ZTNegativeBinomial, 142
- pdf.ZTPoisson, 143
- pexp, 26
- pf, 27
- pgamma, 25, 29
- pgeom, 30
- pgev, 28, 31, 33, 47
- pgp, 32
- phnbinom, 34
- phnbinom (dhnbinom), 59
- phpois, 36
- phpois (dhpois), 60
- phyper, 37
- plnorm, 39
- plogis, 38
- plot, 145
- plot.distribution, 144
- plot.ecdf, 145
- plot\_cdf, 146
- plot\_pdf, 147
- pmf (pdf), 102
- pnbinom, 40
- pnorm, 41, 45, 133
- Poisson, 11, 13, 14, 81, 87–90, 97, 98, 148, 150, 265–270
- Poisson(), 44, 77, 132, 179, 218, 242, 254
- PoissonBinomial, 11, 13, 14, 81, 87, 89, 90, 97, 98, 148, 149, 265, 267, 268, 270
- PoissonBinomial(), 45, 133, 181, 219, 255
- ppbinom, 45
- ppois, 44
- predict, 151, 152
- prodist, 151, 231, 232
- pt, 48
- ptukey, 50
- punif, 51
- pweibull, 52
- pzinbinom, 53
- pzinbinom (dzinbinom), 61
- pzipois, 54
- pzipois (dzipois), 63
- pztbinom, 55
- pztbinom (dztnbinom), 64
- pztpois, 56
- pztpois (dztpois), 65
- qbeta, 155
- qbinom, 154, 157
- qcauchy, 159
- qchisq, 160
- qexp, 162
- qf, 163
- qgamma, 161, 165
- qgeom, 166
- qgev, 164, 167, 169, 182
- qgp, 168
- qhnbinom, 170
- qhnbinom (dhnbinom), 59
- qhpois, 171
- qhpois (dhpois), 60
- qhyper, 173
- qlnorm, 175
- qlogis, 174
- qnbinom, 176
- qnorm, 177, 181
- qpbinom, 181
- qpois, 180
- qt, 183
- qtukey, 185
- quantile, 262
- quantile.Bernoulli, 154
- quantile.Beta, 155
- quantile.Binomial, 156
- quantile.Categorical, 157
- quantile.Cauchy, 158
- quantile.ChiSquare, 159
- quantile.Erlang, 161
- quantile.Exponential, 162
- quantile.FisherF, 163
- quantile.Frechet, 164
- quantile.Gamma, 165
- quantile.Geometric, 30, 117, 166, 205
- quantile.GEV, 167
- quantile.GP, 168

- quantile.Gumbel, 169
- quantile.HurdleNegativeBinomial, 170
- quantile.HurdlePoisson, 171
- quantile.HyperGeometric, 37, 124, 172, 211
- quantile.Logistic, 38, 125, 173, 212
- quantile.LogNormal, 39, 76, 126, 174, 213
- quantile.NegativeBinomial, 40, 128, 175, 215
- quantile.Normal, 42, 76, 130, 177
- quantile.Poisson, 179
- quantile.PoissonBinomial, 180
- quantile.RevWeibull, 182
- quantile.StudentsT, 48, 136, 183, 221
- quantile.Tukey, 50, 185
- quantile.Uniform, 186
- quantile.Weibull, 52, 139, 187, 225
- quantile.ZINegativeBinomial, 188
- quantile.ZIPoisson, 189
- quantile.ZTNegativeBinomial, 190
- quantile.ZTPoisson, 191
- qunif, 186
- qweibull, 187
- qzinbinom, 188
- qzinbinom (dzinbinom), 61
- qzipois, 190
- qzipois (dzipois), 63
- qztnbinom, 191
- qztnbinom (dztnbinom), 64
- qztpois, 192
- qztpois (dztpois), 65
  
- random, 192, 232, 262
- random.Bernoulli, 194
- random.Beta, 195
- random.Binomial, 196
- random.Categorical, 197
- random.Cauchy, 198
- random.ChiSquare, 199
- random.Erlang, 200
- random.Exponential, 201
- random.FisherF, 202
- random.Frechet, 203
- random.Gamma, 204
- random.Geometric, 30, 117, 167, 205
- random.GEV, 206
- random.GP, 207
- random.Gumbel, 208
- random.HurdleNegativeBinomial, 209
- random.HurdlePoisson, 210
- random.HyperGeometric, 37, 124, 173, 211
- random.Logistic, 38, 125, 174, 212
- random.LogNormal, 39, 76, 126, 175, 213
- random.Multinomial, 127, 214
- random.NegativeBinomial, 40, 128, 176, 215
- random.Normal, 216
- random.Poisson, 218
- random.PoissonBinomial, 219
- random.RevWeibull, 220
- random.StudentsT, 48, 136, 184, 221
- random.Tukey, 223
- random.Uniform, 224
- random.Weibull, 52, 139, 188, 225
- random.ZINegativeBinomial, 226
- random.ZIPoisson, 227
- random.ZTNegativeBinomial, 228
- random.ZTPoisson, 229
- rep\_len, 145
- RevWeibull, 12, 16, 58, 67, 68, 72, 78, 79, 82, 84, 86, 93, 95, 100, 230, 236, 260, 261, 263
- RevWeibull(), 46, 134, 182, 220, 255
- rhnbinom (dhnbinom), 59
- rhpois (dhpois), 60
- rzinbinom (dzinbinom), 61
- rzipois (dzipois), 63
- rzttnbinom (dztnbinom), 64
- rztpois (dztpois), 65
  
- set.seed, 193, 231
- simulate, 193, 232
- simulate.default, 231
- simulate.distribution, 231, 232
- simulate.distribution(random), 192
- skewness (variance), 262
- stat\_auc, 232
- StatAuc (stat\_auc), 232
- stats::binom.test(), 13
- StudentsT, 12, 16, 58, 67, 68, 72, 78, 79, 82, 84, 86, 93, 95, 100, 231, 235, 260, 261, 263
- StudentsT(), 48, 58, 135, 183, 221, 256
- suff\_stat, 237
- suff\_stat.Bernoulli, 238
- suff\_stat.Binomial, 238
- suff\_stat.Exponential, 239
- suff\_stat.Gamma, 240

- suff\_stat.Geometric, [240](#)
- suff\_stat.LogNormal, [241](#)
- suff\_stat.Normal, [242](#)
- suff\_stat.Poisson, [242](#)
- support, [243](#)
- support.Bernoulli, [244](#)
- support.Beta, [244](#)
- support.Binomial, [245](#)
- support.Cauchy, [245](#)
- support.ChiSquare, [246](#)
- support.Erlang, [246](#)
- support.Exponential, [247](#)
- support.FisherF, [247](#)
- support.Frechet, [248](#)
- support.Gamma, [248](#)
- support.Geometric, [249](#)
- support.GEV, [249](#)
- support.GP, [250](#)
- support.Gumbel, [250](#)
- support.HurdleNegativeBinomial, [251](#)
- support.HurdlePoisson, [251](#)
- support.HyperGeometric, [252](#)
- support.Logistic, [252](#)
- support.LogNormal, [253](#)
- support.NegativeBinomial, [253](#)
- support.Normal, [254](#)
- support.Poisson, [254](#)
- support.PoissonBinomial, [255](#)
- support.RevWeibull, [255](#)
- support.StudentsT, [256](#)
- support.Tukey, [256](#)
- support.Uniform, [257](#)
- support.Weibull, [257](#)
- support.ZINegativeBinomial, [258](#)
- support.ZIPoisson, [258](#)
- support.ZTNegativeBinomial, [259](#)
- support.ZTPoisson, [259](#)
  
- Tukey, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [79](#), [82](#), [84](#),  
[86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#),  
[263](#)
- Tukey(), [49](#), [223](#), [256](#)
  
- Uniform, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [79](#), [82](#), [84](#),  
[86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#),  
[263](#)
- Uniform(), [51](#), [137](#), [186](#), [224](#), [257](#)
  
- variance, [262](#)
  
- Weibull, [12](#), [16](#), [58](#), [67](#), [68](#), [72](#), [78](#), [79](#), [82](#), [84](#),  
[86](#), [93](#), [95](#), [100](#), [231](#), [236](#), [260](#), [261](#),  
[263](#)
- Weibull(), [52](#), [138](#), [139](#), [187](#), [225](#), [257](#)
  
- ZINegativeBinomial, [11](#), [13](#), [14](#), [62](#), [81](#), [87](#),  
[89](#), [90](#), [97](#), [98](#), [148](#), [150](#), [264](#), [267](#),  
[268](#), [270](#)
- ZINegativeBinomial(), [53](#), [140](#), [188](#), [226](#),  
[258](#)
- ZIPoisson, [11](#), [13](#), [14](#), [63](#), [81](#), [87](#), [89](#), [90](#), [97](#),  
[98](#), [148](#), [150](#), [265](#), [266](#), [268](#), [270](#)
- ZIPoisson(), [54](#), [141](#), [189](#), [227](#), [258](#)
- ZTNegativeBinomial, [11](#), [13](#), [14](#), [65](#), [81](#), [87](#),  
[89](#), [90](#), [97](#), [98](#), [148](#), [150](#), [265](#), [267](#),  
[267](#), [270](#)
- ZTNegativeBinomial(), [55](#), [142](#), [190](#), [228](#),  
[259](#)
- ZTPoisson, [11](#), [13](#), [14](#), [66](#), [81](#), [87](#), [89](#), [90](#), [97](#),  
[98](#), [148](#), [150](#), [265](#), [267](#), [268](#), [269](#)
- ZTPoisson(), [56](#), [143](#), [192](#), [229](#), [259](#)